- 1. GREP: Display all the lines from the /etc/passwd file containing the string "dan" (lowercase only).
- 2. **GREP:** Display the number of lines in a file.
- 3. **GREP:** Display the lines from the /etc/passwd file belonging to users with a surname (family name) at least 12 characters long.
- 4. GREP: Display the lines from the /etc/passwd file that do not begin with the letter e or the letter y.
- 5. **SED:** Replace all occurrences of the string "dan" from the /etc/passwd file with the string "daniel" (lowercase only).
- 6. **SED:** Delete all lines containing the string "dan" from the /etc/passwd file.
- 7. **SED:** Convert all the lowercase letters from a file into uppercase letters.
- 8. **SED:** Surround with round brackets any group of 3 or more consecutive vowels from a file.
- 9. AWK: Print the line number before each line of the /etc/passwd file.
- 10. AWK: Print only the even-numbered lines from the /etc/passwd file.
- 11. AWK: Print only the 5th field from each line of the /etc/passwd file, considering that the fields are separated by the : character. (use the -F flag for awk: awk -F: ...)
- 12. AWK: Display information about the students in the system in the following format: Name Username Group. Extract this information from the /etc/passwd file.
- 13. AWK: Display how many lines end in a vowel and how many lines end in a consonant from a file.