# 1 Jenkins Groovy CheatSheet

LANGUAGES

Updated: October 27, 2018

- PDF Link: cheatsheet-jenkins-groovy-A4.pdf, Category: languages
- Blog URL: https://cheatsheet.dennyzhang.com/cheatsheet-jenkins-groovy-A4

File me Issues or star this repo.

See more CheatSheets from Denny: #denny-cheatsheets

# 1.1 Jenkins Pipeline

| Name                                      | Comment   |
|---|---|
| Specify parameter to run jobs             | build job:'job1', parameters:[string(name:'name1', value:va1)]            |
| Run job in different agents               | <pre>node(\$agent_label) {}</pre>   |
| Use boolean parameter                     | $if (is_{true} == "false") \{\}$  |
| Ask for user input                        | <pre>stage('stage2'){ input "OK to go?" }</pre>                           |
| Actively fail current pipeline job        | error("Build failed because of this and that")                            |
| Keep going when previous stage has failed | $keep_{goingwitherrors.groovy}$   |
| Send slack notification in pipeline       | $\operatorname{slack}_{\operatorname{notification.groovy}}$               |
| validate user input: ip address           | assert ip_address.matches(" $\d{1,3}\\\.\d{1,3}\\\.\d{1,3}\\\.\d{1,3}$ ") |
| Read Environment Variables                | <pre>def env = System.getenv()</pre>                                      |
|   |   |

#### 1.2 Array

| Name             | Comment   |
|------------------|---|
| Iterate a list   | (13).each { println "Number \${it}"}              |
| Iterate a list   | <pre>for(item in [1,2,3,4]){ println item }</pre> |
| Add item to list | def alist = [10, 9, 8]; alist « 7                 |
| List size        | <pre>def alist = [10, 9, 8]; alist.size()</pre>   |

## 1.3 String

| Name                        | Comment                  |
|-----------------------------|--------------------------|
| Print stdout                | echo 'Action is done'    |
| Print stdout                | println "Hello World"    |
| Split string with delimiter | '1128-2'.tokenize ( '-') |

## 1.4 Integer

| Name             | Comment   |
|------------------|---|
| Basic caculation | $def a = 3, b = 7; println "$a + $b = {a + b}"$ |

## 1.5 Dict/Hashmap/Map

| Name                | Comment   |
|---------------------|---|
| Create a map        | <pre>def m = ['fruit':'Apple', 'veggie':'Carrot']</pre> |
| Add an item to map  | <pre>m.put('denny','hello')</pre>                       |
| Check if key exists | <pre>m.containsKey('key1')</pre>                        |

## 1.6 Files

| Name                            | Comment  |
|---------------------------------|--|
| Read file content as a variable | <pre>def content = readFile("/tmp/test.txt")</pre> |

#### 1.7 More Resources

- $\bullet \ \, groovy-lang.org: \ http://groovy-lang.org/documentation.html\#gettingstarted$
- https://jenkins.io/doc/

License: Code is licensed under MIT License.