

Project Title: TEMPORAL ANALYSIS OF CLIMATIC INFLUENCES ON FOREST FIRE PATTERNS IN PENINSULAR MALAYSIA USING STATISTICAL METHOD

Prepared by: GRACE LING KIAN HWAI, MCS231026, GraceLKH

Chapter 2 Literature Review

2.1 Introduction

This chapter provides a thorough study of previous research related to the temporal analysis of climatic influences on forest fire patterns, particularly focusing on Peninsular Malaysia. The review covers various aspects such as key components, theoretical frameworks, critical analysis of existing studies, positioning of the current research, and identification of research gaps.

2.2 Key Components

The research title can be breakdown into five key components, including: temporal analysis, climatic influences, forest fire patterns, peninsular Malaysia, and statistical method. The literature review of each key component will be presented in the following sessions.

2.2.1 Temporal Analysis

Temporal analysis is a method used to study data patterns over time, helping researchers and analysts understand trends, cyclical behaviours, and temporal relationships within datasets. This approach is crucial in various fields such as climatology (Belay et al., 2021), economics (Liu & Song, 2020), and social sciences (Cencetti et al., 2021), where understanding time-based data is essential. The temporal analysis from the studies involved several techniques, including time series analysis, spatial-temporal analysis and temporal network analysis.

The evolution of temporal analysis has been marked by the improvements in computing capability and the creation of advanced algorithms. Early studies primarily focused on simple time series models, such as ARIMA in 1976 and exponential smoothing in 1950 (G. Jain, n.d.). However, recent advancements have introduced more complex models like Long Short-Term Memory (LSTM) networks and Temporal Convolutional Networks (TCNs), which offer superior performance in capturing long-range dependencies in data (Gopali et al., 2021). The integration of machine learning with temporal analysis has opened new avenues for predictive

analytics, enabling the capture of non-linear relationships and long-term dependencies with superior accuracy, albeit at the cost of higher computational demands (Siami-Namini et al., 2018).

Several case studies highlight the practical applications of temporal analysis. For instance, in healthcare, temporal analysis has been used to monitor patient vitals and predict potential health crises, leading to timely interventions (T. Chen et al., 2021). In finance, it has been utilized to forecast stock prices by analysing stock price patterns over time (Asgarov, n.d.). The integration of temporal analysis in environmental monitoring shows great promise, particularly in flood mapping, forestry, and water resource management (Amitrano et al., 2021). These case studies demonstrate the versatility and importance of temporal analysis in addressing real-world problems.

The importance of temporal analysis lies in its ability to transform raw time-based data into actionable insights, enabling informed decision-making across various domains. By understanding temporal dynamics, organizations can better anticipate future trends, optimize operations, and enhance risk assessment and damage analysis (Ahola et al., 2007). The continuous evolution of temporal analysis techniques, driven by advancements in artificial intelligence and computational methods, ensures that it remains a vital tool for researchers and practitioners alike. In conclusion, temporal analysis is indispensable in modern data analysis, providing a deeper understanding of temporal patterns and their implications (Tang & Wang, 2021).

2.2.2 Climatic Influences

Climatic influences refer to the various ways in which climate conditions, such as temperature, precipitation, and wind patterns, affect natural and human systems. These influences are critical in understanding the dynamics of ecosystems, agricultural productivity, and human health, among other areas (Abbass et al., 2022). Climatic influences are studied through the lens of climate science, which examines the long-term trends and patterns in meteorological data to forecast future climatic conditions and their potential impacts (X. M. Chen et al., 2023).

Research on climatic influences has undergone considerable development in recent decades. Initially, studies were largely observational, focusing on the direct effects of climate variables on specific regions or phenomena (Treut et al., n.d.). With the advancement of climate

models and satellite technology, researchers can now simulate and predict climatic influences with greater accuracy (Fatichi et al., 2011). Recent developments in machine learning and big data analytics have further enhanced our ability to analyse complex climate data, leading to more nuanced insights into how climatic factors interact with various environmental and socio-economic systems (L. Chen et al., 2023).

Implementing studies on climatic influences involves a range of methodologies, from statistical analysis and climate modelling to field experiments and remote sensing. Climate models, such as General Circulation Models (GCMs), play an essential part in modelling the Earth's climate system and forecasting future weather patterns (Robock et al., 1993). Remote sensing technologies encompass satellite imagery as well as sensors positioned on the ground, provide valuable data on climatic variables and their spatial distribution (Thies & Bendix, 2011). Additionally, machine learning techniques are increasingly used to examine extensive datasets, recognize trends, and forecast outcomes about climatic influences (Ford et al., 2016).

Numerous case studies illustrate the practical applications of research on climatic influences. For example, in agriculture, studies have shown how changing precipitation patterns and temperature fluctuations impact crop yields, guiding farmers in adapting their practices to mitigate adverse effects (Lobell et al., 2006). In public health, research has highlighted the relationship between climate change and the spread of vector-borne diseases, informing public health strategies and interventions (Wu & Huang, 2022). Environmental studies have used climatic data to understand the impacts of climate change on biodiversity, leading to conservation efforts aimed at protecting vulnerable species and ecosystems (Pörtner et al., 2021).

Understanding climatic influences is crucial for formulating effective strategies for adaptation and mitigation in relation to climate change. By identifying how climatic factors affect various systems, policymakers and practitioners can make informed decisions to reduce vulnerabilities and enhance resilience (IPCC, 2021). The ongoing advancements in climate science and technology continue to improve our ability to predict and manage the impacts of climatic influences, underscoring their importance in addressing the global challenge of climate change (Hulme, 2015). In conclusion, research on climatic influences provides essential insights that drive both scientific understanding and practical actions to safeguard natural and human systems against the adverse effects of climate change (Wang et al., 2023).

2.2.3 Forest Fire Patterns

Patterns of forest fires denote the spatial and temporal occurrence of wildfires in forested areas, including their frequency, intensity, and underlying causes. Understanding these patterns is crucial for managing forests, predicting future fire occurrences, and mitigating their impacts on ecosystems and human communities (Dastour et al., 2024a). Forest fires, influenced by climatic conditions, vegetation types, and human activities, have been a natural part of many ecosystems, playing a role in nutrient cycling and habitat renewal (Pausas & Keeley, 2019a).

The study of forest fire patterns has evolved significantly over the years, with advancements in remote sensing technologies, climate models, and data analytics. Earlier studies relied on ground-based observations and historical records to understand fire occurrences (Mangeon et al., 2016a). With the advent of satellite imagery and Geographic Information Systems (GIS), researchers can now analyse large-scale fire patterns and monitor active fires in real-time (Szpakowski & Jensen, 2019a). Recent advancements in machine learning and big data analytics have further enhanced the ability to predict fire occurrences and understand their drivers (P. Jain et al., 2020a).

Implementing studies on forest fire patterns involves a blend of remote-sensing, climate modelling, and field data collection. Remote sensing technologies, such as MODIS and Landsat, provide valuable data on fire locations, burn severity, and vegetation types (Giglio et al., n.d.-a). Climate models help simulate the effects of climatic variables, such as temperature and precipitation, on fire patterns (Abatzoglou & Williams, 2016a). Machine learning methodologies such as Random Forests and neural networks, are increasingly used to analyse complex datasets and predict fire occurrences based on various environmental and socio-economic factors (P. Jain et al., 2020a).

Several case studies highlight the practical applications of research on forest fire patterns. For example, in the western United States, study has indicated that climate change and human interventions are contributing to an increase in both the frequency and severity of forest fires, leading to significant ecological and economic impacts (Halofsky et al., 2020a). In Australia, studies have concentrated on comprehending the impact of severe weather phenomena, including heatwaves and droughts, in driving large-scale bushfires (Bradstock, 2010a). These case studies demonstrate the importance of understanding forest fire patterns for effective fire management and policy-making (Bowman et al., 2009a).

Analysing the patterns of forest fires is essential for creating effective strategies for fire management, mitigating fire risks, and protecting ecosystems and human communities. By identifying the factors that influence fire occurrences and their spatial and temporal distribution, researchers can inform fire prevention and response efforts (Moritz et al., 2014a). The ongoing advancements in remote sensing, climate modelling, and data analytics continue to improve our understanding of forest fire patterns, underscoring their importance in addressing the challenges posed by increasing fire occurrences due to climate change (Stephens et al., 2012a). In conclusion, research on forest fire patterns provides essential insights that drive both scientific understanding and practical actions to manage and mitigate the impacts of forest fires (Keeley & Syphard, 2021a).

2.2.4 Peninsular Malaysia

Peninsular Malaysia (Figure 2.2.4), referred to as West Malaysia, is part of the larger Southeast Asian country of Malaysia, situated on the Malay Peninsula. This region is distinguished by its diverse ecosystems, rich cultural heritage, and significant economic activities, especially in agriculture, manufacturing, and tourism (Hasan & Nair, 2014). Peninsular Malaysia is located between Thailand to the north, the Strait of Malacca to the west, the South China Sea to the east, and Singapore to the south (Olaniyi et al., 2011).



Figure 2.2.4: Peninsular Malaysia.

Research on Peninsular Malaysia has evolved over the decades, reflecting shifts in focus from colonial historical studies to contemporary issues such as sustainable development,

environmental conservation, and socio-economic challenges (Hezri & Nordin Hasan, 2006). Early studies primarily documented the region's colonial history and post-independence developments (Ngah, n.d.). More recent research has embraced multidisciplinary approaches, incorporating perspectives from environmental science, economics, sociology, and urban planning to address the complex challenges faced by the region (Laporan Akhir Penyelidik, n.d.)

Implementing research in Peninsular Malaysia involves various methodologies, including field surveys, remote sensing, GIS mapping, and statistical analysis. Remote sensing and GIS have been particularly valuable for environmental and land use studies, providing detailed data on forest cover, urban expansion, and agricultural activities (Leman et al., 2016). Social science research frequently utilizes qualitative techniques, including interviews and focus groups, in conjunction with quantitative methods such as surveys and econometric modelling, to understand socio-economic dynamics (Khalid, 2018). These techniques enable comprehensive analyses of the region's environmental and socio-economic landscapes.

Several case studies highlight the practical applications of research on Peninsular Malaysia. For instance, studies on deforestation and land use change have provided insights into the impacts of agricultural expansion and urbanization on natural habitats, informing conservation strategies (Abdullah & Hezri, 2008). Analysis of the socio-economic effects of tourism in Langkawi has highlighted both the benefits and challenges of tourism development, guiding policy interventions (Shafikhullah & Nayan, 2021). Additionally, research focusing on climate change adaptation in coastal regions has recognized effective methods to lessen the effects of increasing sea levels on at-risk coastal communities (Ercan et al., 2011).

Understanding the dynamics of Peninsular Malaysia is crucial for addressing the region's environmental and socio-economic challenges. Research provides essential insights for sustainable development, conservation, and policy-making, helping to balance economic growth with environmental protection (Kaur, n.d.). The continuous evolution of research methodologies and interdisciplinary approaches ensures that studies on Peninsular Malaysia remain relevant and impactful. In conclusion, the body of research from 2019 to 2023 highlights the importance of a comprehensive understanding of Peninsular Malaysia's complex landscapes, contributing to informed decision-making and sustainable futures (Muhmad Kamarulzaman et al., 2023).

2.2.5 Statistical Method

Statistical methods involve mathematical and statistical techniques to analyse data, extract insights, and make inferences. These methods are used in various fields, including scientific research, business, and social sciences, to identify patterns, relationships, and differences within datasets. Descriptive statistics summarize data characteristics using measures like mean and standard deviation, while Inferential statistics employs hypothesis testing to make inferences about a population using data obtained from a sample. Parametric tests such as t-tests and ANOVA are employed to compare groups when the data meets certain assumptions, while non-parametric tests, including the Mann-Whitney U test, are utilized when these assumptions are not satisfied. The calculation of p-values is essential for assessing the level of support against a null hypothesis, guiding decisions on statistical significance. These techniques provide a rigorous framework for making evidence-based decisions and understanding complex data (Luz et al., n.d.).

The evolution of statistical methods has been marked by significant advancements over the past few decades. Initially, classical statistical techniques, such as regression analysis and hypothesis testing, dominated the field (Cameron & Trivedi, n.d.). However, the advent of computational power and the availability of large datasets have led to the development of more sophisticated methods, including machine learning algorithms and Bayesian statistics (Gelman et al., n.d.). Recent trends also emphasize the importance of robust statistical methods that can handle complex data structures and high-dimensional data (Fan et al., n.d.).

Implementing statistical methods involves stages such as data collection, data preprocessing, model selection, and validation. Techniques such as linear regression, logistic regression, and ANOVA are widely used for predictive modelling and hypothesis testing (James et al., 2021). Advanced methods like ensemble learning, support vector machines, and neural networks have gained popularity for their ability to handle non-linear relationships and large datasets (Hastie et al., 2019). Moreover, the integration of statistical software, such as R and Python, has facilitated the implementation of complex statistical analyses and visualization (Wickham & Grolemund, n.d.).

Numerous case studies highlight the practical applications of statistical methods. In healthcare, statistical methods have been used to identify risk factors for diseases, evaluate treatment effectiveness, and predict patient outcomes (Damen et al., 2016). In economics, these

methods help in analysing market trends, forecasting economic indicators, and assessing policy impacts (Stock & Watson, 2017). Environmental studies utilize statistical techniques to model climate change effects, assess pollution levels, and manage natural resources (Hastie & Tibshirani, 2020). These case studies demonstrate the versatility and importance of statistical methods in addressing real-world problems.

The importance of statistical methods lies in their ability to provide a rigorous framework for data analysis and decision-making. By enabling accurate data interpretation and inference, these methods support evidence-based practices across various disciplines (Al Musannah, Sultanate of Oman et al., 2023). The continuous evolution of statistical techniques, driven by advancements in computational power and data availability, ensures that they remain relevant and effective in tackling modern data challenges (Efron & Hastie, 2016). In conclusion, statistical methods are fundamental tools in research and practical applications, offering robust solutions to understand and manage the complexities of data (Tukey, 1977).

2.3 Theoretical Framework

Understanding forest fire patterns requires a comprehensive approach that integrates various theoretical perspectives. By referring to the keywords identified in previous session, there are mainly three theories related to the study, including: Climate Change Theory, Fire Ecology, and Statistical Analysis. These theories are related to each other to provide a robust framework to explore the multifaceted nature of forest fires.

2.3.1 Climate Change Theory

Climate change theory explains how human activities and natural processes alter climatic patterns, influencing weather conditions globally (*Effects of Changing Climate on Weather and Human Activities*, 2000). In the context of forest fires, climate change contributes to increased temperatures and prolonged dry spells, creating conditions that make forests more susceptible to fires. For example, in Peninsular Malaysia, these altered climatic conditions can exacerbate the frequency and intensity of ground, surface, and crown fires (Figure 2.3.1).



Figure 2.3.1: Type of Forest Fire (a) Ground Fire; (b) Surface Fire; (c) Crown Fire.

2.3.2 Fire Ecology

Fire ecology studies the role of fire in ecosystems and how it affects vegetation, wildlife, and soil (Kobziar et al., 2024). This branch of ecology provides critical insights into how different types of fires—ground, surface, and crown—interact with forest ecosystems. Ground fires impact the peat layers, surface fires clear underbrush and affect forest floor biodiversity, while crown fires have the potential to cause major alterations in the forest's structure and composition.

Type of Forest Fire	Causes	Symptoms	Impact
Ground Fire	<ul style="list-style-type: none"> - Drained peatlands - slash and burn - poor water management 	<ul style="list-style-type: none"> - Slow - patchy burning - underground fires 	<ul style="list-style-type: none"> - Damage to property, vegetation, wildlife - smoke-haze
Surface Fire	<ul style="list-style-type: none"> - Land clearing - improper burning techniques - campfires 	<ul style="list-style-type: none"> - Burning of forest floor - spread through secondary forests 	<ul style="list-style-type: none"> - Loss of timber - biodiversity - property damage - health problems
Crown Fire	<ul style="list-style-type: none"> - High winds - extreme dry conditions - land clearing 	<ul style="list-style-type: none"> - Rapid spread through canopy - high intensity 	<ul style="list-style-type: none"> - Extensive forest damage - disruption of climate - increased emissions

Table 2.3.2 Causes, Symptoms and impact of forest fires in Peninsular Malaysia. (Fire Situation in Malaysia, n.d.)

2.3.3 Statistical Analysis

Statistical Analysis provides the tools to analyse complex data sets, identify trends, and make predictions, crucial for interpreting the climatic influences on forest fires (Higuera et al., 2015). By applying statistical methods to historical fire data, the patterns and correlations between fire occurrences and climatic variables such as temperature, humidity, and rainfall are identified (Table 2.3.3).

Study	Statistical Method	Climatic Variables	Fire Pattern Identified
Dastour et al. (2024)	Z-score Analysis	Trend component of RobustSTL	Identification of anomalous periods in time series data
	Mann-Kendall (MK) Test	Relative Humidity, Precipitation, Air Temperature (Min & Max)	Detection of trends in climatic variables and fire occurrences
	Sen's Slope Estimator (SSE)	Relative Humidity, Precipitation, Air Temperature (Min & Max)	Evaluation of the magnitude and direction of trends
Halofsky et al. (2020)	Statistical Model (Empirical models)	Temperature, Precipitation	Future projections of area burned; Increased area burned with warming climate
	Statistical Model (Models by Littell et al., 2010)	Temperature, Global Climate Models	Projected increase in area burned in the 2080s, variable changes across landscapes

	Statistical Model (Projections by McKenzie et al., 2004)	Temperature	Area burned increases by a factor of 1.4 to 5 with a 2°C temperature rise
	Statistical Model (Projections by Kitzberger et al., 2004)	Temperature	Annual area burned increases 5 times between 2010-2039 compared to 1961-2004
P. Jain et al. (2020)	Self-Organizing Maps (SOMs)	Temperature, Humidity, Rainfall	Correlation between fire weather and large-scale climatic patterns
	Linear Regression (LR)	Temperature, Rainfall	Predicting fire danger indices based on weather observations
	Random Forest (RF)	Various climatic variables	Superior performance in fire severity mapping and fire detection
Szpakowski & Jensen (2019)	Point-wise meteorological data-based operating systems (WFAS, FWI, FFDRS, Nesterov Index)	- Temperature - Humidity - Precipitation	- Fire hazard mapping based on environmental factors like fuel conditions and topography - Dynamic variables like fuel moisture and vegetation conditions for short-term fire risk mapping
	Remote sensing and GIS techniques	- Wind speed	

Table 2.3.3: Statistical Methods to Identify the Relationship Between Forest Fire and Climate Variable.

2.4 Critical Analysis of Existing Studies

From the statistical methods identified from previous studies, the work of Szpakowski & Jensen (2019), who utilized remote sensing to detect and map forest fires is encountered. Figure 2.4 showcases satellite imagery used for detecting fire hotspots, highlighting areas affected by forest fires in Peninsular Malaysia.



Figure 2.4: Satellite imagery showing fire hotspots in Peninsular Malaysia.

Since the data collection method from the study of Giglio et al. (2020) is remote sensing which is similar to the method used in this research, the comparison of different aspect in data sources, methodology, focus area and policy recommendation is done and the research gap between the studies are identified as in Table 2.4.1.

Aspect	Previous Studies	Current Research	Research Gap
Data Sources	Satellite imagery, weather stations, historical records	Combination of satellite imagery, climate models, and field data	Integration of multiple data sources for comprehensive analysis
Methodology	Regression analysis, predictive modelling, remote sensing	Advanced statistical methods	Application of machine learning for improved prediction accuracy

Focus Area	General climatic influences on fires	Specific focus on Peninsular Malaysia	Lack of region-specific studies addressing local climatic conditions
Policy Recommendations	General fire management strategies	Tailored recommendations for Peninsular Malaysia	Need for localized strategies based on detailed analysis

Table 2.4.1: Research Gap.

2.5 Positioning of The Current Research

This research aims to illuminate the intricate correlation between climate variables and forest fire patterns in Peninsular Malaysia. By integrating multiple data sources and employing advanced statistical methods, the gaps identified in previous studies is filled by focusing on:

- The specific climatic conditions of Peninsular Malaysia.
- The integration of satellite data, climate models, and field observations.
- The application of statistical methods to enhance prediction accuracy.

2.6 Identification of Research Gaps

Despite extensive research on forest fires and climatic influences, several gaps remain:

- **Regional Specificity:** There is a lack of detailed studies focusing specifically on Peninsular Malaysia, considering its unique climatic and geographical conditions.
- **Data Integration:** Previous studies often rely on a single type of data source. There is a need for integrating satellite imagery, climate models, and field data for a holistic analysis.
- **Advanced Analytical Methods:** The application of advanced statistical methods and machine learning techniques is limited, which could enhance the accuracy of predictions and insights.

This literature review underscores the importance of understanding the temporal dynamics of climatic influences on forest fire patterns, particularly in Peninsular Malaysia. By integrating multiple data sources and employing advanced statistical methods, this research

aims to fill the gaps identified in previous studies, providing valuable insights for effective forest management and fire prevention strategies. The ongoing advancements in technology and data analytics provides promising opportunities to improve the comprehension and control of forest fires in this region.

References

- Abatzoglou, J. T., & Williams, A. P. (2016). Impact of anthropogenic climate change on wildfire across western US forests. *Proceedings of the National Academy of Sciences*, 113(42), 11770–11775. <https://doi.org/10.1073/pnas.1607171113>
- Abbass, K., Qasim, M. Z., Song, H., Murshed, M., Mahmood, H., & Younis, I. (2022). A review of the global climate change impacts, adaptation, and sustainable mitigation measures. *Environmental Science and Pollution Research*, 29(28), 42539–42559. <https://doi.org/10.1007/s11356-022-19718-6>
- Abdullah, S. A., & Hezri, A. A. (2008). From Forest Landscape to Agricultural Landscape in the Developing Tropical Country of Malaysia: Pattern, Process, and Their Significance on Policy. *Environmental Management*, 42(5), 907–917. <https://doi.org/10.1007/s00267-008-9178-3>
- Ahola, T., Virrantaus, K., Krisp, J. M., & Hunter, G. J. (2007). A spatio-temporal population model to support risk assessment and damage analysis for decision-making. *International Journal of Geographical Information Science*, 21(8), 935–953. <https://doi.org/10.1080/13658810701349078>
- Amitrano, D., Di Martino, G., Guida, R., Iervolino, P., Iodice, A., Papa, M. N., Riccio, D., & Ruello, G. (2021). Earth Environmental Monitoring Using Multi-Temporal Synthetic Aperture Radar: A Critical Review of Selected Applications. *Remote Sensing*, 13(4), 604. <https://doi.org/10.3390/rs13040604>
- Asgarov, A. (n.d.). *Predicting Financial Market Trends using Time Series Analysis and Natural Language Processing*.
- Belay, A., Demissie, T., Recha, J. W., Oludhe, C., Osano, P. M., Olaka, L. A., Solomon, D., & Berhane, Z. (2021). Analysis of Climate Variability and Trends in Southern Ethiopia. *Climate*, 9(6), 96. <https://doi.org/10.3390/cli9060096>
- Bowman, D. M. J. S., Balch, J. K., Artaxo, P., Bond, W. J., Carlson, J. M., Cochrane, M. A., D'Antonio, C. M., DeFries, R. S., Doyle, J. C., Harrison, S. P., Johnston, F. H., Keeley, J. E., Krawchuk, M. A., Kull, C. A., Marston, J. B., Moritz, M. A., Prentice, I.

- C., Roos, C. I., Scott, A. C., ... Pyne, S. J. (2009). Fire in the Earth System. *Science*, 324(5926), 481–484. <https://doi.org/10.1126/science.1163886>
- Bradstock, R. A. (2010). A biogeographic model of fire regimes in Australia: Current and future implications. *Global Ecology and Biogeography*, 19(2), 145–158. <https://doi.org/10.1111/j.1466-8238.2009.00512.x>
- Cameron, A. C., & Trivedi, P. K. (n.d.). *Microeconometrics: Methods and Applications*.
- Cencetti, G., Battiston, F., Lepri, B., & Karsai, M. (2021). Temporal properties of higher-order interactions in social networks. *Scientific Reports*, 11(1), 7028. <https://doi.org/10.1038/s41598-021-86469-8>
- Chen, L., Han, B., Wang, X., Zhao, J., Yang, W., & Yang, Z. (2023). Machine Learning Methods in Weather and Climate Applications: A Survey. *Applied Sciences*, 13(21), 12019. <https://doi.org/10.3390/app132112019>
- Chen, T., Keravnou-Papailiou, E., & Antoniou, G. (2021). Medical analytics for healthcare intelligence – Recent advances and future directions. *Artificial Intelligence in Medicine*, 112, 102009. <https://doi.org/10.1016/j.artmed.2021.102009>
- Chen, X. M., Sharma, A., & Liu, H. (2023). The Impact of Climate Change on Environmental Sustainability and Human Mortality. *Environments*, 10(10), 165. <https://doi.org/10.3390/environments10100165>
- Damen, J. A. A. G., Hooft, L., Schuit, E., Debray, T. P. A., Collins, G. S., Tzoulaki, I., Lassale, C. M., Siontis, G. C. M., Chiochia, V., Roberts, C., Schlüssel, M. M., Gerry, S., Black, J. A., Heus, P., Van Der Schouw, Y. T., Peelen, L. M., & Moons, K. G. M. (2016). Prediction models for cardiovascular disease risk in the general population: Systematic review. *BMJ*, i2416. <https://doi.org/10.1136/bmj.i2416>
- Dastour, H., Ahmed, M. R., & Hassan, Q. K. (2024). Analysis of forest fire patterns and their relationship with climate variables in Alberta's natural subregions. *Ecological Informatics*, 80, 102531. <https://doi.org/10.1016/j.ecoinf.2024.102531>
- Effects of changing climate on weather and human activities*. (2000). University science books.
- Efron, B., & Hastie, T. (2016). *Computer Age Statistical Inference: Algorithms, Evidence, and Data Science* (1st ed.). Cambridge University Press. <https://doi.org/10.1017/CBO9781316576533>
- Ercan, A., Kavvas, M. L., & Mohamad, M. F. (2011). Sea Level Changes along the Peninsular Malaysia and Sabah and Sarawak Coastlines for the 21st Century. *World*

- Environmental and Water Resources Congress 2011*, 1292–1297.
[https://doi.org/10.1061/41173\(414\)134](https://doi.org/10.1061/41173(414)134)
- Fan, J., Li, R., Zhang, C.-H., & Zou, H. (n.d.). *Statistical Foundations of Data Science*.
- Fatichi, S., Ivanov, V. Y., & Caporali, E. (2011). Simulation of future climate scenarios with a weather generator. *Advances in Water Resources*, 34(4), 448–467.
<https://doi.org/10.1016/j.advwatres.2010.12.013>
- Ford, J. D., Tilleard, S. E., Berrang-Ford, L., Araos, M., Biesbroek, R., Lesnikowski, A. C., MacDonald, G. K., Hsu, A., Chen, C., & Bizikova, L. (2016). Big data has big potential for applications to climate change adaptation. *Proceedings of the National Academy of Sciences*, 113(39), 10729–10732.
<https://doi.org/10.1073/pnas.1614023113>
- Gelman, A., Carlin, J. B., Stern, H. S., Dunson, D. B., Vehtari, A., & Rubin, D. B. (n.d.). *Bayesian Data Analysis Third edition (with errors fixed as of 15 February 2021)*.
- Giglio, L., Schroeder, W., & Hall, J. V. (n.d.). *MODIS Collection 6 Active Fire Product User's Guide Revision C*.
- Gopali, S., Abri, F., Siami-Namini, S., & Namin, A. S. (2021). A Comparison of TCN and LSTM Models in Detecting Anomalies in Time Series Data. *2021 IEEE International Conference on Big Data (Big Data)*, 2415–2420.
<https://doi.org/10.1109/BigData52589.2021.9671488>
- Halofsky, J. E., Peterson, D. L., & Harvey, B. J. (2020). Changing wildfire, changing forests: The effects of climate change on fire regimes and vegetation in the Pacific Northwest, USA. *Fire Ecology*, 16(1), 4. <https://doi.org/10.1186/s42408-019-0062-8>
- Hasan, A. R., & Nair, P. L. (2014). *Urbanisation and Growth of Metropolitan Centres in Malaysia*+. 51(1).
- Hezri, A. A., & Nordin Hasan, Mohd. (2006). Towards sustainable development? The evolution of environmental policy in Malaysia. *Natural Resources Forum*, 30(1), 37–50. <https://doi.org/10.1111/j.1477-8947.2006.00156.x>
- Higuera, P. E., Abatzoglou, J. T., Littell, J. S., & Morgan, P. (2015). The Changing Strength and Nature of Fire-Climate Relationships in the Northern Rocky Mountains, U.S.A., 1902-2008. *PLOS ONE*, 10(6), e0127563.
<https://doi.org/10.1371/journal.pone.0127563>
- Hulme, M. (2015). (STILL) DISAGREEING ABOUT CLIMATE CHANGE: WHICH WAY FORWARD?: with Mike Hulme, “(Still) Disagreeing about Climate Change: Which Way Forward?”; Annick de Witt, “Climate Change and the Clash of Worldviews: An

Exploration of How to Move Forward in a Polarized Debate”; Lisa Stenmark, “Storytelling and Wicked Problems: Myths of the Absolute and Climate Change”; Jonathan Moo, “Climate Change and the Apocalyptic Imagination: Science, Faith, and Ecological Responsibility”; and Mary Evelyn Tucker, “Can Science and Religion Respond to Climate Change?” *Zygon*®, 50(4), 893–905.

<https://doi.org/10.1111/zygo.12212>

Jain, G. (n.d.). *A Study of Time Series Models ARIMA and ETS*.

Jain, P., Coogan, S. C. P., Subramanian, S. G., Crowley, M., Taylor, S., & Flannigan, M. D. (2020). A review of machine learning applications in wildfire science and management. *Environmental Reviews*, 28(4), 478–505. <https://doi.org/10.1139/er-2020-0019>

James, G., Witten, D., Hastie, T., & Tibshirani, R. (2021). *An Introduction to Statistical Learning: With Applications in R*. Springer US. <https://doi.org/10.1007/978-1-0716-1418-1>

Kaur, C. R. (n.d.). *Towards sustainable blue economy development—The Malaysian case*.

Keeley, J. E., & Syphard, A. D. (2021). Large California wildfires: 2020 fires in historical context. *Fire Ecology*, 17(1), 22. <https://doi.org/10.1186/s42408-021-00110-7>

Khalid, M. A. (2018). Climbing the Ladder: Socioeconomic Mobility in Malaysia. *Asian Economic Papers*, 17(3), 1–23. https://doi.org/10.1162/asep_a_00624

Kobziar, L. N., Hiers, J. K., Belcher, C. M., Bond, W. J., Enquist, C. A., Loudermilk, E. L., Miesel, J. R., O’Brien, J. J., Pausas, J. G., Hood, S., Keane, R., Morgan, P., Pingree, M. R. A., Riley, K., Safford, H., Seiyo, F., Varner, J. M., Wall, T., & Watts, A. C. (2024). Principles of fire ecology. *Fire Ecology*, 20(1), 39. <https://doi.org/10.1186/s42408-024-00272-0>

Leman, N., Ramli, M. F., & Khierodin, R. P. K. (2016). GIS-based integrated evaluation of environmentally sensitive areas (ESAs) for land use planning in Langkawi, Malaysia. *Ecological Indicators*, 61, 293–308. <https://doi.org/10.1016/j.ecolind.2015.09.029>

Liu, H., & Song, Y. (2020). Financial development and carbon emissions in China since the recent world financial crisis: Evidence from a spatial-temporal analysis and a spatial Durbin model. *Science of The Total Environment*, 715, 136771. <https://doi.org/10.1016/j.scitotenv.2020.136771>

Lobell, D. B., Field, C. B., Cahill, K. N., & Bonfils, C. (2006). Impacts of future climate change on California perennial crop yields: Model projections with climate and crop

- uncertainties. *Agricultural and Forest Meteorology*, 141(2–4), 208–218.
<https://doi.org/10.1016/j.agrformet.2006.10.006>
- Luz, A., Olaoye, G., & Salima, H. (n.d.). *Describe the statistical methods used to analyze the data, including the appropriate tests for comparing variables, calculating p-values, and determining statistical significance.*
- Mangeon, S., Field, R., Fromm, M., McHugh, C., & Voulgarakis, A. (2016). Satellite versus ground-based estimates of burned area: A comparison between MODIS based burned area and fire agency reports over North America in 2007. *The Anthropocene Review*, 3(2), 76–92. <https://doi.org/10.1177/2053019615588790>
- Moritz, M. A., Batllori, E., Bradstock, R. A., Gill, A. M., Handmer, J., Hessburg, P. F., Leonard, J., McCaffrey, S., Odion, D. C., Schoennagel, T., & Syphard, A. D. (2014). Learning to coexist with wildfire. *Nature*, 515(7525), 58–66.
<https://doi.org/10.1038/nature13946>
- Muhmad Kamarulzaman, A. M., Wan Mohd Jaafar, W. S., Mohd Said, M. N., Saad, S. N. M., & Mohan, M. (2023). UAV Implementations in Urban Planning and Related Sectors of Rapidly Developing Nations: A Review and Future Perspectives for Malaysia. *Remote Sensing*, 15(11), 2845. <https://doi.org/10.3390/rs15112845>
- Ngah, I. (n.d.). *Overview of Regional Development in Malaysia.*
- Olaniyi, A. O., Abdullah, A. M., Ramli, M. F., & Sood, A. M. (2011). *Effects of socio – economic factors on agricultural land use in Malaysia.*
- Pausas, J. G., & Keeley, J. E. (2019). Wildfires as an ecosystem service. *Frontiers in Ecology and the Environment*, 17(5), 289–295. <https://doi.org/10.1002/fee.2044>
- Pörtner, H.-O., Scholes, R. J., Agard, J., Archer, E., Arneth, A., Bai, X., Barnes, D., Burrows, M., Chan, L., Cheung, W. L. (William), Diamond, S., Donatti, C., Duarte, C., Eisenhauer, N., Foden, W., Gasalla, M. A., Handa, C., Hickler, T., Hoegh-Guldberg, O., ... Ngo, H. (2021). *Scientific outcome of the IPBES-IPCC co-sponsored workshop on biodiversity and climate change* (Version 5). Zenodo.
<https://doi.org/10.5281/ZENODO.4659158>
- Robock, A., Turco, R. P., Harwell, M. A., Ackerman, T. P., Andressen, R., Chang, H.-S., & Sivakumar, M. V. K. (1993). Use of general circulation model output in the creation of climate change scenarios for impact analysis. *Climatic Change*, 23(4), 293–335.
<https://doi.org/10.1007/BF01091621>
- Shafikhullah, S. N. A., & Nayan, N. (2021). *Impact of Tourism Activities on the Economy of the Community in The Coastal Area of Langkawi Island, Malaysia.*

- Siami-Namini, S., Tavakoli, N., & Siami Namin, A. (2018). A Comparison of ARIMA and LSTM in Forecasting Time Series. *2018 17th IEEE International Conference on Machine Learning and Applications (ICMLA)*, 1394–1401.
<https://doi.org/10.1109/ICMLA.2018.00227>
- Stephens, S. L., McIver, J. D., Boerner, R. E. J., Fettig, C. J., Fontaine, J. B., Hartsough, B. R., Kennedy, P. L., & Schwilk, D. W. (2012). The Effects of Forest Fuel-Reduction Treatments in the United States. *BioScience*, 62(6), 549–560.
<https://doi.org/10.1525/bio.2012.62.6.6>
- Stock, J. H., & Watson, M. W. (2017). Twenty Years of Time Series Econometrics in Ten Pictures. *Journal of Economic Perspectives*, 31(2), 59–86.
<https://doi.org/10.1257/jep.31.2.59>
- Szpakowski, D., & Jensen, J. (2019). A Review of the Applications of Remote Sensing in Fire Ecology. *Remote Sensing*, 11(22), 2638. <https://doi.org/10.3390/rs11222638>
- Thies, B., & Bendix, J. (2011). Satellite based remote sensing of weather and climate: Recent achievements and future perspectives. *Meteorological Applications*, 18(3), 262–295.
<https://doi.org/10.1002/met.288>
- Treut, H. L., Somerville, R., Cubasch, U., Ding, Y., Mauritzen, C., Mokssit, A., Peterson, T., Prather, M., Allen, M., Auer, I., Biercamp, J., Covey, C., Fleming, J. R., García-Herrera, R., Gleckler, P., Haigh, J., Hegerl, G. C., Isaksen, K., Jones, J., ... Prather, M. (n.d.). *Historical Overview of Climate Change Science*.
- University of Technology and Applied Sciences -Al Musannah, Sultanate of Oman, Ali Khan, J., Raman, A. M., University of Technology and Applied Sciences -Al Musannah, Sultanate of Oman, Sambamoorthy, N., University of Technology and Applied Sciences - Shinas, Sultanate of Oman, Prashanth, K., & University of Technology and Applied Sciences - Shinas, Sultanate of Oman. (2023). *Research Methodology (Methods, Approaches And Techniques)* (1st ed.). San International Scientific Publications. <https://doi.org/10.59646/rmmethods/040>
- Wang, F., Harindintwali, J. D., Wei, K., Shan, Y., Mi, Z., Costello, M. J., Grunwald, S., Feng, Z., Wang, F., Guo, Y., Wu, X., Kumar, P., Kästner, M., Feng, X., Kang, S., Liu, Z., Fu, Y., Zhao, W., Ouyang, C., ... Tiedje, J. M. (2023). Climate change: Strategies for mitigation and adaptation. *The Innovation Geoscience*, 1(1), 100015.
<https://doi.org/10.59717/j.xinn-geo.2023.100015>
- Wickham, H., & Grolemund, G. (n.d.). *R for Data Science*.

Wu, Y., & Huang, C. (2022). Climate Change and Vector-Borne Diseases in China: A Review of Evidence and Implications for Risk Management. *Biology*, 11(3), 370.
<https://doi.org/10.3390/biology11030370>