

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 13 PAGES
1. REQUEST NO. SPE4A7-15-T-3512	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0055442343	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-A1
5. ISSUED BY DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY RICHMOND VA 23297 USA Name: Florence Breedlove Buyer Code:PARFH18 Tel: 804-279-3758 Email: Florence.Breedlove@dla.mil			6. DELIVER BY (Date) SEE SCHEDULE	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 09		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3512	Page 2 of 13
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>.

FAR 52.219-6 NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 336413 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3512	Page 3 of 13
--------------------	--	--------------

SECTION A

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

THIS BUY IS NOT FAST PAY

FIRST ARTICLE APPROVAL - GOVERNMENT TESTING REQUIRED (FAR 52.209-4)

THE CONTRACTOR SHALL DELIVER 000002 UNIT(S) OF LOT/ITEM

1560/11611531 WITHIN 000090 CALENDAR

DAYS FROM THE DATE OF THIS CONTRACT TO THE GOVERNMENT AT

FD2060 FOR FIRST ARTICLE TESTS.

WITHIN 000000 CALENDAR DAYS AFTER THE GOVERNMENT RECEIVES

THE FIRST ARTICLE, THE CONTRACTING OFFICER SHALL NOTIFY THE CONTRACTOR,

IN WRITING, OF THE CONDITIONAL APPROVAL, APPROVAL, OR DISAPPROVAL OF THE

FIRST ARTICLE.

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3512

SECTION A

your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:011611531/1560

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
1DA92	SPE4A714M7198	3.000	24900.00000	20140325
1DA92	SPE4A713M4607P00002	2.000	24900.00000	20130130
58730	SPM4A709C0100P00001	3.000	26585.00000	20081211
98897	F0960394G0035026200	2.000	20671.07000	19970310
98897	F0960394G0035024200	1.000	27301.56000	19960618

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (<http://www.dla.mil/FDTPI/>).

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3512	Page 5 of 13
--------------------	--	--------------

SECTION B

PR: 0055442343
NSN/MATERIAL:1560011611531

ITEM DESCRIPTION
COVER,ACCESS,AIRCRA

DOOR ASSEMBLY NOSE LANDING GEAR AFT
LOCKHEED MARTIN CORP., CAGE 98897
P/N 3304588-3

EXCEPTIONS:
363174, 355000, 355111 NOT REQUIRED

USE STP51-302 I/L/O 1241
USE STP54-101 I/L/O 0521
USE STP61-213 I/L/O 1451
USE DS5210 I/L/O DS2210
337521 (MY)
337511 (MY)

FINISH:
"1-1" PRIMER EPOXY PER MIL-PRF-23377
TYPE 1 CLASS C TWO COATS

"26" PRIMER EPOXY PER MIL-PRF-23377
TYPE 1 CLASS C

"17" PER MIL-C-8514

"F" CHEMICAL CONVERSION COATING PER MIL-DTL-5541

NOTES 1,3,6.10,12,13,14,16 APPLY FOR DWG 200415485

GOVERNMENT FIRST ARTICLE TEST REQUIRED

SAMPLE SIZE IS TWO COMPLETE PARTS
SAMPLES SHALL BE MARKED "FIRST ARTICLE-DO NOT POST". SEND SAMPLES, A
COPY OF THE CONTRACT, COPIES OF ASSOCIATED MATERIAL CERTIFICATIONS, AND
COPIES OF ALL IN-PROCESS INSPECTION REPORTS

TO:
FD2060
DLA CENTRAL RECEIVING
DDWG ER
SPECIAL HANDLING, FIRST ARTICLE UNIT
455 BYRON STREET
ROBINS AFB, GA 31098-1887

SEND INSPECTION REPORTS TO:
802 MXSS/MXREM
Attn: First Article Test Lab
450 Third St.
Robins AFB, GA. 31098-1640

"THE FIRST ARTICLE OFFERED MUST BE MANUFACTURED AT THE FACILITIES IN
WHICH THAT ITEM IS TO BE PRODUCED UNDER THE CONTRACT, OR IF THE FIRST

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3512	Page 6 of 13
--------------------	--	--------------

SECTION B

ARTICLE IS A COMPONENT NOT MANUFACTURED BY THE CONTRACTOR, SUCH COMPONENT MUST BE MANUFACTURED AT THE FACILITIES IN WHICH THE COMPONENT IS TO BE PRODUCED FOR THE CONTRACT. A CERTIFICATION TO THIS EFFECT MUST ACCOMPANY EACH FIRST ARTICLE WHICH IS OFFERED."

AT THE TIME OF SUBMISSION OF THE FIRST ARTICLE
/PRODUCTION LOT TEST SAMPLE THE CONTRACTOR
SHALL PROVIDE A PRE-PAID SHIPPING LABEL (FED EX
/UPS) TO RETURN THE EXHIBITS TO THE
CONTRACTOR'S FACILITY IN THE EVENT OF FAILURE
OR CONDITIONAL APPROVAL.

ORIGIN INSPECTION REQUIRED
ARP IS NOT AUTHORIZED
MRB IS NOT AUTHORIZED

Government First Article Preproduction approval required. Testing will be in accordance with applicable drawings, specifications and/or Engineering instructions. The first article offered shall be manufactured at the facilities in which production quantities are procured and produced under this contract. When submitting the first article(s) for government testing, a copy of the contract and all applicable drawings, specifications, engineering instructions, certifications, and inspection sheets shall be provided. Upon receipt and evaluation of the test report from the responsible government testing location, the contracting officer will provide final notification to the manufacturer. Any questions or concerns regarding the first article test requirements must be submitted through the contracting officer.

Additional Wide Area Workflow (WAWF) instructions for government first article test CLIN: The contractor shall code the receiving report for government first article test CLIN in WAWF as Follows:
A: Inspection at origin (Source) - Enter the DCMA office DODAAC listed on page 1 of the contract.
B: Acceptance by other - Enter the issue by office DODAAC listed on page 1 of the contract.
C: Ship to code - Enter the DODAAC of the test facility listed for the government first article test CLIN in the contract (See FAR Clause 52.209-4).

FIRST ARTICLE TEST MARKING INSTRUCTIONS:
FAT sample(s) packaging shall be clearly marked "FIRST ARTICLE TEST EXHIBIT(S) DO NOT POST TO STOCK!!!" in largest font possible with contrasting color to the packaging. Marking shall be located adjacent to the Package Shipping Label side and on at least one additional side of the package.

DIGITAL MYLAR DATA EXISTS FOR THIS NSN, AND WILL BE INCLUDED IN THE TECHNICAL DATA PACKAGE PROVIDED BY DLA. IF UNABLE TO USE THE DATA IN THE DIGITAL FORMAT PROVIDED, THE CONTRACTOR WILL BE RESPONSIBLE FOR HAVING THE DATA CONVERTED TO THE NECESSARY FORMAT (I.E. MYLAR FILM), THROUGH A THIRD PARTY AND BEAR THE ASSOCIATED COSTS WHEN CONVERTING FROM DIGITAL TO STABLE BASED FORMAT, THE DIGITAL MYLAR SHALL BE PLOTTED ON STABLE BASE MATERIAL, WHILE MAINTAINING THE DIMENSIONAL ACCURACY DEMANDS OF THE UNDIMENSIONED DRAWING.

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3512

SECTION B

THIS INCLUDES BUT IS NOT LIMITED TO: VERIFY THE PLOT OF THE MYLAR(S) FOR DIMENSIONAL ACCURACY AS OUTLINED IN ASME Y14.31. ACCURACY SHALL BE DETERMINED VERTICALLY, HORIZONTALLY AND DIAGONALLY. ENSURE THAT THE INDIVIDUAL GRID UNITS ARE WITHIN THE TOLERANCE OF (+,-) 0.005 INCHES AND (+,-) 0.007 INCHES DIAGONALLY. TOTAL GRID TOLERANCE SHALL BE (+,-) 0.010 INCHES AND (+,-) 0.014 INCHES DIAGONALLY. DRAWINGS WITH DIMENSIONAL ACCURACY POINTS SUCH AS TRAMMEL POINTS SHALL BE MEASURED TO WITHIN CENTERLINE (+,-) 0.010 INCHES AND (+,-) 0.014 INCHES DIAGONALLY. REGISTRATION MARKS SUCH AS THOSE USED ON CIRCUIT CARDS SHALL BE MEASURED TO WITHIN (+,-) 0.005 INCHES AND (+,-) 0.007 INCHES DIAGONALLY.

MARK IAW MIL-STD-130N(1), DATED 16 NOV 2012.
CONFIGURATION CONTROL APPLIES

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS [HTTP://WWW.DLIS.DLA.MIL/JCP](http://WWW.DLIS.DLA.MIL/JCP) OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE
FEDERAL CENTER
74 WASHINGTON AVE., NORTH
BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

IAW BASIC DRAWING NR 98897 3304588
REVISION NR L DTD 10/18/2002
PART PIECE NUMBER: 3304588-3

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3512	Page 8 of 13
--------------------	--	--------------

SECTION B

IAW REFERENCE DRAWING NR 98897 37-712
 REVISION NR G1 DTD 10/30/1964
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP55-005V01F
 REVISION NR G DTD 12/15/1986
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 22-937
 REVISION NR 1 DTD 03/22/1962
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 352811
 REVISION NR E DTD 04/17/1974
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP55-005
 REVISION NR G1 DTD 06/25/1991
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 360614
 REVISION NR J DTD 07/21/1994
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 360614
 REVISION NR J DTD 11/24/1978
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 362052
 REVISION NR A DTD 05/29/1992
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 362052
 REVISION NR A DTD 07/21/1958
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 364427
 REVISION NR B DTD 01/15/1975
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 369445
 REVISION NR A DTD 04/28/1965
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 G-629
 REVISION NR DTD 05/08/1962
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP54-101UV28
 REVISION NR Y DTD 09/20/2001
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP55-005
 REVISION NR G DTD 01/24/1990
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 361885
 REVISION NR DTD 12/07/1956
 PART PIECE NUMBER:

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3512

SECTION B

IAW REFERENCE DRAWING NR 98897 DS5025
REVISION NR AK DTD 02/18/2013
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP51-302V14P
REVISION NR AC DTD 06/15/1992
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP63-001
REVISION NR T DTD 11/13/2008
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 G14
REVISION NR G3 DTD 08/21/2009
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 0581
REVISION NR AD DTD 10/02/2001
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 337521
REVISION NR K DTD 10/03/1957
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 0581
REVISION NR G3 DTD 06/07/2012
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 G14
REVISION NR G3 DTD 11/29/2007
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 22-937
REVISION NR A DTD 03/23/1960
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 337511
REVISION NR R DTD 01/01/1939
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP61-213V01
REVISION NR N DTD 04/08/1971
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP51-302
REVISION NR AC DTD 09/10/2011
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 DS5210
REVISION NR F DTD 02/13/1993
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 DS5025
REVISION NR AB DTD 03/13/1996
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 0471
REVISION NR G3 DTD 05/20/2008
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 361885/1

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3512	Page 10 of 13
--------------------	--	---------------

SECTION B

REVISION NR DTD 12/07/1956
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98752 200415485
REVISION NR C DTD 09/05/2008
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 3304588
REVISION NR L DTD 11/26/2003
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 364426
REVISION NR B DTD 01/01/1939
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 360635
REVISION NR D DTD 11/07/1974
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 LS4460
REVISION NR C DTD 10/10/1968
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 LS6694
REVISION NR A DTD 06/10/1989
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 352811
REVISION NR E DTD 01/16/1987
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 360616
REVISION NR B DTD 03/21/1974
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 362051
REVISION NR B DTD 07/30/1959
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 337511/1
REVISION NR R DTD 01/01/1939
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 337521/1
REVISION NR K DTD 10/03/1957
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP61-213
REVISION NR N DTD 01/17/2005
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 G230
REVISION NR G4 DTD 11/22/2010
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98897 STP54-101
REVISION NR Y DTD 11/18/2004
PART PIECE NUMBER:

CONTINUED ON NEXT PAGE

SECTION B

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0055442343	0001	EA	2.000		

NSN/MATERIAL:1560011611531

DELIVERY (IN DAYS):0117

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3

CONTINUED ON NEXT PAGE

SECTION B

PR: 0055442343 PRLI: 0001 CONT'D
YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS,
IN ACCORDANCE WITH FED-STD-313, THE MATERIAL
SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE
WITH "ASTM D3951."

Markings Paragraph
When ASTM D3951, Commercial Packaging is specified, the following apply:
•,,All Section "D" Packaging and Marking Clauses take precedence over
ASTM D3951.
•,,In addition to requirements in MIL-STD-129, when Commercial Packaging
is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP"
Commercial Pack.
•,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified
in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

W62G2T
W1BG DLA DISTRIBUTION
25600 S CHRISMAN ROAD
REC WHSE 57
TRACY CA 95304-5000
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT)
AWARDS SEE DLAD 52.247-9059 AND
CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W62G2T
W1BG DLA DISTRIBUTION
25600 S CHRISMAN ROAD
REC WHSE 57
TRACY CA 95304-5000
US

Need Ship Date:04/06/2015
Original Required Delivery Date:02/12/2016

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0002	0000000000		EA	1.000		

NSN/MATERIAL:0001S00000052

DELIVERY (IN DAYS):0000

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

SECTION B

PR: PRLI: CONT'D

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

Need Ship Date:00/00/0000

Original Required Delivery Date:00/00/0000
