Terraform CLI Cheat Sheet

About Terraform CLI

Terraform, a tool created by Hashicorp in 2014, written in Go, aims to build, change and version control your infrastructure. This tool have a powerfull and very intuitive Command Line Interface.

Installation

Install through curl

```
$ curl -0 https://releases.hashicorp.com/terraform/
0.11.10/terraform_0.11.10_linux_amd64.zip
$ sudo unzip terraform_0.11.10_linux_amd64.zip
-d /usr/local/bin/
$ rm terraform_0.11.10_linux_amd64.zip
```

OR install through tfenv: a Terraform version manager

First of all, download the tfenv binary and put it in your PATH.

```
$ git clone https://github.com/Zordrak/tfenv.git
~/.tfenv
$ echo 'export PATH="$HOME/.tfenv/bin:$PATH"'
>> $HOME/bashrc
```

Then, you can install desired version of terraform:

\$ tfenv install 0.11.10

Usage

Show version

```
$ terraform --version
Terraform v0.11.10
```

Init Terraform

\$ terraform init

It's the first command you need to execute. Unless, terraform plan, apply, destroy and import will not work. The command terraform init will install:

- terraform modules
- eventually a backend
- and provider(s) plugins

Init Terraform and don't ask any input

\$ terraform init -input=false

Change backend configuration during the init

\$ terraform init -backend-config=cfg/s3.dev.tf reconfigure

-reconfigure is used in order to tell terraform to nt copy the existing state to the new remote state location.

Get

This command is useful when you have defined some modules. Modules are vendored so when you edit them, you need to get again modules content.

\$ terraform get -update=true

When you use modules, the first thing you'll have to do is to do a terraform get. This pulls modules into the .terraform directory. Once you do that, unless you do another terraform get -update=true, you've essentially vendored those modules.

Plan

The plan step check configuration to execute and write a plan to apply to target infrastructure provider.

\$ terraform plan -out plan.out

It's an important feature of Terraform that allows a user to see which actions Terraform will perform prior to making any changes, increasing confidence that a change will have the desired effect once applied.

When you execute terraform plan command, terraform will scan all *.tf files in your directory and create the plan.

Apply

Now you have the desired state so you can execute the plan.

\$ terraform apply plan.out

Good to know: Since terraform v0.11+, in an interactive mode (non CI/CD/autonomous pipeline), you can just execute terraform apply command which will print out which actions TF will perform.

By generating the plan and applying it in the same command, Terraform can guarantee that the execution plan won't change, without needing to write it to disk. This reduces the risk of potentially-sensitive data being left behind, or accidentally checked into version control.

\$ terraform apply

Apply and auto aprove

\$ terraform apply -auto-aprove

Apply and define new variables value

```
$ terraform apply -auto-approve
-var tags-repository_url=${GIT_URL}
```

Apply only one module

\$ terraform apply -target=module.s3

This -target option works with terraform plan too.

Destroy

\$ terraform destroy

Delete all the resources!

A deletion plan can be created before:

\$ terraform plan -destroy

 target option allow to destroy only one resource, for example a S3 bucket:

\$ terraform destroy -target aws_s3_bucket.my_bucket

Debug

```
$ echo "aws_iam_user.notif.arn" | terraform console
arn:aws:iam::123456789:user/notif
```

Graph

\$ terraform graph | dot -Tpng > graph.png

Visual dependency graph of terraform resources.

State

How to tell to Terraform you moved a ressource in a module?

If you moved an existing resource in a module, you need to update the state:

\$ terraform state mv aws_iam_role.role1 module.mymodule

How to import existing resource in Terraform?

If you have an existing resource in your infrastructure provider, you can import it in your Terraform state:

\$ terraform import aws_iam_policy.elastic_post
arn:aws:iam::123456789:policy/elastic_post

Workspaces

To manage multiple distinct sets of infrastructure resources/environments.

Instead of create a directory for each environment to manage, we need to just create needed workspace and use them:

Create workspace

This command create a new workspace and then select it

\$ terraform workspace new dev

Select a workspace

\$ terraform workspace select dev

List workspaces

```
$ terraform workspace list
  default
* dev
  prelive
```

Tools

ia

jq is a lightweight command-line JSON processor. Combined with terraform output it can be powerful.

Installaton

```
For Linux:
```

```
$ sudo apt-get install jq
```

For OS X:

\$ brew install jq

Usage

For example, we defind outputs in a module and when we execute *terraform apply* outputs are displayed:

```
$ terraform apply
...
```

Apply complete! Resources: 0 added, 0 changed, 0 destroyed.

Outputs:

```
elastic_endpoint = vpc-toto-12fgfd4d5f4ds5fngetwe4.
eu-central-1.es.amazonaws.com
```

We can extract the value that we want in order to use it in a script for example. With jq it's easy:

```
$ terraform output -json
{
    "elastic_endpoint": {
        "sensitive": false,
        "type": "string",
        "value": "vpc-toto-12fgfd4d5f4ds5fngetwe4.
        eu-central-1.es.amazonaws.com"
    }
}
```

\$ terraform output -json | jq '.elastic_endpoint.value
"vpc-toto-12fgfd4d5f4ds5fngetwe4.eu-central-1.
es.amazonaws.com"

Terraforming

If you have an existing AWS account for examples with existing components like S3 buckets, SNS, VPC ... You can use terraforming tool, a tool written in Ruby, which extract existing AWS resources and convert it to Terraform files!

Installation

```
$ sudo apt install ruby
$ gem install terraforming
```

Usage

Pre-requisites:

Like for Terraform, you need to set AWS credentials

```
$ export AWS_ACCESS_KEY_ID="an_aws_access_key"
$ export AWS_SECRET_ACCESS_KEY="a_aws_secret_key"
$ export AWS_DEFAULT_REGION="eu-central-1"
```

You can also specify credential profile in ~/.aws/credentials_s and with _-profile option.

```
$ cat ~/.aws/credentials
[aurelie]
aws_access_key_id = xxx
aws_secret_access_key = xxx
aws_default_region = eu-central-1
```

\$ terraforming s3 --profile aurelie

Usage

```
$ terraforming --help
Commands:
terraforming alb # ALB
terraforming asg # AutoScaling Group
terraforming cwa # CloudWatch Alarm
terraforming dbpg # Database Parameter Group
...
terraforming snst # SNS Topic
terraforming sqs # SQS
terraforming vgw # VPN Gateway
terraforming vpc # VPC
```

Example:

\$ terraforming s3 > aws_s3.tf

Remarks: As you can see, terraforming can't extract for the moment API gateway resources so you need to write it manually.

Known issues

Signature expired: xxxx is now earlier than xxx

If, suddently, you obtain an error message Signature expired: xxx is now earlier than xxx', like this:

Don't worry it's not an issue in the AWS account/user/credentials in terraform files

BUT it's an issue in your local machine date and time!

So the solution is, simply: update your date and time to the good time ;-).

AWS was not able to validate the provided access credentials

If, suddently, you obtain an error message AWS was not able to validate the provided access credentials, like this:

```
* data.aws_vpc.vpc-titi: data.aws_vpc.vpc-titi: AuthFailure: AWS was not able to validate the provious status code: 401, request id: 9fbd5beb-e065-4933-bailure:
```

No worries, it's the same issue as above: your local/VM machine date and time is not uptodate ;-).

Error configuring the backend s3: RequestError: send request failed

Again, you changed nothing but suddently you obtain a strange error message:

Initializing the backend...

Error configuring the backend "s3": RequestError: so caused by: Post https://sts.amazonaws.com/: Parent |

Please update the configuration in your Terraform for If you'd like to update the configuration interaction the values in your configuration, run "terraform in the configuration," run "terraform in the configuration in your Terraform for the configuration in the configuration in the configuration in your Terraform for the configuration in the configuration i

It caused in reality by a proxy or a temporary issue between your network connectivity and AWS.

Authors:



@aurelievache Cloud Dev(Ops) at Continental

v1.0.0