

COMPUTER ORGANIZATION

CACHE SIMULATION

ANDREW KEE

RYAN MONTOYA

ECEN 4593

INTRODUCTION

The goal of the project was to simulate a memory system that implements a two level cache structure composed of L1 instruction, L1 data, and a unified L2 cache. In this system, misses in L1 are handled by L2, and misses in L2 are handled by main memory. The simulation is designed to evaluate the performance and cost of specific hardware configurations given real world traces.

RESULTS

An initial way to view the performance of the traces with specific configurations is to look at the execution times for those Configurations. Fig. 1 shows each Trace and its execution time for each Configuration in relation to all the other traces.




Figure 1: Execution times of all traces with correspondence to all configurations

The execution time for some traces varies very little with changes in cache configuration while other traces are largely effected by the cache configuration. As seen in Fig. 1, libquantum has a very steady execution time which does not seem to depend on cache configuration. A trace like omnetpp however, is very dependent on the cache configuration. The execution times range from 40 billion cycles to 120 billion cycles.

Another way to compare the performance of each trace is to look at the Cycles per Instruction (CPI). This is plotted in Fig. 2.




Figure 2: CPI of all traces with correspondence to all configurations

Similar to the execution times in Fig. 1, Fig. 2 shows that the configuration of the cache can dramatically effect the CPI.

Figures. 1 & 2 show that Fully Associative configurations give the fastest results, but at what cost




Figure 3: Cost of all the different configurations

Fig. 3 shows the total cost of having each configuration. The fully associative configurations are much more expensive than the other configurations. Viewing both Fig. 2 & 3 show that cost transfers quite proportionally to performance.

DISCUSSION

Examining the execution times of each configuration for the separate traces is not a useful way to measure configuration performance. The execution time is dependent on the number of instructions in each trace file, and so varies both by configuration and trace size. To eliminate this variable, we divided the execution time or cycles by the number of references

in each trace to find the CPI. This can be seen in Fig. 2.

The most noteworthy feature of Fig. 2 is the variable dependence of trace files on configuration. Both traces `libquantum` and `bzip` demonstrate extremely low variance across configurations, while traces such as `onmetpp` and `sjeng` demonstrate high variance. This variance is due to function and structure of the code written for these trace files. For example, it is likely that `libquantum` and `bzip` frequently reference spatially dissimilar locations in memory, making the spatial locality benefit of caching obsolete. Additionally, if `libquantum` and `bzip` were written sequentially and do not frequently loop, the benefit of temporal locality in caching is lost. Traces `onmetpp` and `sjeng` however are examples of code that frequently reference spatially and temporally similar locations of memory. Frequent looping and indexing of large, static data arrays are good examples of this.

When considering the best performing configuration, it is useful to consider the average instructions per cycle versus configuration. Fig. 4 demonstrates this relationship. An optimally designed multi-purpose architecture should maximize the IPC for all traces. The fully associative cases exhibit the highest instructions per cycle for all traces. This is because a fully associative cache utilizes a least recently used (LRU) buffer for a single set. In direct mapped and non-fully associative configurations multiple locations in memory or lower tier caches can reference the same index and cause the cache to miss. In the fully associative case, the LRU determines what block is overwritten based on temporal locality.




Figure 4: Average IPC for each configuration

Pure instructions per cycle performance however is not the only consideration to make when choosing the best machine. Cost is an important factor. While the FA configurations are the fastest on average, they are also the most expensive. FA caches are extremely expensive, and in the simulation according to specifications cost in the thousands of dollars. When considering what system to buy, it is therefore useful to look at IPC per dollar, as seen in Fig. 5.




Figure 5: Average IPC per Dollar for each configuration

When choosing a system, Fig. 5 displays the best performing system for the price. It is however also useful to identify what configuration gives the maximum increase in performance from the cheapest configuration per dollar. Fig. 6 exhibits these results. L1 small is the cheapest configuration, and from the figure it is apparent that L2 big gives the maximum performance increase per dollar. Interestingly, the FA cases yield the smallest performance increase per dollar due to their high cost.




Figure 6: Change in average IPC per change in cost for each configuration

These results are useful only to selecting a general purpose system. Clearly, configurations such as libquantum and onmetpp vary considerably in their utilization of the cache structure. Due to the fact that libquantum does not vary in performance over the configurations, it is unnecessary to purchase any cache configuration other than the cheapest case, L1 small. The trace onmetpp has a high variance, and its respective IPC per dollar as well as change in IPC per dollar should be considered for each configuration. The resulting figures can be seen below in Fig. 7a and Fig. 7b.




Figure 7: omnetpp IPC

From the figures above, it is evident that onmetpp follows a similar trend as the averaged case.

The chunksize of main memory is an important consideration when evaluating what configuration has the best performance given its cost. The chunksize is the width of the bus interface to memory. Access time to main memory is extremely slow, and so it is beneficial to performance to read as many bytes as possible when memory is accessed. The trade-off is cost, and so it is useful to observe the performance increase versus cost of various configurations of memory chunksize. The default cache configuration for chunksizes of 8, 16, 32, and 64 bytes are compared to their respective costs in Fig. 8 below.




Figure 8

The largest performance increase occurs between 8 and 16 bytes. As chunksize is further increased, the change in performance begins to decrease. Extrapolating from the graph, it is unlikely that a chunksize greater than 64 bytes would yield a significantly greater performance increase. The performance increase from 8 to 16 bytes is approximately double that of the performance increase from 16 to 32 bytes for the same change in cost.

CONCLUSION

The simulation successfully evaluated input traces for various hardware configurations. Certain traces demonstrated more variance than others, depending on the structure and functionality of the code used to generate them. Traces that exhibited low variance and relatively high cycles per instruction were likely written sequentially, did not utilize large arrays, and had few loops.

The cost of the hardware is an important consideration when evaluating real world performance increases. While the FA configurations yielded the highest instructions per cycle, they were also the most expensive and therefore not the best performance increase per dollar. Additionally, some traces such as libquantum that had very low variance across configurations do not require more advanced hardware than the low cost configuration of L1-small. Traces such as onmetpp however have very high variance and benefit greatly from more expensive cache structures. When considering the largest performance increase per dollar from the lowest cost configuration, doubling the L2 cache size and changing cache associativity to 2-way (L2-Big) was the best option.

Finally, memory chunksize is an important variable in performance and cost. As chunksize increases, the relative gains in performance are diminished. After a chunksize of 64, performance change is negligible compared the increase in price. Initially doubling the chunksize from 8 to 16 however yielded significant performance gains.

Given more time, we would run more simulations to confirm and identify trends in our results. Many of the configurations tested changed more than one cache attribute such as size and associativity, making the results difficult to evaluate. Simulating all cache configurations would give greater insight into what configuration changes yield the largest performance increases per cost.

bzip2_All_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 2 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 52170531595; Total refs = 10000000073
Flush time = 391982254
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads	=	1882275327	[18.8%]
Writes	=	552506959	[5.5%]
Inst.	=	7565217787	[75.7%]
Total	=	10000000073	

Total cycles for activities: [Percentage]

Reads	=	20125897745	[38.9%]
Writes	=	19101145576	[36.9%]
Inst.	=	12551506020	[24.2%]
Total	=	51778549341	

Average cycles per activity:

Read = 10.7; Write = 34.6; Inst. = 6.8
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527121 Miss Count = 555401
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2674; Dirty Kickouts = 0; Transfers = 555401
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2378127911 Miss Count = 160072485
Total Requests = 2538200396
Hit Rate = 93.7% Miss Rate = 6.3%
Kickouts = 154979866; Dirty Kickouts = 62473522; Transfers = 161308323
Flush Kickouts = 1235838

Memory Level: L2

Hit Count = 77722205 Miss Count = 146615041
Total Requests = 224337246
Hit Rate = 34.6% Miss Rate = 65.4%
Kickouts = 136811655; Dirty Kickouts = 55034618; Transfers = 148667098
Flush Kickouts = 2052057

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 19908 : Invalidates = 19908

bzip2_All_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 4 : block size = 32
Icache size = 8192 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 51846279658; Total refs = 10000000073
Flush time = 385753270
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 19734976073 [38.3%]
Writes = 19180835430 [37.3%]
Inst. = 12544714885 [24.4%]
Total = 51460526388

Average cycles per activity:

Read = 10.5; Write = 34.7; Inst. = 6.8
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527306 Miss Count = 555216
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 1778; Dirty Kickouts = 0; Transfers = 555216
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2380037622 Miss Count = 158162774
Total Requests = 2538200396
Hit Rate = 93.8% Miss Rate = 6.2%
Kickouts = 153066463; Dirty Kickouts = 61597513; Transfers = 159395041
Flush Kickouts = 1232267

Memory Level: L2

Hit Count = 75870220 Miss Count = 145677550
Total Requests = 221547770
Hit Rate = 34.2% Miss Rate = 65.8%
Kickouts = 135799759; Dirty Kickouts = 54270395; Transfers = 147758143
Flush Kickouts = 2080593

L1 cache cost (Icache \$600) + (Dcache \$600) = \$1200
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1425
Flushes = 19908 : Invalidates = 19908

bzip2_All_FA_L2big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 65536 : ways = 1024 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 48012706190; Total refs = 10000000073
Flush time = 582674222
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 17998338985 [37.9%]
Writes = 16690474845 [35.2%]
Inst. = 12741218138 [26.9%]
Total = 47430031968

Average cycles per activity:

Read = 9.6; Write = 30.2; Inst. = 6.3
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527363 Miss Count = 555159
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 1619; Dirty Kickouts = 0; Transfers = 555159
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2380877774 Miss Count = 157322622
Total Requests = 2538200396
Hit Rate = 93.8% Miss Rate = 6.2%
Kickouts = 152225918; Dirty Kickouts = 61293922; Transfers = 158531019
Flush Kickouts = 1208397

Memory Level: L2

Hit Count = 97071253 Miss Count = 123308847
Total Requests = 220380100
Hit Rate = 44.0% Miss Rate = 56.0%
Kickouts = 104293877; Dirty Kickouts = 51137948; Transfers = 126793351
Flush Kickouts = 3484504

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$1100; Memory cost = \$75; Total cost = \$4775
Flushes = 19908 : Invalidates = 19908

bzip2_All_FA.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 32768 : ways = 512 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 48769196313; Total refs = 10000000073
Flush time = 356597532
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 18850904296 [38.9%]
Writes = 17046226134 [35.2%]
Inst. = 12515468351 [25.9%]
Total = 48412598781

Average cycles per activity:

Read = 10.0; Write = 30.9; Inst. = 6.4
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527363 Miss Count = 555159
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 1619; Dirty Kickouts = 0; Transfers = 555159
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2380877774 Miss Count = 157322622
Total Requests = 2538200396
Hit Rate = 93.8% Miss Rate = 6.2%
Kickouts = 152225918; Dirty Kickouts = 61293922; Transfers = 158531019
Flush Kickouts = 1208397

Memory Level: L2

Hit Count = 92347994 Miss Count = 128032106
Total Requests = 220380100
Hit Rate = 41.9% Miss Rate = 58.1%
Kickouts = 118091884; Dirty Kickouts = 53783400; Transfers = 130082299
Flush Kickouts = 2050193

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$500; Memory cost = \$75; Total cost = \$4175
Flushes = 19908 : Invalidates = 19908

bzip2_defaults.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 53561312664; Total refs = 10000000073
Flush time = 386727764
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 21895048990 [41.2%]
Writes = 18718145246 [35.2%]
Inst. = 12561390664 [23.6%]
Total = 53174584900

Average cycles per activity:

Read = 11.6; Write = 33.9; Inst. = 7.0
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12094754630 Miss Count = 1327892
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 782784; Dirty Kickouts = 0; Transfers = 1327892
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2360100410 Miss Count = 178099986
Total Requests = 2538200396
Hit Rate = 93.0% Miss Rate = 7.0%
Kickouts = 173028492; Dirty Kickouts = 69160663; Transfers = 179312231
Flush Kickouts = 1212245

Memory Level: L2

Hit Count = 99842764 Miss Count = 149958022
Total Requests = 249800786
Hit Rate = 40.0% Miss Rate = 60.0%
Kickouts = 140327614; Dirty Kickouts = 57867455; Transfers = 151908521
Flush Kickouts = 1950499

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$525
Flushes = 19908 : Invalidates = 19908

bzip2_L1_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 53792271746; Total refs = 10000000073
Flush time = 413353232
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 20850535313 [39.1%]
Writes = 19954452414 [37.4%]
Inst. = 12573930787 [23.6%]
Total = 53378918514

Average cycles per activity:

Read = 11.1; Write = 36.1; Inst. = 7.1
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527121 Miss Count = 555401
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2674; Dirty Kickouts = 0; Transfers = 555401
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2378127911 Miss Count = 160072485
Total Requests = 2538200396
Hit Rate = 93.7% Miss Rate = 6.3%
Kickouts = 154979866; Dirty Kickouts = 62473522; Transfers = 161308323
Flush Kickouts = 1235838

Memory Level: L2

Hit Count = 69100346 Miss Count = 155236900
Total Requests = 224337246
Hit Rate = 30.8% Miss Rate = 69.2%
Kickouts = 145606492; Dirty Kickouts = 56091613; Transfers = 157235204
Flush Kickouts = 1998304

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$925
Flushes = 19908 : Invalidates = 19908

bzip2_L1_8way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 8 : block size = 32
Icache size = 8192 : ways = 8 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 54404036928; Total refs = 10000000073
Flush time = 423996543
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 20481618899 [37.9%]
Writes = 20913975750 [38.7%]
Inst. = 12584445736 [23.3%]
Total = 53980040385

Average cycles per activity:

Read = 10.9; Write = 37.9; Inst. = 7.1
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527356 Miss Count = 555166
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 1662; Dirty Kickouts = 0; Transfers = 555166
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2380527294 Miss Count = 157673102
Total Requests = 2538200396
Hit Rate = 93.8% Miss Rate = 6.2%
Kickouts = 152576404; Dirty Kickouts = 61411716; Transfers = 158893681
Flush Kickouts = 1220579

Memory Level: L2

Hit Count = 60944661 Miss Count = 159915902
Total Requests = 220860563
Hit Rate = 27.6% Miss Rate = 72.4%
Kickouts = 150285494; Dirty Kickouts = 55300925; Transfers = 161919134
Flush Kickouts = 2003232

L1 cache cost (Icache \$800) + (Dcache \$800) = \$1600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$1725
Flushes = 19908 : Invalidates = 19908

bzip2_L1_small_4way.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 4 : block size = 32
Icache size = 4096 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 52523407207; Total refs = 10000000073
Flush time = 342892157
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 20419942538 [39.1%]
Writes = 19255855327 [36.9%]
Inst. = 12504717185 [24.0%]
Total = 52180515050

Average cycles per activity:

Read = 10.8; Write = 34.9; Inst. = 6.9
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095521667 Miss Count = 560855
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 14688; Dirty Kickouts = 0; Transfers = 560855
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2371554001 Miss Count = 166646395
Total Requests = 2538200396
Hit Rate = 93.4% Miss Rate = 6.6%
Kickouts = 164098043; Dirty Kickouts = 65157952; Transfers = 167302934
Flush Kickouts = 656539

Memory Level: L2

Hit Count = 85319060 Miss Count = 147702681
Total Requests = 233021741
Hit Rate = 36.6% Miss Rate = 63.4%
Kickouts = 138072273; Dirty Kickouts = 55700360; Transfers = 149610765
Flush Kickouts = 1908084

L1 cache cost (Icache \$300) + (Dcache \$300) = \$600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$725
Flushes = 19908 : Invalidates = 19908

bzip2_L1_small.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 1 : block size = 32
Icache size = 4096 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 52917794978; Total refs = 10000000073
Flush time = 326624950
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 21895601747 [41.6%]
Writes = 18192564325 [34.6%]
Inst. = 12503003956 [23.8%]
Total = 52591170028

Average cycles per activity:

Read = 11.6; Write = 32.9; Inst. = 7.0
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12094746128 Miss Count = 1336394
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 795936; Dirty Kickouts = 0; Transfers = 1336394
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2335018951 Miss Count = 203181445
Total Requests = 2538200396
Hit Rate = 92.0% Miss Rate = 8.0%
Kickouts = 200633399; Dirty Kickouts = 78562930; Transfers = 203824843
Flush Kickouts = 643398

Memory Level: L2

Hit Count = 139961829 Miss Count = 143762338
Total Requests = 283724167
Hit Rate = 49.3% Miss Rate = 50.7%
Kickouts = 134131930; Dirty Kickouts = 57422942; Transfers = 145640623
Flush Kickouts = 1878285

L1 cache cost (Icache \$100) + (Dcache \$100) = \$200
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$325
Flushes = 19908 : Invalidates = 19908

bzip2_L2_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 51004296206; Total refs = 10000000073
Flush time = 377034627
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 19733728397 [39.0%]
Writes = 18357491690 [36.3%]
Inst. = 12536041492 [24.8%]
Total = 50627261579

Average cycles per activity:

Read = 10.5; Write = 33.2; Inst. = 6.7
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527121 Miss Count = 555401
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2674; Dirty Kickouts = 0; Transfers = 555401
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2378127911 Miss Count = 160072485
Total Requests = 2538200396
Hit Rate = 93.7% Miss Rate = 6.3%
Kickouts = 154979866; Dirty Kickouts = 62473522; Transfers = 161308323
Flush Kickouts = 1235838

Memory Level: L2

Hit Count = 84022331 Miss Count = 140314915
Total Requests = 224337246
Hit Rate = 37.5% Miss Rate = 62.5%
Kickouts = 130437124; Dirty Kickouts = 54399060; Transfers = 142382738
Flush Kickouts = 2067823

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1025
Flushes = 19908 : Invalidates = 19908

bzip2_L2_big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 65536 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 51139234694; Total refs = 10000000073
Flush time = 614758798
Inst refs = 7565217787; Data refs = 2434782286

Number of reference types : [Percentage]

Reads = 1882275327 [18.8%]
Writes = 552506959 [5.5%]
Inst. = 7565217787 [75.7%]
Total = 10000000073

Total cycles for activities: [Percentage]

Reads = 19420268992 [38.4%]
Writes = 18329566826 [36.3%]
Inst. = 12774640078 [25.3%]
Total = 50524475896

Average cycles per activity:

Read = 10.3; Write = 33.2; Inst. = 6.7
Ideal: Exec. Time = 17565217860; CPI = 2.3
Ideal mis-aligned: Exec. Time = 22199500705; CPI = 2.9

Memory Level: L1i

Hit Count = 12095527121 Miss Count = 555401
Total Requests = 12096082522
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2674; Dirty Kickouts = 0; Transfers = 555401
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2378127911 Miss Count = 160072485
Total Requests = 2538200396
Hit Rate = 93.7% Miss Rate = 6.3%
Kickouts = 154979866; Dirty Kickouts = 62473522; Transfers = 161308323
Flush Kickouts = 1235838

Memory Level: L2

Hit Count = 84347440 Miss Count = 139989806
Total Requests = 224337246
Hit Rate = 37.6% Miss Rate = 62.4%
Kickouts = 121763856; Dirty Kickouts = 52709541; Transfers = 143444070
Flush Kickouts = 3454264

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 19908 : Invalidates = 19908

h264ref_All_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 2 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 27112120331; Total refs = 10000000106
Flush time = 460689007
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads	=	2689845793	[26.9%]
Writes	=	580065162	[5.8%]
Inst.	=	6730089151	[67.3%]
Total	=	10000000106	

Total cycles for activities: [Percentage]

Reads	=	9273316723	[34.8%]
Writes	=	2620034214	[9.8%]
Inst.	=	14758080387	[55.4%]
Total	=	26651431324	

Average cycles per activity:

Read = 3.4; Write = 4.5; Inst. = 4.0
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11160285566 Miss Count = 47791322
Total Requests = 11208076888
Hit Rate = 99.6% Miss Rate = 0.4%
Kickouts = 44719492; Dirty Kickouts = 0; Transfers = 47791322
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3940990857 Miss Count = 83744469
Total Requests = 4024735326
Hit Rate = 97.9% Miss Rate = 2.1%
Kickouts = 79223864; Dirty Kickouts = 20672723; Transfers = 85239755
Flush Kickouts = 1495286

Memory Level: L2

Hit Count = 108531583 Miss Count = 45172217
Total Requests = 153703800
Hit Rate = 70.6% Miss Rate = 29.4%
Kickouts = 37062689; Dirty Kickouts = 6420098; Transfers = 47738157
Flush Kickouts = 2565940

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 17710 : Invalidates = 17710

h264ref_All_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 4 : block size = 32
Icache size = 8192 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 25335616586; Total refs = 10000000106
Flush time = 463915104
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 8151351391 [32.8%]
Writes = 2452092271 [9.9%]
Inst. = 14268257820 [57.4%]
Total = 24871701482

Average cycles per activity:

Read = 3.0; Write = 4.2; Inst. = 3.7
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11159355699 Miss Count = 48721189
Total Requests = 11208076888
Hit Rate = 99.6% Miss Rate = 0.4%
Kickouts = 45599000; Dirty Kickouts = 0; Transfers = 48721189
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3962032699 Miss Count = 62702627
Total Requests = 4024735326
Hit Rate = 98.4% Miss Rate = 1.6%
Kickouts = 58175096; Dirty Kickouts = 15514970; Transfers = 64160586
Flush Kickouts = 1457959

Memory Level: L2

Hit Count = 90182134 Miss Count = 38214611
Total Requests = 128396745
Hit Rate = 70.2% Miss Rate = 29.8%
Kickouts = 29865258; Dirty Kickouts = 5001102; Transfers = 40836473
Flush Kickouts = 2621862

L1 cache cost (Icache \$600) + (Dcache \$600) = \$1200
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1425
Flushes = 17710 : Invalidates = 17710

h264ref_All_FA_L2big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 65536 : ways = 1024 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 23224833703; Total refs = 10000000106
Flush time = 634993545
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 6977778138 [30.9%]
Writes = 2107720234 [9.3%]
Inst. = 13504341786 [59.8%]
Total = 22589840158

Average cycles per activity:

Read = 2.6; Write = 3.6; Inst. = 3.4
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11151277315 Miss Count = 56799573
Total Requests = 11208076888
Hit Rate = 99.5% Miss Rate = 0.5%
Kickouts = 53642588; Dirty Kickouts = 0; Transfers = 56799573
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3968992020 Miss Count = 55743306
Total Requests = 4024735326
Hit Rate = 98.6% Miss Rate = 1.4%
Kickouts = 51209295; Dirty Kickouts = 13315680; Transfers = 57201073
Flush Kickouts = 1457767

Memory Level: L2

Hit Count = 101221101 Miss Count = 26095225
Total Requests = 127316326
Hit Rate = 79.5% Miss Rate = 20.5%
Kickouts = 11583340; Dirty Kickouts = 2284377; Transfers = 29916083
Flush Kickouts = 3820858

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$1100; Memory cost = \$75; Total cost = \$4775
Flushes = 17710 : Invalidates = 17710

h264ref_All_FA.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 32768 : ways = 512 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 24172730941; Total refs = 10000000106
Flush time = 461490401
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 7719133381 [32.6%]
Writes = 2287924120 [9.6%]
Inst. = 13704183039 [57.8%]
Total = 23711240540

Average cycles per activity:

Read = 2.9; Write = 3.9; Inst. = 3.5
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11151277315 Miss Count = 56799573
Total Requests = 11208076888
Hit Rate = 99.5% Miss Rate = 0.5%
Kickouts = 53642588; Dirty Kickouts = 0; Transfers = 56799573
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3968992020 Miss Count = 55743306
Total Requests = 4024735326
Hit Rate = 98.6% Miss Rate = 1.4%
Kickouts = 51209295; Dirty Kickouts = 13315680; Transfers = 57201073
Flush Kickouts = 1457767

Memory Level: L2

Hit Count = 95100155 Miss Count = 32216171
Total Requests = 127316326
Hit Rate = 74.7% Miss Rate = 25.3%
Kickouts = 23685862; Dirty Kickouts = 4087854; Transfers = 34853567
Flush Kickouts = 2637396

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$500; Memory cost = \$75; Total cost = \$4175
Flushes = 17710 : Invalidates = 17710

h264ref_defaults.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 35147563146; Total refs = 10000000106
Flush time = 414876381
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 14922442972 [43.0%]
Writes = 3968790793 [11.4%]
Inst. = 15841453000 [45.6%]
Total = 34732686765

Average cycles per activity:

Read = 5.5; Write = 6.8; Inst. = 5.2
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11154941079 Miss Count = 53135809
Total Requests = 11208076888
Hit Rate = 99.5% Miss Rate = 0.5%
Kickouts = 50182354; Dirty Kickouts = 0; Transfers = 53135809
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3856443351 Miss Count = 168291975
Total Requests = 4024735326
Hit Rate = 95.8% Miss Rate = 4.2%
Kickouts = 163794819; Dirty Kickouts = 43415363; Transfers = 169848153
Flush Kickouts = 1556178

Memory Level: L2

Hit Count = 190005209 Miss Count = 76394116
Total Requests = 266399325
Hit Rate = 71.3% Miss Rate = 28.7%
Kickouts = 68826800; Dirty Kickouts = 13531572; Transfers = 78641541
Flush Kickouts = 2247425

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$525
Flushes = 17710 : Invalidates = 17710

h264ref_L1_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 29195493490; Total refs = 10000000106
Flush time = 452012225
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads	=	2689845793	[26.9%]
Writes	=	580065162	[5.8%]
Inst.	=	6730089151	[67.3%]
Total	=	10000000106	

Total cycles for activities: [Percentage]

Reads	=	10406613203	[36.2%]
Writes	=	3080549312	[10.7%]
Inst.	=	15256318750	[53.1%]
Total	=	28743481265	

Average cycles per activity:

Read = 3.9; Write = 5.3; Inst. = 4.3
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11160285566 Miss Count = 47791322
Total Requests = 11208076888
Hit Rate = 99.6% Miss Rate = 0.4%
Kickouts = 44719492; Dirty Kickouts = 0; Transfers = 47791322
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3940990857 Miss Count = 83744469
Total Requests = 4024735326
Hit Rate = 97.9% Miss Rate = 2.1%
Kickouts = 79223864; Dirty Kickouts = 20672723; Transfers = 85239755
Flush Kickouts = 1495286

Memory Level: L2

Hit Count = 98283900 Miss Count = 55419900
Total Requests = 153703800
Hit Rate = 63.9% Miss Rate = 36.1%
Kickouts = 47852584; Dirty Kickouts = 9015275; Transfers = 57769956
Flush Kickouts = 2350056

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$925
Flushes = 17710 : Invalidates = 17710

h264ref_L1_8way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 8 : block size = 32
Icache size = 8192 : ways = 8 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 26897437126; Total refs = 10000000106
Flush time = 470527393
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 8738461787 [33.1%]
Writes = 2486986995 [9.4%]
Inst. = 15201460951 [57.5%]
Total = 26426909733

Average cycles per activity:

Read = 3.2; Write = 4.3; Inst. = 3.9
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11156202045 Miss Count = 51874843
Total Requests = 11208076888
Hit Rate = 99.5% Miss Rate = 0.5%
Kickouts = 48728875; Dirty Kickouts = 0; Transfers = 51874843
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3967117006 Miss Count = 57618320
Total Requests = 4024735326
Hit Rate = 98.6% Miss Rate = 1.4%
Kickouts = 53087007; Dirty Kickouts = 13905536; Transfers = 59054280
Flush Kickouts = 1435960

Memory Level: L2

Hit Count = 77848626 Miss Count = 46986033
Total Requests = 124834659
Hit Rate = 62.4% Miss Rate = 37.6%
Kickouts = 39418717; Dirty Kickouts = 6132867; Transfers = 49387022
Flush Kickouts = 2400989

L1 cache cost (Icache \$800) + (Dcache \$800) = \$1600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$1725
Flushes = 17710 : Invalidates = 17710

h264ref_L1_small_4way.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 4 : block size = 32
Icache size = 4096 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 31722053479; Total refs = 10000000106
Flush time = 369448241
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 11583795195 [36.9%]
Writes = 3274434243 [10.4%]
Inst. = 16494375800 [52.6%]
Total = 31352605238

Average cycles per activity:

Read = 4.3; Write = 5.6; Inst. = 4.7
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11142436561 Miss Count = 65640327
Total Requests = 11208076888
Hit Rate = 99.4% Miss Rate = 0.6%
Kickouts = 63953917; Dirty Kickouts = 0; Transfers = 65640327
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3902136074 Miss Count = 122599252
Total Requests = 4024735326
Hit Rate = 97.0% Miss Rate = 3.0%
Kickouts = 120332251; Dirty Kickouts = 28040657; Transfers = 123209082
Flush Kickouts = 609830

Memory Level: L2

Hit Count = 153586401 Miss Count = 63303665
Total Requests = 216890066
Hit Rate = 70.8% Miss Rate = 29.2%
Kickouts = 55736349; Dirty Kickouts = 11028062; Transfers = 65441168
Flush Kickouts = 2137503

L1 cache cost (Icache \$300) + (Dcache \$300) = \$600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$725
Flushes = 17710 : Invalidates = 17710

h264ref_L1_small.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 1 : block size = 32
Icache size = 4096 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 38570299603; Total refs = 10000000106
Flush time = 359940805
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 16703397888 [43.7%]
Writes = 4433243116 [11.6%]
Inst. = 17073717794 [44.7%]
Total = 38210358798

Average cycles per activity:

Read = 6.2; Write = 7.6; Inst. = 5.7
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11122010646 Miss Count = 86066242
Total Requests = 11208076888
Hit Rate = 99.2% Miss Rate = 0.8%
Kickouts = 84402310; Dirty Kickouts = 0; Transfers = 86066242
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3767873369 Miss Count = 256861957
Total Requests = 4024735326
Hit Rate = 93.6% Miss Rate = 6.4%
Kickouts = 254596737; Dirty Kickouts = 65962984; Transfers = 257514997
Flush Kickouts = 653040

Memory Level: L2

Hit Count = 327113983 Miss Count = 82430240
Total Requests = 409544223
Hit Rate = 79.9% Miss Rate = 20.1%
Kickouts = 74862924; Dirty Kickouts = 14915669; Transfers = 84549602
Flush Kickouts = 2119362

L1 cache cost (Icache \$100) + (Dcache \$100) = \$200
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$325
Flushes = 17710 : Invalidates = 17710

h264ref_L2_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 25818912066; Total refs = 10000000106
Flush time = 459003736
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 8490795943 [33.5%]
Writes = 2543129242 [10.0%]
Inst. = 14325983145 [56.5%]
Total = 25359908330

Average cycles per activity:

Read = 3.2; Write = 4.4; Inst. = 3.8
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11160285566 Miss Count = 47791322
Total Requests = 11208076888
Hit Rate = 99.6% Miss Rate = 0.4%
Kickouts = 44719492; Dirty Kickouts = 0; Transfers = 47791322
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3940990857 Miss Count = 83744469
Total Requests = 4024735326
Hit Rate = 97.9% Miss Rate = 2.1%
Kickouts = 79223864; Dirty Kickouts = 20672723; Transfers = 85239755
Flush Kickouts = 1495286

Memory Level: L2

Hit Count = 115073085 Miss Count = 38630715
Total Requests = 153703800
Hit Rate = 74.9% Miss Rate = 25.1%
Kickouts = 30281362; Dirty Kickouts = 5127126; Transfers = 41245301
Flush Kickouts = 2614586

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1025
Flushes = 17710 : Invalidates = 17710

h264ref_L2_big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 65536 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 26830734120; Total refs = 10000000106
Flush time = 597280586
Inst refs = 6730089151; Data refs = 3269910955

Number of reference types : [Percentage]

Reads = 2689845793 [26.9%]
Writes = 580065162 [5.8%]
Inst. = 6730089151 [67.3%]
Total = 10000000106

Total cycles for activities: [Percentage]

Reads = 8949553517 [34.1%]
Writes = 2778620409 [10.6%]
Inst. = 14505279608 [55.3%]
Total = 26233453534

Average cycles per activity:

Read = 3.3; Write = 4.8; Inst. = 3.9
Ideal: Exec. Time = 16730089257; CPI = 2.5
Ideal mis-aligned: Exec. Time = 21962901365; CPI = 3.3

Memory Level: L1i

Hit Count = 11160285566 Miss Count = 47791322
Total Requests = 11208076888
Hit Rate = 99.6% Miss Rate = 0.4%
Kickouts = 44719492; Dirty Kickouts = 0; Transfers = 47791322
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3940990857 Miss Count = 83744469
Total Requests = 4024735326
Hit Rate = 97.9% Miss Rate = 2.1%
Kickouts = 79223864; Dirty Kickouts = 20672723; Transfers = 85239755
Flush Kickouts = 1495286

Memory Level: L2

Hit Count = 111378673 Miss Count = 42325127
Total Requests = 153703800
Hit Rate = 72.5% Miss Rate = 27.5%
Kickouts = 30301962; Dirty Kickouts = 5995972; Transfers = 45674482
Flush Kickouts = 3349355

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 17710 : Invalidates = 17710

libquantum_All_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 2 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 107260681086; Total refs = 16506492546
Flush time = 1267133248
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads	=	3526260463	[21.4%]
Writes	=	492653573	[3.0%]
Inst.	=	12487578510	[75.7%]
Total	=	16506492546	

Total cycles for activities: [Percentage]

Reads	=	86764716181	[81.9%]
Writes	=	1197968976	[1.1%]
Inst.	=	18030862681	[17.0%]
Total	=	105993547838	

Average cycles per activity:

Read = 24.6; Write = 2.4; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543263 Miss Count = 845790
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 4867; Dirty Kickouts = 0; Transfers = 845790
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262666441 Miss Count = 576950556
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568537628; Dirty Kickouts = 234411130; Transfers = 580300116
Flush Kickouts = 3349560

Memory Level: L2

Hit Count = 526028650 Miss Count = 289528386
Total Requests = 815557036
Hit Rate = 64.5% Miss Rate = 35.5%
Kickouts = 272742878; Dirty Kickouts = 125971718; Transfers = 297120102
Flush Kickouts = 7591716

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 32862 : Invalidates = 32862

libquantum_All_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 4 : block size = 32
Icache size = 8192 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 107248844892; Total refs = 16506492546
Flush time = 1266900142
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads = 3526260463 [21.4%]
Writes = 492653573 [3.0%]
Inst. = 12487578510 [75.7%]
Total = 16506492546

Total cycles for activities: [Percentage]

Reads = 86756713433 [81.9%]
Writes = 1196009137 [1.1%]
Inst. = 18029222180 [17.0%]
Total = 105981944750

Average cycles per activity:

Read = 24.6; Write = 2.4; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543782 Miss Count = 845271
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2622; Dirty Kickouts = 0; Transfers = 845271
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262710581 Miss Count = 576906416
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568493488; Dirty Kickouts = 234391405; Transfers = 580255616
Flush Kickouts = 3349200

Memory Level: L2

Hit Count = 526012853 Miss Count = 289479439
Total Requests = 815492292
Hit Rate = 64.5% Miss Rate = 35.5%
Kickouts = 272693097; Dirty Kickouts = 125957693; Transfers = 297070098
Flush Kickouts = 7590659

L1 cache cost (Icache \$600) + (Dcache \$600) = \$1200

L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1425

Flushes = 32862 : Invalidates = 32862

libquantum_All_FA_L2big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 65536 : ways = 1024 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 108415187548; Total refs = 16506492546
Flush time = 2443740677
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads = 3526260463 [21.4%]
Writes = 492653573 [3.0%]
Inst. = 12487578510 [75.7%]
Total = 16506492546

Total cycles for activities: [Percentage]

Reads = 85584741291 [80.8%]
Writes = 1183802981 [1.1%]
Inst. = 19202902599 [18.1%]
Total = 105971446871

Average cycles per activity:

Read = 24.3; Write = 2.4; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543918 Miss Count = 845135
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2003; Dirty Kickouts = 0; Transfers = 845135
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262710634 Miss Count = 576906363
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568493435; Dirty Kickouts = 234391076; Transfers = 580255703
Flush Kickouts = 3349340

Memory Level: L2

Hit Count = 526064775 Miss Count = 289427139
Total Requests = 815491914
Hit Rate = 64.5% Miss Rate = 35.5%
Kickouts = 256463250; Dirty Kickouts = 118578619; Transfers = 304385885
Flush Kickouts = 14958746

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$1100; Memory cost = \$75; Total cost = \$4775
Flushes = 32862 : Invalidates = 32862

libquantum_All_FA.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 32768 : ways = 512 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 107286517495; Total refs = 16506492546
Flush time = 1305545541
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads = 3526260463 [21.4%]
Writes = 492653573 [3.0%]
Inst. = 12487578510 [75.7%]
Total = 16506492546

Total cycles for activities: [Percentage]

Reads = 86716884160 [81.8%]
Writes = 1196199205 [1.1%]
Inst. = 18067888589 [17.0%]
Total = 105980971954

Average cycles per activity:

Read = 24.6; Write = 2.4; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543918 Miss Count = 845135
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2003; Dirty Kickouts = 0; Transfers = 845135
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262710634 Miss Count = 576906363
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568493435; Dirty Kickouts = 234391076; Transfers = 580255703
Flush Kickouts = 3349340

Memory Level: L2

Hit Count = 526017146 Miss Count = 289474768
Total Requests = 815491914
Hit Rate = 64.5% Miss Rate = 35.5%
Kickouts = 272684960; Dirty Kickouts = 125714276; Transfers = 297307676
Flush Kickouts = 7832908

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$500; Memory cost = \$75; Total cost = \$4175
Flushes = 32862 : Invalidates = 32862

libquantum_defaults.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 108249525187; Total refs = 16506492546
Flush time = 1253713938
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads	=	3526260463	[21.4%]
Writes	=	492653573	[3.0%]
Inst.	=	12487578510	[75.7%]
Total	=	16506492546	

Total cycles for activities: [Percentage]

Reads	=	87652198593	[81.9%]
Writes	=	1342072202	[1.3%]
Inst.	=	18001540454	[16.8%]
Total	=	106995811249	

Average cycles per activity:

Read = 24.9; Write = 2.7; Inst. = 8.6
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620542016 Miss Count = 847037
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 8019; Dirty Kickouts = 0; Transfers = 847037
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6253479206 Miss Count = 586137791
Total Requests = 6839616997
Hit Rate = 91.4% Miss Rate = 8.6%
Kickouts = 577724863; Dirty Kickouts = 236116182; Transfers = 589493802
Flush Kickouts = 3356011

Memory Level: L2

Hit Count = 533053853 Miss Count = 293403168
Total Requests = 826457021
Hit Rate = 64.5% Miss Rate = 35.5%
Kickouts = 276756337; Dirty Kickouts = 127193832; Transfers = 300913311
Flush Kickouts = 7510143

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$525
Flushes = 32862 : Invalidates = 32862

libquantum_L1_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 107410179423; Total refs = 16506492546
Flush time = 1271390419
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads	=	3526260463	[21.4%]
Writes	=	492653573	[3.0%]
Inst.	=	12487578510	[75.7%]
Total	=	16506492546	

Total cycles for activities: [Percentage]

Reads	=	86876076402	[81.9%]
Writes	=	1243516735	[1.2%]
Inst.	=	18019195867	[17.0%]
Total	=	106138789004	

Average cycles per activity:

Read = 24.6; Write = 2.5; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543263 Miss Count = 845790
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 4867; Dirty Kickouts = 0; Transfers = 845790
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262666441 Miss Count = 576950556
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568537628; Dirty Kickouts = 234411130; Transfers = 580300116
Flush Kickouts = 3349560

Memory Level: L2

Hit Count = 525264552 Miss Count = 290292484
Total Requests = 815557036
Hit Rate = 64.4% Miss Rate = 35.6%
Kickouts = 273645653; Dirty Kickouts = 126080485; Transfers = 297885663
Flush Kickouts = 7593179

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$925
Flushes = 32862 : Invalidates = 32862

libquantum_L1_8way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 8 : block size = 32
Icache size = 8192 : ways = 8 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 107391534447; Total refs = 16506492546
Flush time = 1272068229
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads	=	3526260463	[21.4%]
Writes	=	492653573	[3.0%]
Inst.	=	12487578510	[75.7%]
Total	=	16506492546	

Total cycles for activities: [Percentage]

Reads	=	86878854466	[81.9%]
Writes	=	1220847119	[1.2%]
Inst.	=	18019764633	[17.0%]
Total	=	106119466218	

Average cycles per activity:

Read = 24.6; Write = 2.5; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543923 Miss Count = 845130
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 2143; Dirty Kickouts = 0; Transfers = 845130
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262710638 Miss Count = 576906359
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568493431; Dirty Kickouts = 234390955; Transfers = 580255896
Flush Kickouts = 3349537

Memory Level: L2

Hit Count = 525227569 Miss Count = 290264412
Total Requests = 815491981
Hit Rate = 64.4% Miss Rate = 35.6%
Kickouts = 273617581; Dirty Kickouts = 125995190; Transfers = 297857798
Flush Kickouts = 7593386

L1 cache cost (Icache \$800) + (Dcache \$800) = \$1600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$1725
Flushes = 32862 : Invalidates = 32862

libquantum_L1_small_4way.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 4 : block size = 32
Icache size = 4096 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 107307940416; Total refs = 16506492546
Flush time = 1243102971
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads	=	3526260463	[21.4%]
Writes	=	492653573	[3.0%]
Inst.	=	12487578510	[75.7%]
Total	=	16506492546	

Total cycles for activities: [Percentage]

Reads	=	86829370336	[81.9%]
Writes	=	1232275937	[1.2%]
Inst.	=	18003191172	[17.0%]
Total	=	106064837445	

Average cycles per activity:

Read = 24.6; Write = 2.5; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620542752 Miss Count = 846301
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 6062; Dirty Kickouts = 0; Transfers = 846301
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262691983 Miss Count = 576925014
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 572718550; Dirty Kickouts = 236079319; Transfers = 578587544
Flush Kickouts = 1662530

Memory Level: L2

Hit Count = 525554024 Miss Count = 289959140
Total Requests = 815513164
Hit Rate = 64.4% Miss Rate = 35.6%
Kickouts = 273312309; Dirty Kickouts = 125975811; Transfers = 297546993
Flush Kickouts = 7587853

L1 cache cost (Icache \$300) + (Dcache \$300) = \$600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$725
Flushes = 32862 : Invalidates = 32862

libquantum_L1_small.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 1 : block size = 32
Icache size = 4096 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 108285033462; Total refs = 16506492546
Flush time = 1226155310
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads = 3526260463 [21.4%]
Writes = 492653573 [3.0%]
Inst. = 12487578510 [75.7%]
Total = 16506492546

Total cycles for activities: [Percentage]

Reads = 87735760857 [82.0%]
Writes = 1335196035 [1.2%]
Inst. = 17987921260 [16.8%]
Total = 107058878152

Average cycles per activity:

Read = 24.9; Write = 2.7; Inst. = 8.6
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620528007 Miss Count = 861046
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 69048; Dirty Kickouts = 0; Transfers = 861046
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6246272761 Miss Count = 593344236
Total Requests = 6839616997
Hit Rate = 91.3% Miss Rate = 8.7%
Kickouts = 589137772; Dirty Kickouts = 238794548; Transfers = 595009714
Flush Kickouts = 1665478

Memory Level: L2

Hit Count = 541559868 Miss Count = 293105440
Total Requests = 834665308
Hit Rate = 64.9% Miss Rate = 35.1%
Kickouts = 276458609; Dirty Kickouts = 127091825; Transfers = 300607857
Flush Kickouts = 7502417

L1 cache cost (Icache \$100) + (Dcache \$100) = \$200
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$325
Flushes = 32862 : Invalidates = 32862

libquantum_L2_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 107249722874; Total refs = 16506492546
Flush time = 1266637365
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads = 3526260463 [21.4%]
Writes = 492653573 [3.0%]
Inst. = 12487578510 [75.7%]
Total = 16506492546

Total cycles for activities: [Percentage]

Reads = 86757450906 [81.9%]
Writes = 1196597459 [1.1%]
Inst. = 18029037144 [17.0%]
Total = 105983085509

Average cycles per activity:

Read = 24.6; Write = 2.4; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543263 Miss Count = 845790
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 4867; Dirty Kickouts = 0; Transfers = 845790
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262666441 Miss Count = 576950556
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568537628; Dirty Kickouts = 234411130; Transfers = 580300116
Flush Kickouts = 3349560

Memory Level: L2

Hit Count = 526078217 Miss Count = 289478819
Total Requests = 815557036
Hit Rate = 64.5% Miss Rate = 35.5%
Kickouts = 272692477; Dirty Kickouts = 125959921; Transfers = 297068678
Flush Kickouts = 7589859

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1025
Flushes = 32862 : Invalidates = 32862

libquantum_L2_big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 65536 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 108474926841; Total refs = 16506492546
Flush time = 2409728003
Inst refs = 12487578510; Data refs = 4018914036

Number of reference types : [Percentage]

Reads = 3526260463 [21.4%]
Writes = 492653573 [3.0%]
Inst. = 12487578510 [75.7%]
Total = 16506492546

Total cycles for activities: [Percentage]

Reads = 85686604636 [80.8%]
Writes = 1217720961 [1.1%]
Inst. = 19160873241 [18.1%]
Total = 106065198838

Average cycles per activity:

Read = 24.3; Write = 2.5; Inst. = 8.5
Ideal: Exec. Time = 28994071056; CPI = 2.3
Ideal mis-aligned: Exec. Time = 35948584560; CPI = 2.9

Memory Level: L1i

Hit Count = 16620543263 Miss Count = 845790
Total Requests = 16621389053
Hit Rate = 100.0% Miss Rate = 0.0%
Kickouts = 4867; Dirty Kickouts = 0; Transfers = 845790
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 6262666441 Miss Count = 576950556
Total Requests = 6839616997
Hit Rate = 91.6% Miss Rate = 8.4%
Kickouts = 568537628; Dirty Kickouts = 234411130; Transfers = 580300116
Flush Kickouts = 3349560

Memory Level: L2

Hit Count = 525604450 Miss Count = 289952586
Total Requests = 815557036
Hit Rate = 64.4% Miss Rate = 35.6%
Kickouts = 257143312; Dirty Kickouts = 118855650; Transfers = 304665430
Flush Kickouts = 14712844

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 32862 : Invalidates = 32862

omnetpp_All_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 2 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 82029355234; Total refs = 10000000076
Flush time = 655632485
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	36766994360	[45.2%]
Writes	=	8301079521	[10.2%]
Inst.	=	36305648868	[44.6%]
Total	=	81373722749	

Average cycles per activity:

Read = 18.3; Write = 6.7; Inst. = 12.1
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11118333347 Miss Count = 341151726
Total Requests = 11459485073
Hit Rate = 97.0% Miss Rate = 3.0%
Kickouts = 336631094; Dirty Kickouts = 0; Transfers = 341151726
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5675568402 Miss Count = 262045382
Total Requests = 5937613784
Hit Rate = 95.6% Miss Rate = 4.4%
Kickouts = 257498822; Dirty Kickouts = 104790863; Transfers = 264066286
Flush Kickouts = 2020904

Memory Level: L2

Hit Count = 453912478 Miss Count = 256096397
Total Requests = 710008875
Hit Rate = 63.9% Miss Rate = 36.1%
Kickouts = 247005837; Dirty Kickouts = 58840909; Transfers = 259475459
Flush Kickouts = 3379062

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 17759 : Invalidates = 17759

omnetpp_All_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 4 : block size = 32
Icache size = 8192 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 70284146604; Total refs = 10000000076
Flush time = 646342310
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	31988071793	[45.9%]
Writes	=	7499972380	[10.8%]
Inst.	=	30149760121	[43.3%]
Total	=	69637804294	

Average cycles per activity:

Read = 15.9; Write = 6.1; Inst. = 10.3
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11172241478 Miss Count = 287243595
Total Requests = 11459485073
Hit Rate = 97.5% Miss Rate = 2.5%
Kickouts = 282697388; Dirty Kickouts = 0; Transfers = 287243595
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5716738958 Miss Count = 220874826
Total Requests = 5937613784
Hit Rate = 96.3% Miss Rate = 3.7%
Kickouts = 216328266; Dirty Kickouts = 84698427; Transfers = 222939467
Flush Kickouts = 2064641

Memory Level: L2

Hit Count = 388758306 Miss Count = 206123183
Total Requests = 594881489
Hit Rate = 65.4% Miss Rate = 34.6%
Kickouts = 197030083; Dirty Kickouts = 49081480; Transfers = 209459160
Flush Kickouts = 3335977

L1 cache cost (Icache \$600) + (Dcache \$600) = \$1200
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1425
Flushes = 17759 : Invalidates = 17759

omnetpp_All_FA_L2big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 65536 : ways = 1024 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 48032604706; Total refs = 10000000076
Flush time = 1089925936
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	21244617150	[45.3%]
Writes	=	5910130216	[12.6%]
Inst.	=	19787931404	[42.2%]
Total	=	46942678770	

Average cycles per activity:

Read = 10.6; Write = 4.8; Inst. = 7.0
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11255563338 Miss Count = 203921735
Total Requests = 11459485073
Hit Rate = 98.2% Miss Rate = 1.8%
Kickouts = 199375350; Dirty Kickouts = 0; Transfers = 203921735
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5758964173 Miss Count = 178649611
Total Requests = 5937613784
Hit Rate = 97.0% Miss Rate = 3.0%
Kickouts = 174103051; Dirty Kickouts = 71366416; Transfers = 180733918
Flush Kickouts = 2084307

Memory Level: L2

Hit Count = 354074673 Miss Count = 101947396
Total Requests = 456022069
Hit Rate = 77.6% Miss Rate = 22.4%
Kickouts = 83761156; Dirty Kickouts = 26698115; Transfers = 108358421
Flush Kickouts = 6411025

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$1100; Memory cost = \$75; Total cost = \$4775
Flushes = 17759 : Invalidates = 17759

omnetpp_All_FA.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 32768 : ways = 512 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 60620863018; Total refs = 10000000076
Flush time = 636552437
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	27380847345	[45.6%]
Writes	=	6955833533	[11.6%]
Inst.	=	25647629703	[42.8%]
Total	=	59984310581	

Average cycles per activity:

Read = 13.6; Write = 5.6; Inst. = 8.9
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11255563338 Miss Count = 203921735
Total Requests = 11459485073
Hit Rate = 98.2% Miss Rate = 1.8%
Kickouts = 199375350; Dirty Kickouts = 0; Transfers = 203921735
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5758964173 Miss Count = 178649611
Total Requests = 5937613784
Hit Rate = 97.0% Miss Rate = 3.0%
Kickouts = 174103051; Dirty Kickouts = 71366416; Transfers = 180733918
Flush Kickouts = 2084307

Memory Level: L2

Hit Count = 288309260 Miss Count = 167712809
Total Requests = 456022069
Hit Rate = 63.2% Miss Rate = 36.8%
Kickouts = 158619689; Dirty Kickouts = 42646895; Transfers = 171042603
Flush Kickouts = 3329794

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$500; Memory cost = \$75; Total cost = \$4175
Flushes = 17759 : Invalidates = 17759

omnetpp_defaults.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 105194177165; Total refs = 10000000076
Flush time = 655736294
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	48347587579	[46.2%]
Writes	=	10805872313	[10.3%]
Inst.	=	45384980979	[43.4%]
Total	=	104538440871	

Average cycles per activity:

Read = 24.0; Write = 8.7; Inst. = 15.5
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11001025667 Miss Count = 458459406
Total Requests = 11459485073
Hit Rate = 96.0% Miss Rate = 4.0%
Kickouts = 454141835; Dirty Kickouts = 0; Transfers = 458459406
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5568475800 Miss Count = 369137984
Total Requests = 5937613784
Hit Rate = 93.8% Miss Rate = 6.2%
Kickouts = 364591485; Dirty Kickouts = 161396759; Transfers = 371088233
Flush Kickouts = 1950249

Memory Level: L2

Hit Count = 644430396 Miss Count = 346514002
Total Requests = 990944398
Hit Rate = 65.0% Miss Rate = 35.0%
Kickouts = 337480071; Dirty Kickouts = 81547200; Transfers = 349852679
Flush Kickouts = 3338677

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$525
Flushes = 17759 : Invalidates = 17759

omnetpp_L1_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 89465410677; Total refs = 10000000076
Flush time = 694960668
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads = 2011922989 [20.1%]
Writes = 1239405364 [12.4%]
Inst. = 6748671723 [67.5%]
Total = 10000000076

Total cycles for activities: [Percentage]

Reads = 40359663239 [45.5%]
Writes = 9005917721 [10.1%]
Inst. = 39404869049 [44.4%]
Total = 88770450009

Average cycles per activity:

Read = 20.1; Write = 7.3; Inst. = 13.2
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11118333347 Miss Count = 341151726
Total Requests = 11459485073
Hit Rate = 97.0% Miss Rate = 3.0%
Kickouts = 336631094; Dirty Kickouts = 0; Transfers = 341151726
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5675568402 Miss Count = 262045382
Total Requests = 5937613784
Hit Rate = 95.6% Miss Rate = 4.4%
Kickouts = 257498822; Dirty Kickouts = 104790863; Transfers = 264066286
Flush Kickouts = 2020904

Memory Level: L2

Hit Count = 415208698 Miss Count = 294800177
Total Requests = 710008875
Hit Rate = 58.5% Miss Rate = 41.5%
Kickouts = 285766246; Dirty Kickouts = 64668964; Transfers = 298183659
Flush Kickouts = 3383482

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$925
Flushes = 17759 : Invalidates = 17759

omnetpp_L1_8way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 8 : block size = 32
Icache size = 8192 : ways = 8 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 75995164217; Total refs = 10000000076
Flush time = 737176423
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	33335550580	[44.3%]
Writes	=	8004600769	[10.6%]
Inst.	=	33917836445	[45.1%]
Total	=	75257987794	

Average cycles per activity:

Read = 16.6; Write = 6.5; Inst. = 11.2
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11196786235 Miss Count = 262698838
Total Requests = 11459485073
Hit Rate = 97.7% Miss Rate = 2.3%
Kickouts = 258152461; Dirty Kickouts = 0; Transfers = 262698838
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5740720184 Miss Count = 196893600
Total Requests = 5937613784
Hit Rate = 96.7% Miss Rate = 3.3%
Kickouts = 192347040; Dirty Kickouts = 76592811; Transfers = 198969396
Flush Kickouts = 2075796

Memory Level: L2

Hit Count = 295795213 Miss Count = 242465832
Total Requests = 538261045
Hit Rate = 55.0% Miss Rate = 45.0%
Kickouts = 233431901; Dirty Kickouts = 51782322; Transfers = 245905928
Flush Kickouts = 3440096

L1 cache cost (Icache \$800) + (Dcache \$800) = \$1600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$1725
Flushes = 17759 : Invalidates = 17759

omnetpp_L1_small_4way.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 4 : block size = 32
Icache size = 4096 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 112567218800; Total refs = 10000000076
Flush time = 522660286
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads = 2011922989 [20.1%]
Writes = 1239405364 [12.4%]
Inst. = 6748671723 [67.5%]
Total = 10000000076

Total cycles for activities: [Percentage]

Reads = 47375952557 [42.3%]
Writes = 9481535713 [8.5%]
Inst. = 55187070244 [49.3%]
Total = 112044558514

Average cycles per activity:

Read = 23.5; Write = 7.7; Inst. = 16.6
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 10797463020 Miss Count = 662022053
Total Requests = 11459485073
Hit Rate = 94.2% Miss Rate = 5.8%
Kickouts = 659748821; Dirty Kickouts = 0; Transfers = 662022053
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5577120317 Miss Count = 360493467
Total Requests = 5937613784
Hit Rate = 93.9% Miss Rate = 6.1%
Kickouts = 358220187; Dirty Kickouts = 138937083; Transfers = 361558962
Flush Kickouts = 1065495

Memory Level: L2

Hit Count = 780952197 Miss Count = 381565901
Total Requests = 1162518098
Hit Rate = 67.2% Miss Rate = 32.8%
Kickouts = 372531970; Dirty Kickouts = 75051309; Transfers = 384425012
Flush Kickouts = 2859111

L1 cache cost (Icache \$300) + (Dcache \$300) = \$600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$725
Flushes = 17759 : Invalidates = 17759

omnetpp_L1_small.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 1 : block size = 32
Icache size = 4096 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 122631067982; Total refs = 10000000076
Flush time = 502378329
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	54503976423	[44.6%]
Writes	=	11412022335	[9.3%]
Inst.	=	56212690895	[46.0%]
Total	=	122128689653	

Average cycles per activity:

Read = 27.1; Write = 9.2; Inst. = 18.1
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 10787606038 Miss Count = 671879035
Total Requests = 11459485073
Hit Rate = 94.1% Miss Rate = 5.9%
Kickouts = 669605955; Dirty Kickouts = 0; Transfers = 671879035
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5431113100 Miss Count = 506500684
Total Requests = 5937613784
Hit Rate = 91.5% Miss Rate = 8.5%
Kickouts = 504227404; Dirty Kickouts = 216081736; Transfers = 507492305
Flush Kickouts = 991621

Memory Level: L2

Hit Count = 989572725 Miss Count = 405880351
Total Requests = 1395453076
Hit Rate = 70.9% Miss Rate = 29.1%
Kickouts = 396846420; Dirty Kickouts = 89897303; Transfers = 408729275
Flush Kickouts = 2848924

L1 cache cost (Icache \$100) + (Dcache \$100) = \$200
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$325
Flushes = 17759 : Invalidates = 17759

omnetpp_L2_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 75131696835; Total refs = 10000000076
Flush time = 617972500
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	33604571151	[45.1%]
Writes	=	7889046837	[10.6%]
Inst.	=	33020106347	[44.3%]
Total	=	74513724335	

Average cycles per activity:

Read = 16.7; Write = 6.4; Inst. = 11.0
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11118333347 Miss Count = 341151726
Total Requests = 11459485073
Hit Rate = 97.0% Miss Rate = 3.0%
Kickouts = 336631094; Dirty Kickouts = 0; Transfers = 341151726
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5675568402 Miss Count = 262045382
Total Requests = 5937613784
Hit Rate = 95.6% Miss Rate = 4.4%
Kickouts = 257498822; Dirty Kickouts = 104790863; Transfers = 264066286
Flush Kickouts = 2020904

Memory Level: L2

Hit Count = 488961280 Miss Count = 221047595
Total Requests = 710008875
Hit Rate = 68.9% Miss Rate = 31.1%
Kickouts = 211954495; Dirty Kickouts = 52634505; Transfers = 224340258
Flush Kickouts = 3292663

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1025
Flushes = 17759 : Invalidates = 17759

omnetpp_L2_big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 65536 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 72913835611; Total refs = 10000000076
Flush time = 1040646632
Inst refs = 6748671723; Data refs = 3251328353

Number of reference types : [Percentage]

Reads	=	2011922989	[20.1%]
Writes	=	1239405364	[12.4%]
Inst.	=	6748671723	[67.5%]
Total	=	10000000076	

Total cycles for activities: [Percentage]

Reads	=	32030086301	[44.6%]
Writes	=	7484736031	[10.4%]
Inst.	=	32358366647	[45.0%]
Total	=	71873188979	

Average cycles per activity:

Read = 15.9; Write = 6.0; Inst. = 10.6
Ideal: Exec. Time = 16748671799; CPI = 2.5
Ideal mis-aligned: Exec. Time = 24145770580; CPI = 3.6

Memory Level: L1i

Hit Count = 11118333347 Miss Count = 341151726
Total Requests = 11459485073
Hit Rate = 97.0% Miss Rate = 3.0%
Kickouts = 336631094; Dirty Kickouts = 0; Transfers = 341151726
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 5675568402 Miss Count = 262045382
Total Requests = 5937613784
Hit Rate = 95.6% Miss Rate = 4.4%
Kickouts = 257498822; Dirty Kickouts = 104790863; Transfers = 264066286
Flush Kickouts = 2020904

Memory Level: L2

Hit Count = 502326148 Miss Count = 207682727
Total Requests = 710008875
Hit Rate = 70.7% Miss Rate = 29.3%
Kickouts = 191072558; Dirty Kickouts = 47529666; Transfers = 213526464
Flush Kickouts = 5843737

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 17759 : Invalidates = 17759

sjeng_All_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 2 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 44300992452; Total refs = 10000000109
Flush time = 589120731
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 10477993739 [24.0%]
Writes = 7023616800 [16.1%]
Inst. = 26210261182 [60.0%]
Total = 43711871721

Average cycles per activity:

Read = 5.5; Write = 9.7; Inst. = 5.9
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12329298530 Miss Count = 223077262
Total Requests = 12552375792
Hit Rate = 98.2% Miss Rate = 1.8%
Kickouts = 218150210; Dirty Kickouts = 0; Transfers = 223077262
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3176318967 Miss Count = 121259542
Total Requests = 3297578509
Hit Rate = 96.3% Miss Rate = 3.7%
Kickouts = 116336783; Dirty Kickouts = 53348235; Transfers = 123513368
Flush Kickouts = 2253826

Memory Level: L2

Hit Count = 296066562 Miss Count = 103872303
Total Requests = 399938865
Hit Rate = 74.0% Miss Rate = 26.0%
Kickouts = 94428215; Dirty Kickouts = 23349102; Transfers = 106597095
Flush Kickouts = 2724792

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 19380 : Invalidates = 19380

sjeng_All_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 4 : block size = 32
Icache size = 8192 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 40380511353; Total refs = 10000000109
Flush time = 614653974
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 9539682524 [24.0%]
Writes = 6034448117 [15.2%]
Inst. = 24191726738 [60.8%]
Total = 39765857379

Average cycles per activity:

Read = 5.0; Write = 8.3; Inst. = 5.4
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12332868797 Miss Count = 219506995
Total Requests = 12552375792
Hit Rate = 98.3% Miss Rate = 1.7%
Kickouts = 214571765; Dirty Kickouts = 0; Transfers = 219506995
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3200939266 Miss Count = 96639243
Total Requests = 3297578509
Hit Rate = 97.1% Miss Rate = 2.9%
Kickouts = 91680120; Dirty Kickouts = 43578332; Transfers = 99075132
Flush Kickouts = 2435889

Memory Level: L2

Hit Count = 275258214 Miss Count = 86902245
Total Requests = 362160459
Hit Rate = 76.0% Miss Rate = 24.0%
Kickouts = 77135113; Dirty Kickouts = 20032092; Transfers = 89711872
Flush Kickouts = 2809627

L1 cache cost (Icache \$600) + (Dcache \$600) = \$1200
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1425
Flushes = 19380 : Invalidates = 19380

sjeng_All_FA_L2big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 65536 : ways = 1024 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 28934606676; Total refs = 10000000109
Flush time = 1037611846
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads	=	1907768017	[19.1%]
Writes	=	727693598	[7.3%]
Inst.	=	7364538494	[73.6%]
Total	=	10000000109	

Total cycles for activities: [Percentage]

Reads	=	4596772368	[16.5%]
Writes	=	4473806936	[16.0%]
Inst.	=	18826415526	[67.5%]
Total	=	27896994830	

Average cycles per activity:

Read = 2.4; Write = 6.1; Inst. = 3.8
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12304531662 Miss Count = 247844130
Total Requests = 12552375792
Hit Rate = 98.0% Miss Rate = 2.0%
Kickouts = 242908780; Dirty Kickouts = 0; Transfers = 247844130
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3228649349 Miss Count = 68929160
Total Requests = 3297578509
Hit Rate = 97.9% Miss Rate = 2.1%
Kickouts = 63967624; Dirty Kickouts = 35733591; Transfers = 71351092
Flush Kickouts = 2421932

Memory Level: L2

Hit Count = 328808401 Miss Count = 26120412
Total Requests = 354928813
Hit Rate = 92.6% Miss Rate = 7.4%
Kickouts = 7149949; Dirty Kickouts = 6688904; Transfers = 32207922
Flush Kickouts = 6087510

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$1100; Memory cost = \$75; Total cost = \$4775
Flushes = 19380 : Invalidates = 19380

sjeng_All_FA.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 256 : block size = 32
Icache size = 8192 : ways = 256 : block size = 32
L2-cache size = 32768 : ways = 512 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 33993861102; Total refs = 10000000109
Flush time = 585150723
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads	=	1907768017	[19.1%]
Writes	=	727693598	[7.3%]
Inst.	=	7364538494	[73.6%]
Total	=	10000000109	

Total cycles for activities: [Percentage]

Reads	=	7141935346	[21.4%]
Writes	=	5112141054	[15.3%]
Inst.	=	21154633979	[63.3%]
Total	=	33408710379	

Average cycles per activity:

Read = 3.7; Write = 7.0; Inst. = 4.5
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12304531662 Miss Count = 247844130
Total Requests = 12552375792
Hit Rate = 98.0% Miss Rate = 2.0%
Kickouts = 242908780; Dirty Kickouts = 0; Transfers = 247844130
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3228649349 Miss Count = 68929160
Total Requests = 3297578509
Hit Rate = 97.9% Miss Rate = 2.1%
Kickouts = 63967624; Dirty Kickouts = 35733591; Transfers = 71351092
Flush Kickouts = 2421932

Memory Level: L2

Hit Count = 299602134 Miss Count = 55326679
Total Requests = 354928813
Hit Rate = 84.4% Miss Rate = 15.6%
Kickouts = 45403966; Dirty Kickouts = 14057453; Transfers = 58009821
Flush Kickouts = 2683142

L1 cache cost (Icache \$1800) + (Dcache \$1800) = \$3600
L2 cache cost = \$500; Memory cost = \$75; Total cost = \$4175
Flushes = 19380 : Invalidates = 19380

sjeng_defaults.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 53574291155; Total refs = 10000000109
Flush time = 578295505
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 15529463104 [29.3%]
Writes = 7799108595 [14.7%]
Inst. = 29667423951 [56.0%]
Total = 52995995650

Average cycles per activity:

Read = 8.1; Write = 10.7; Inst. = 7.2
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12315460748 Miss Count = 236915044
Total Requests = 12552375792
Hit Rate = 98.1% Miss Rate = 1.9%
Kickouts = 232095465; Dirty Kickouts = 0; Transfers = 236915044
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3108702506 Miss Count = 188876003
Total Requests = 3297578509
Hit Rate = 94.3% Miss Rate = 5.7%
Kickouts = 184181921; Dirty Kickouts = 74706271; Transfers = 190939943
Flush Kickouts = 2063940

Memory Level: L2

Hit Count = 358958322 Miss Count = 143602936
Total Requests = 502561258
Hit Rate = 71.4% Miss Rate = 28.6%
Kickouts = 134852805; Dirty Kickouts = 29789810; Transfers = 146314008
Flush Kickouts = 2711072

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$525
Flushes = 19380 : Invalidates = 19380

sjeng_L1_2way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 48127101144; Total refs = 10000000109
Flush time = 610698621
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 12212215828 [25.7%]
Writes = 7301114606 [15.4%]
Inst. = 28003072089 [58.9%]
Total = 47516402523

Average cycles per activity:

Read = 6.4; Write = 10.0; Inst. = 6.5
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12329298530 Miss Count = 223077262
Total Requests = 12552375792
Hit Rate = 98.2% Miss Rate = 1.8%
Kickouts = 218150210; Dirty Kickouts = 0; Transfers = 223077262
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3176318967 Miss Count = 121259542
Total Requests = 3297578509
Hit Rate = 96.3% Miss Rate = 3.7%
Kickouts = 116336783; Dirty Kickouts = 53348235; Transfers = 123513368
Flush Kickouts = 2253826

Memory Level: L2

Hit Count = 275423716 Miss Count = 124515149
Total Requests = 399938865
Hit Rate = 68.9% Miss Rate = 31.1%
Kickouts = 115765018; Dirty Kickouts = 25558238; Transfers = 127263152
Flush Kickouts = 2748003

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$925
Flushes = 19380 : Invalidates = 19380

sjeng_L1_8way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 8 : block size = 32
Icache size = 8192 : ways = 8 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 44244084878; Total refs = 10000000109
Flush time = 677307406
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads	=	1907768017	[19.1%]
Writes	=	727693598	[7.3%]
Inst.	=	7364538494	[73.6%]
Total	=	10000000109	

Total cycles for activities: [Percentage]

Reads	=	9991306839	[22.9%]
Writes	=	6342049093	[14.6%]
Inst.	=	27233421540	[62.5%]
Total	=	43566777472	

Average cycles per activity:

Read = 5.2; Write = 8.7; Inst. = 5.9
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12325674941 Miss Count = 226700851
Total Requests = 12552375792
Hit Rate = 98.2% Miss Rate = 1.8%
Kickouts = 221765528; Dirty Kickouts = 0; Transfers = 226700851
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3215035005 Miss Count = 82543504
Total Requests = 3297578509
Hit Rate = 97.5% Miss Rate = 2.5%
Kickouts = 77582058; Dirty Kickouts = 38144847; Transfers = 85027259
Flush Kickouts = 2483755

Memory Level: L2

Hit Count = 239721074 Miss Count = 110151883
Total Requests = 349872957
Hit Rate = 68.5% Miss Rate = 31.5%
Kickouts = 101401752; Dirty Kickouts = 20836291; Transfers = 112841342
Flush Kickouts = 2689459

L1 cache cost (Icache \$800) + (Dcache \$800) = \$1600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$1725
Flushes = 19380 : Invalidates = 19380

sjeng_L1_small_4way.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 4 : block size = 32
Icache size = 4096 : ways = 4 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 58053201587; Total refs = 10000000109
Flush time = 435058746
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 16588370442 [28.8%]
Writes = 7373847033 [12.8%]
Inst. = 33655925366 [58.4%]
Total = 57618142841

Average cycles per activity:

Read = 8.7; Write = 10.1; Inst. = 7.8
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12210515336 Miss Count = 341860456
Total Requests = 12552375792
Hit Rate = 97.3% Miss Rate = 2.7%
Kickouts = 339392562; Dirty Kickouts = 0; Transfers = 341860456
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3121957304 Miss Count = 175621205
Total Requests = 3297578509
Hit Rate = 94.7% Miss Rate = 5.3%
Kickouts = 173140439; Dirty Kickouts = 69680495; Transfers = 176771792
Flush Kickouts = 1150587

Memory Level: L2

Hit Count = 425937741 Miss Count = 162375002
Total Requests = 588312743
Hit Rate = 72.4% Miss Rate = 27.6%
Kickouts = 153624871; Dirty Kickouts = 30855502; Transfers = 164703190
Flush Kickouts = 2328188

L1 cache cost (Icache \$300) + (Dcache \$300) = \$600
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$725
Flushes = 19380 : Invalidates = 19380

sjeng_L1_small.dat Simulation Results

Memory System:

Dcache size = 4096 : ways = 1 : block size = 32
Icache size = 4096 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 64377904161; Total refs = 10000000109
Flush time = 417902704
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads	=	1907768017	[19.1%]
Writes	=	727693598	[7.3%]
Inst.	=	7364538494	[73.6%]
Total	=	10000000109	

Total cycles for activities: [Percentage]

Reads	=	20529757060	[32.1%]
Writes	=	8411003730	[13.2%]
Inst.	=	35019240667	[54.8%]
Total	=	63960001457	

Average cycles per activity:

Read = 10.8; Write = 11.6; Inst. = 8.7
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12184655643 Miss Count = 367720149
Total Requests = 12552375792
Hit Rate = 97.1% Miss Rate = 2.9%
Kickouts = 365252531; Dirty Kickouts = 0; Transfers = 367720149
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 2973403604 Miss Count = 324174905
Total Requests = 3297578509
Hit Rate = 90.2% Miss Rate = 9.8%
Kickouts = 321698344; Dirty Kickouts = 121570257; Transfers = 325178148
Flush Kickouts = 1003243

Memory Level: L2

Hit Count = 639175258 Miss Count = 175293296
Total Requests = 814468554
Hit Rate = 78.5% Miss Rate = 21.5%
Kickouts = 166543165; Dirty Kickouts = 34738606; Transfers = 177599336
Flush Kickouts = 2306040

L1 cache cost (Icache \$100) + (Dcache \$100) = \$200
L2 cache cost = \$50; Memory cost = \$75; Total cost = \$325
Flushes = 19380 : Invalidates = 19380

sjeng_L2_4way.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 32768 : ways = 4 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 41225407974; Total refs = 10000000109
Flush time = 583231991
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 9790459257 [24.1%]
Writes = 6315919825 [15.5%]
Inst. = 24535796901 [60.4%]
Total = 40642175983

Average cycles per activity:

Read = 5.1; Write = 8.7; Inst. = 5.5
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12329298530 Miss Count = 223077262
Total Requests = 12552375792
Hit Rate = 98.2% Miss Rate = 1.8%
Kickouts = 218150210; Dirty Kickouts = 0; Transfers = 223077262
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3176318967 Miss Count = 121259542
Total Requests = 3297578509
Hit Rate = 96.3% Miss Rate = 3.7%
Kickouts = 116336783; Dirty Kickouts = 53348235; Transfers = 123513368
Flush Kickouts = 2253826

Memory Level: L2

Hit Count = 311873176 Miss Count = 88065689
Total Requests = 399938865
Hit Rate = 78.0% Miss Rate = 22.0%
Kickouts = 78298557; Dirty Kickouts = 20596921; Transfers = 90855217
Flush Kickouts = 2789528

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$150; Memory cost = \$75; Total cost = \$1025
Flushes = 19380 : Invalidates = 19380

sjeng_L2_big.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 2 : block size = 32
Icache size = 8192 : ways = 2 : block size = 32
L2-cache size = 65536 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 8 : chunktime = 15

Execute time = 39156215813; Total refs = 10000000109
Flush time = 763543437
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 9162625352 [23.9%]
Writes = 5899887603 [15.4%]
Inst. = 23330159421 [60.8%]
Total = 38392672376

Average cycles per activity:

Read = 4.8; Write = 8.1; Inst. = 5.2
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12329298530 Miss Count = 223077262
Total Requests = 12552375792
Hit Rate = 98.2% Miss Rate = 1.8%
Kickouts = 218150210; Dirty Kickouts = 0; Transfers = 223077262
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3176318967 Miss Count = 121259542
Total Requests = 3297578509
Hit Rate = 96.3% Miss Rate = 3.7%
Kickouts = 116336783; Dirty Kickouts = 53348235; Transfers = 123513368
Flush Kickouts = 2253826

Memory Level: L2

Hit Count = 322584777 Miss Count = 77354088
Total Requests = 399938865
Hit Rate = 80.7% Miss Rate = 19.3%
Kickouts = 64451997; Dirty Kickouts = 16389256; Transfers = 81472117
Flush Kickouts = 4118029

L1 cache cost (Icache \$400) + (Dcache \$400) = \$800
L2 cache cost = \$100; Memory cost = \$75; Total cost = \$975
Flushes = 19380 : Invalidates = 19380

sjeng_chunk16.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 16 : chunktime = 15

Execute time = 42804461615; Total refs = 10000000109
Flush time = 374695045
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads = 1907768017 [19.1%]
Writes = 727693598 [7.3%]
Inst. = 7364538494 [73.6%]
Total = 10000000109

Total cycles for activities: [Percentage]

Reads = 11763620944 [27.7%]
Writes = 5802400395 [13.7%]
Inst. = 24863745231 [58.6%]
Total = 42429766570

Average cycles per activity:

Read = 6.2; Write = 8.0; Inst. = 5.8
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12315460748 Miss Count = 236915044
Total Requests = 12552375792
Hit Rate = 98.1% Miss Rate = 1.9%
Kickouts = 232095465; Dirty Kickouts = 0; Transfers = 236915044
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3108702506 Miss Count = 188876003
Total Requests = 3297578509
Hit Rate = 94.3% Miss Rate = 5.7%
Kickouts = 184181921; Dirty Kickouts = 74706271; Transfers = 190939943
Flush Kickouts = 2063940

Memory Level: L2

Hit Count = 358958322 Miss Count = 143602936
Total Requests = 502561258
Hit Rate = 71.4% Miss Rate = 28.6%
Kickouts = 134852805; Dirty Kickouts = 29789810; Transfers = 146314008
Flush Kickouts = 2711072

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$175; Total cost = \$625
Flushes = 19380 : Invalidates = 19380

sjeng_chunk32.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 32 : chunktime = 15

Execute time = 37419546845; Total refs = 10000000109
Flush time = 272894815
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads	=	1907768017	[19.1%]
Writes	=	727693598	[7.3%]
Inst.	=	7364538494	[73.6%]
Total	=	10000000109	

Total cycles for activities: [Percentage]

Reads	=	9880699864	[26.6%]
Writes	=	4804046295	[12.9%]
Inst.	=	22461905871	[60.5%]
Total	=	37146652030	

Average cycles per activity:

Read = 5.2; Write = 6.6; Inst. = 5.0
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12315460748 Miss Count = 236915044
Total Requests = 12552375792
Hit Rate = 98.1% Miss Rate = 1.9%
Kickouts = 232095465; Dirty Kickouts = 0; Transfers = 236915044
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3108702506 Miss Count = 188876003
Total Requests = 3297578509
Hit Rate = 94.3% Miss Rate = 5.7%
Kickouts = 184181921; Dirty Kickouts = 74706271; Transfers = 190939943
Flush Kickouts = 2063940

Memory Level: L2

Hit Count = 358958322 Miss Count = 143602936
Total Requests = 502561258
Hit Rate = 71.4% Miss Rate = 28.6%
Kickouts = 134852805; Dirty Kickouts = 29789810; Transfers = 146314008
Flush Kickouts = 2711072

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$275; Total cost = \$725
Flushes = 19380 : Invalidates = 19380

sjeng_chunk64.dat Simulation Results

Memory System:

Dcache size = 8192 : ways = 1 : block size = 32
Icache size = 8192 : ways = 1 : block size = 32
L2-cache size = 32768 : ways = 1 : block size = 64
Memory ready time = 30 : chunksize = 64 : chunktime = 15

Execute time = 34727089460; Total refs = 10000000109
Flush time = 221994700
Inst refs = 7364538494; Data refs = 2635461615

Number of reference types : [Percentage]

Reads	=	1907768017	[19.1%]
Writes	=	727693598	[7.3%]
Inst.	=	7364538494	[73.6%]
Total	=	10000000109	

Total cycles for activities: [Percentage]

Reads	=	8939239324	[25.9%]
Writes	=	4304869245	[12.5%]
Inst.	=	21260986191	[61.6%]
Total	=	34505094760	

Average cycles per activity:

Read = 4.7; Write = 5.9; Inst. = 4.7
Ideal: Exec. Time = 17364538603; CPI = 2.4
Ideal mis-aligned: Exec. Time = 23214492795; CPI = 3.2

Memory Level: L1i

Hit Count = 12315460748 Miss Count = 236915044
Total Requests = 12552375792
Hit Rate = 98.1% Miss Rate = 1.9%
Kickouts = 232095465; Dirty Kickouts = 0; Transfers = 236915044
Flush Kickouts = 0

Memory Level: L1d

Hit Count = 3108702506 Miss Count = 188876003
Total Requests = 3297578509
Hit Rate = 94.3% Miss Rate = 5.7%
Kickouts = 184181921; Dirty Kickouts = 74706271; Transfers = 190939943
Flush Kickouts = 2063940

Memory Level: L2

Hit Count = 358958322 Miss Count = 143602936
Total Requests = 502561258
Hit Rate = 71.4% Miss Rate = 28.6%
Kickouts = 134852805; Dirty Kickouts = 29789810; Transfers = 146314008
Flush Kickouts = 2711072

L1 cache cost (Icache \$200) + (Dcache \$200) = \$400
L2 cache cost = \$50; Memory cost = \$375; Total cost = \$825
Flushes = 19380 : Invalidates = 19380