

## 1 Introduction

We consider data on the time taken for men and women to complete the 100, 200, and 400 metre dashes in the Olympics from 1900 to 2016 (it should be noted that data for the women's 100, 200, and 400 metre dash became available in 1928, 1948, and 1964 respectively).

## 2 Statistical Analysis

We begin by transforming the data from times to speed using  $s = d/t$ . This gives us more easily interpreted data, as well as allowing for comparison between dashes. We now perform two linear regression analyses; one assuming that the rate of change of speed is the same for both men and women, and one making no such assumption.

Table 1 shows the regression coefficients of the parallel regression, while Table 2 shows the regression for men only. Note that in both cases all parameters are highly significant, and that for the 100m the difference between men and women is about 1 metre per second in the parallel model. Table 3 contains the regression coefficients for the women's model.

The observations from these models line up for the 100m dash: the effect of the year is (almost) the same. The intercept is lower for women individually, but this is made up for by the slightly higher rate of increase applied over 1900 years. Overall these tables come to much the same conclusion: in the 100m dash men are faster than women by approximately 1 m/s, and both are getting faster on average by 1.07 m/s every 100 years.

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	-11.1227	1.2604	-8.82	0.0000
Year	0.0107	0.0006	16.58	0.0000
SexWomen	-0.9499	0.0418	-22.71	0.0000

Table 1: Table of parallel regression coefficients for 100m

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	-10.2911	1.3355	-7.71	0.0000
Year	0.0102	0.0007	15.03	0.0000

Table 2: Table of regression coefficients for men's 100m

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	-14.0452	2.6279	-5.34	0.0000
Year	0.0117	0.0013	8.76	0.0000

Table 3: Table of regression coefficients for womens 100m

Performing the same analysis for the 200m dash we obtain similar results: men are faster than women by approximately 1.05 m/s with both sexes increasing speeds by 1.12 m/s every 100 years.

When we look at the 400m dash things get a good deal more interesting. Tables 4, 5, and 6 contain the regression coefficients for the 400m dash for parallel, men, and women respectively.

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	-11.1839	1.4865	-7.52	0.0000
Year	0.0102	0.0008	13.42	0.0000
SexWomen	-1.0036	0.0530	-18.95	0.0000

Table 4: Table of regression coefficients for 400m

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	-12.0157	1.3964	-8.60	0.0000
Year	0.0106	0.0007	14.89	0.0000

Table 5: Table of regression coefficients for men's 400m

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	-4.4243	5.4245	-0.82	0.4306
Year	0.0063	0.0027	2.30	0.0401

Table 6: Table of regression coefficients for women's 400m

Note that Table 6 shows that women are increasing speed at approximately half the rate of men (given in Table 5). Overall the rate of increase is closer to that of men's, however that is due to the relative abundance of men's data compared to women's. This difference is clearly illustrated in Figure 1.

Figure 1 actually gives us a good amount of information. The intervals indicated on the regression plots are the prediction intervals. We can see that they never overlap for the 100m and 200m dashes. This means that we can be reasonably confident that men will be faster than women in the period covered.

The intervals do overlap at the beginning of the time period for the 400m dash. This is more due to the lack of data on the women's 400m dash before 1964, which leads to the relative broadness of this interval.

Looking at both Figures 1 and 2 we see that it is reasonable to consider sex as a constant factor (i.e. a constant number subtracted or added depending on sex) for the 100m and 200m, but it is less reasonable for the 400m, as the slope for the women when considered individually is quite a bit shallower.

Looking at our residual plots we see no pattern in the residuals when compared to the fitted. This means that we have not left out an obvious term in our model (i.e. seasonality).

### 3 Conclusions

We conclude that in the Olympics men are faster than women overall. Both sexes are improving speeds at a good rate. This rate is similar for both men and women in the shorter distance races,

although men are improving faster in the 400m race when compared to women.

## Plots for sex as factor (separate regressions)




Figure 1: Plots showing properties of the separate regressions

## Plots for sex as factor (parallel regressions)




Figure 2: Plots showing properties of the parallel regressions