Task: Wells

On the beautiful mountain of Velebit there are N shelters. Exactly $N-1$ pairs of shelters are connected by a hiking path such that it is possible to travel between any pair of shelters using these paths.

Vila the Fairy likes hiking very much and it takes her exactly one day to traverse a hiking path connecting two shelters. She can use her magical abilities to appear at any shelter at the beginning of a day, and then spend the next $K-1$ days hiking in such a way that she never visits the same shelter more than once. Thus, during her hike, Vila visits exactly K shelters.

Vila gets thirsty while hiking so she would like some shelters to have water wells. During any possible hike of hers she wants to visit exactly one shelter with a well.

Your task is to determine whether it is possible to find a subset of shelters at which to put wells to satisfy Vila's peculiar wishes. In addition, you need to calculate the number of such subsets modulo $10^9 + 7$.

Formally, given a tree of N vertices and a positive integer K, determine if there is a subset of vertices such that any path containing exactly K vertices has exactly one vertex from the subset. Additionally, you are asked to find the number of such subsets modulo $10^9 + 7$.

Input

The first line contains two integers N and K ($2 \leq K \leq N$) from the task description.

The next $N-1$ lines describe the hiking paths. The i-th of these lines contains two space-separated integers a_i and b_i ($1 \leq a_i, b_i \leq N$), representing a hiking path between shelters a_i and b_i.

It is guaranteed that these paths form a tree.

Output

On the first line, output `"YES"` if there exists a subset of shelters satisfying Vila's conditions and `"NO"`, otherwise.

On the second line output the number of possible subsets of shelters satisfying Vila's conditions modulo $10^9 + 7$.

Scoring

Subtask	Score	Constraints
1	30	$2 \leq K \leq N \leq 200$
2	20	$2 \leq K \leq N \leq 10\,000$
3	20	$2 \leq K \leq N \leq 500\,000$
4	30	$2 \leq K \leq N \leq 1\,500\,000$

If your program outputs the correct first line, but does not provide the correct second line, that test case will be scored with 60% of points allocated for the subtask it is part of.

The score for each subtask equals the smallest score obtained by one of its test cases.

## Examples

input

```
4 2
3 4
3 1
2 3
```

output

```
YES
2
```

input

```
8 3
7 3
1 3
7 8
5 1
4 6
7 2
3 6
```

output

```
NO
0
```

input

```
6 5
4 1
4 2
3 6
5 2
4 6
```

output

```
YES
10
```


Clarification of the first example: The valid subsets of shelters are {3} and {1, 2, 4}.

Clarification of the third example: There is only one path of length 5, and that path contains nodes 3, 6, 4, 2, and 5. Exactly one of these nodes must be in a sought subset, and it makes no difference whether node 1 is in the subset.

Therefore, the valid subsets of shelters are {3}, {1, 3}, {6}, {1, 6}, {4}, {1, 4}, {2}, {1, 2}, {5}, {1, 5}.