## Question 11.16.4.9

If 4-digit numbers greater than 5,000 are randomly formed from the digits 0, 1, 3, 5, and 7, what is the probability of forming a number divisible by 5 when:

- 1. The digits are repeated?
- 2. The repetition of digits is not allowed?

**solution:** Let X be a random variable such that:

$$X = \begin{cases} 0 & n \not\equiv 0 \pmod{5} \\ 1 & n \equiv 0 \pmod{5} \end{cases} \tag{1}$$

Let  $X_1, X_2, X_3, X_4$  be the first, second,third and fourth digits of X respectively.

Let's solve each part separately.

## (i) Repetition of digits

Let number of favourable outcomes be N(A) and total outcomes be N(T). For X > 5000,

- 1.  $X_1$  must be 5 or 7.
- 2.  $X_2, X_3, X_4$  can be 0,1,3,5,7.

We must also exclude the case of 5000. Hence,

$$N(T) = (2 * 5 * 5 * 5) - 1 \tag{2}$$

$$\implies N(T) = 249 \tag{3}$$

For n to be greater than 5000 and also divisble by 5:

- 1.  $X_1$  must be 5 or 7.
- 2.  $X_2, X_3$  can be 0,1,3,5,7.
- 3.  $X_4$  must be 0 or 5.

Here also we must exclude the case of 5000.

$$N(A) = (2 * 5 * 5 * 2) - 1 \tag{4}$$

$$\implies N(A) = 99 \tag{5}$$

With this information we can find the required answer,

$$\Pr\left(X=1\right) = \frac{N(A)}{N(T)}\tag{6}$$

$$\implies \Pr(X=1) = \frac{33}{83} \tag{7}$$

## (ii) No Repetition of Digits

Let number of favourable outcomes be N(B) and total outcomes be N(T). For X>5000,

- 1.  $X_1$  must be 5 or 7.
- 2.  $X_2, X_3, X_4$  have no constraints.

Hence,

$$N(T) = (2*4*3*2) \tag{8}$$

$$\implies N(T) = 48 \tag{9}$$

For n > 5000 and also divisble by 5:

$$X_4 = \begin{cases} 0 & X_1 = 5\\ 5, 0 & X_1 = 7 \end{cases} \tag{10}$$

Hence,

$$N() = (1 * 3 * 2 * 1) + (1 * 3 * 2 * 2)$$
 (11)  
 $\implies N(A) = 18$  (12)

$$\implies N(A) = 18 \tag{12}$$

With this information we can find the required answer,

$$\Pr\left(X=1\right) = \frac{N(B)}{N(T)}\tag{13}$$

$$\implies \Pr\left(X=1\right) = \frac{3}{8} \tag{14}$$