



## Lab 25

Abriremos el archivo ***http-sfgate101.pcapng***



En la flechita que se encuentra en la parte superior daremos click y buscaremos el paquete 472



Dentro de la sección 472 buscaremos coloring rule name, daremos clic derecho y lo aplicaremos como columna

The screenshot shows the Wireshark interface with packet 472 selected. A right-click context menu is open, and the 'Apply as Column' option is highlighted. The menu also includes options like 'Expand Subtrees', 'Collapse Subtrees', 'Expand All', 'Collapse All', 'Apply as Filter', 'Prepare as Filter', 'Conversation Filter', 'Colorize with Filter', 'Follow', 'Copy', 'Show Packet Bytes...', 'Export Packet Bytes...', 'Wiki Protocol Page', 'Filter Field Reference', 'Protocol Preferences', 'Decode As...', 'Go to Linked Packet', and 'Show Linked Packet in New Window'. The packet list shows packet 472 as an HTTP GET request to /Scripts/initDefineAds.js. The packet details pane shows the Ethernet II, Internet Protocol Version 4, and Transmission Control Protocol layers. The packet bytes pane shows the raw data of the packet.

Una vez aplicada la columna esta se utilizará cuando se desee enumerar rápidamente la regla de coloración aplicada a cada marco

The screenshot shows the Wireshark interface with the 'Coloring Rule Name' column added to the packet list. The column is highlighted in red. The packet list shows packet 472 as an HTTP GET request to /Scripts/initDefineAds.js. The packet details pane shows the Ethernet II, Internet Protocol Version 4, and Transmission Control Protocol layers. The packet bytes pane shows the raw data of the packet.

Para desactivar esta columna haremos clic derecho en el encabezado de la columna y desmarcar la opción coloring rule name

