

INFO20003 Database System Project2

Juntong Angel Tan student ID: 987979

Q1. Find all the ongoing/unfinished steps. Display the title of these steps and full names of the users who are taking these steps.

```
SELECT title AS step_title, CONCAT(first_name, ' ', last_name) AS full_name
FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id
      INNER JOIN user ON step_taken.user_id = user.userID
WHERE step_taken.when_finished IS NULL;
```

	step_title	full_name
▶	Introduction to mindfulness	Eve Brown
	Three minute breathing space	Ian Lee
	Introduction to mindfulness	Frank Jones
	Introduction to mindfulness	Lee Thomas
	Panic	Kath Anderson
	Panic	Lee Thomas
	Introduction to depression	Eve Brown
	Doing and being	Lee Thomas
	Beautiful broken things	Lee Thomas
	Compassion for others	Dan Williams

24 rows returned


Q2. List the themes and the number of the steps associated with these themes. Display the theme name and number of associated steps sorted in descending order.

```
SELECT name AS theme_name, COUNT(DISTINCT step_id) AS count_steps
```

```
FROM theme LEFT JOIN step_theme ON theme.themeID = step_theme.theme_id
```

```
GROUP BY theme_name
```

```
ORDER BY count_steps DESC;
```



	theme_name	count_steps
▶	Anxiety	13
	Depression	12
	Social Anxiety	10
	Mindfulness	10
	Your Strengths	5
	Self Compassion	4
	Meditation	0

7 rows returned

Q3. Which step is the least popular based on the average rating given by users? Display the title and ID of the step and its average rating(formatted to 2 decimal places). Only include those steps which are rated by at least one user.

```
SELECT title AS step_title, step_id, FORMAT(AVG(rating), 2) AS AVG_RATING
```

```
FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id
```

```
INNER JOIN user ON step_taken.user_id = user.userID
```

```
GROUP BY step_title, step_id
```

```
ORDER BY AVG_RATING
```

```
LIMIT 1;
```

	step_title	step_id	AVG_RATING
►	Strengths for work and study	139	1.00

1 row returned

Q4. Find the steps that are taken the greatest number of times. Display the ID, title and count of the times the step has been taken. In case of ties, display all the steps with the same number of times taken.

```
SELECT stepID, title AS step_title, COUNT(*) AS COUNT_OF_TIME
FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id
      INNER JOIN user ON step_taken.user_id = user.userID
GROUP BY stepID, step_title
HAVING COUNT_OF_TIME = (SELECT COUNT(*) AS COUNT_OF_TIME
FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id
      INNER JOIN user ON step_taken.user_id = user.userID
GROUP BY stepID
ORDER BY COUNT_OF_TIME DESC LIMIT 1);
```

	stepID	step_title	COUNT_OF_TIME
▶	141	Doing and being	11
	122	Introduction to depression	11

2 rows returned

Q5. Who is the most followed user between age of 15 and 18? Display the age(as an integer), first name, and last name of such user along with the number of followers.
(assumption: *“there will only be one user with the highest number of followers”* from discussion board)

```
SELECT FORMAT(TIMESTAMPDIFF(YEAR, DOB, CURDATE()), 0) AS age,  
       first_name, last_name, COUNT(*) AS NUM_FOLLOWERS  
FROM user INNER JOIN user_follow ON user.userID = user_follow.followed_user_id  
WHERE TIMESTAMPDIFF(YEAR, DOB, CURDATE()) >= 15  
       AND TIMESTAMPDIFF(YEAR, DOB, CURDATE()) <= 18  
GROUP BY first_name, last_name, age  
ORDER BY NUM_FOLLOWERS DESC  
LIMIT 1;
```

	age	first_name	last_name	NUM_FOLLOWERS
▶	17	Grace	Wilson	7

1 row returned

Q6. Find all steps that are never taken or are taken exactly once? Display the id and title of these steps along with the indication how many times the step has been taken(0 or 1)

```
SELECT stepID, title AS step_title, SUM(IF(step_taken.id IS NULL, 0, 1)) AS TIMES_TAKEN
```

```
FROM step LEFT OUTER JOIN step_taken ON step.stepID = step_taken.step_id
```

```
GROUP BY stepID, step_title
```

```
HAVING TIMES_TAKEN = 0 OR TIMES_TAKEN = 1;
```

	stepID	step_title	TIMES_TAKEN
▶	54	Body and breath	0
	55	Tuning in	0
	56	Anchor yourself	1
	57	Everyday mindfulness	0
	67	Mindful movement	1
	68	Mindful emotions	0
	69	Mindful thoughts	0
	70	Heartfulness	1
	113	Things that go bump in the night	0
	116	The banshee	0

20 rows returned

Q7. Find users who started taking step 'Doing and being' after they had started the step 'Panic' but have never completed 'Panic'. Display the user ID, first name and last name.

```
SELECT DISTINCT user.userID, user.first_name, user.last_name
FROM user INNER JOIN
    (SELECT user_id, when_started, when_finished
     FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id
     WHERE step.title = 'Panic') AS step_panic
ON user.userID = step_panic.user_id
INNER JOIN
    (SELECT user_id, when_started
     FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id
     WHERE step.title = 'Doing and being') AS step_doing
ON step_panic.user_id = step_doing.user_id
WHERE timestampdiff(SECOND, step_panic.when_started, step_doing.when_started) > 0
AND NOT EXISTS (SELECT 1 FROM step_taken
                INNER JOIN step ON step_taken.step_id = step.stepID
                WHERE step_taken.when_finished IS NOT NULL
                AND step.title = 'Panic'
                AND step_taken.user_id = user.userID);
```

	userID	first_name	last_name
▶	11	Kath	Anderson
	12	Lee	Thomas
	23	Arlie	Lancaster

3 rows returned

Q8. What finished steps were completed both by a user with first name “Alice” and a user with first name “Bob”? Display the ID and title of such steps along with the number of times each user has completed these steps.

```
SELECT stepID, title AS step_title, SUM(IF(user.first_name = 'Alice', 1, 0)) AS alice_counts,  
       SUM(IF(user.first_name = 'Bob', 1, 0)) AS bob_counts  
FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id  
       INNER JOIN user ON step_taken.user_id = user.userID  
WHERE (user.first_name = 'Alice' OR user.first_name = 'Bob')  
       AND step_taken.when_finished IS NOT NULL  
GROUP BY stepID  
HAVING alice_counts > 0 AND bob_counts > 0;
```

	stepID	step_title	alice_counts	bob_counts
▶	136	Coping with strengths	1	1

1 row returned

Q9. Find the top two users with the highest number of interests. For those two users, find out the common steps taken by both of them. Display the titles of the common steps they have taken and the number of times those steps are taken by each user.

```

SELECT title AS step_title,

SUM(IF(most_interests.userID IS NOT NULL, 1, 0)) AS most_interests_count,

SUM(IF(second_most_interests.userID IS NOT NULL, 1, 0)) AS second_most_interests_count

FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id

LEFT OUTER JOIN

(SELECT userID, first_name, last_name

FROM user INNER JOIN user_interest ON user.userID = user_interest.user_id

INNER JOIN interest ON user_interest.interest_id = interest.interestID

GROUP BY userID

ORDER BY COUNT(interestID) DESC

LIMIT 1) AS most_interests

ON step_taken.user_id = most_interests.userID

LEFT OUTER JOIN

(SELECT userID, first_name, last_name

FROM user INNER JOIN user_interest ON user.userID = user_interest.user_id

INNER JOIN interest ON user_interest.interest_id = interest.interestID

GROUP BY userID

ORDER BY COUNT(interestID) DESC

LIMIT 1 OFFSET 1) AS second_most_interests

ON step_taken.user_id = second_most_interests.userID

GROUP BY step.stepID

HAVING most_interests_count > 0 AND second_most_interests_count > 0;

```

	step_title	most_interests_count	second_most_interests_count
►	Navigating physical symptoms	1	1
	Chameleon dreams	1	1
	Perfectly rolled	1	1
	Dark skies, bright stars	1	1
	Beautiful broken things	1	1
	What ifs	1	1

6 rows returned

Q10. For each user taking a step, calculate how many other users have taken the same step. We are only interested in the cases where the step is performed by at least 5 other users. Display the user ID, number of other users (at least 5 other users) who are taking the same step and the title of the taken step.

```
SELECT DISTINCT step_taken.user_id AS userID,  
               title AS step_title, COUNT(DISTINCT step_taken_other.user_id)-1 AS count_other_users  
FROM step INNER JOIN step_taken ON step.stepID = step_taken.step_id  
        INNER JOIN step_taken AS step_taken_other  
        ON step_taken.step_id = step_taken_other.step_id  
GROUP BY userID, step_title  
HAVING (count_other_users) >= 5;
```

	userID	step_title	count_other_users
▶	1	Doing and being	6
	2	Doing and being	6
	8	Doing and being	6
	11	Doing and being	6
	12	Doing and being	6
	17	Doing and being	6
	23	Doing and being	6

7 rows returned