## 1. The oldest business in the world



Image: St. Peter Stiftskeller, founded 803. Credit: <u>Pakeha</u> (https://commons.wikimedia.org/wiki/File:Eingang\_zum\_St. Peter\_Stiftskeller.jpg).

An important part of business is planning for the future and ensuring that the company survives changing market conditions. Some businesses do this really well and last for hundreds of years.

BusinessFinancing.co.uk <u>researched (https://businessfinancing.co.uk/the-oldest-company-in-almost-every-country)</u> the oldest company that is still in business in (almost) every country and compiled the results into a dataset. In this project, you'll explore that dataset to see what they found.

The database contains three tables.

## categories

column type	meaning
-------------	---------

column	type	meaning
category_code	varchar	Code for the category of the business.
category	varchar	Description of the business category.

## countries

column	type	meaning
country_code	varchar	ISO 3166-1 3-letter country code.
country	varchar	Name of the country.
continent	varchar	Name of the continent that the country exists in.

## businesses

С	column	type	meaning
]	business	varchar	Name of the business.
	year_founded	int	Year the business was founded.
•	category_code	varchar	Code for the category of the business.
•	country_code	char	ISO 3166-1 3-letter country code.

## In [95]: %%sql

postgresql://oldestbusinesses

-- Select the oldest and newest founding years from the businesses table SELECT MIN(year\_founded), MAX(year\_founded) FROM businesses;

1 rows affected.

## Out[95]:

min max

578 1999

```
In [96]: %%nose
         last output =
         def test_resultset():
             try:
                 assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
             except AssertionError:
                 assert False, "Please ensure a SQL ResultSet is the output of th
         e code cell."
         results = last_output.DataFrame()
         def test_shape():
             try:
                 assert results.shape == (1, 2)
             except AssertionError:
                 assert False, "The results should have two columns and a single
          row."
         def test_colnames():
             try:
                 assert results.columns.tolist() == ['min', 'max']
             except AssertionError:
                 assert False, "The results should have columns named `'min` and
          `'max'`."
         def test min year founded():
             try:
                 assert results.loc[0, 'min'] == 578
             except AssertionError:
                 assert False, "The oldest year founded is incorrect."
         def test max year founded():
             try:
                 assert results.loc[0, 'max'] == 1999
             except AssertionError:
                 assert False, "The newest year founded is incorrect."
```

Out[96]: 5/5 tests passed

# 2. How many businesses were founded before 1000?

Wow! That's a lot of variation between countries. In one country, the oldest business was only founded in 1999. By contrast, the oldest business in the world was founded back in 578. That's pretty incredible that a business has survived for more than a millennium.

I wonder how many other businesses there are like that.

```
In [97]: | %%sql
         -- Get the count of rows in businesses where the founding year was befor
         e 1000
         SELECT COUNT(business)
         FROM businesses
         WHERE year_founded < 1000;
          * postgresql://oldestbusinesses
         1 rows affected.
Out[97]:
          count
             6
In [98]:
         %%nose
         last output =
         def test_resultset():
             try:
                  assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
             except AssertionError:
                  assert False, "Please ensure a SQL ResultSet is the output of th
         e code cell."
         results = last_output.DataFrame()
         def test_shape():
             try:
                  assert results.shape == (1, 1)
             except AssertionError:
                  assert False, "The results should have a single column and a sin
         gle row."
         def test colnames():
             try:
                  assert results.columns.tolist() == ['count']
             except AssertionError:
                  assert False, "The results should have a column named `'count`."
         def test count():
             try:
                  assert last output.DataFrame().loc[0, 'count'] == 6
             except AssertionError:
                  assert False, "The count of businesses founded before 1000 is in
         correct."
```

Out[98]: 4/4 tests passed

## 3. Which businesses were founded before 1000?

Having a count is all very well, but I'd like more detail. Which businesses have been around for more than a millennium?

## In [99]: | %%sql

-- Select all columns from businesses where the founding year was before

-- Arrange the results from oldest to newest select \* from businesses where year\_founded < 1000 order by year\_founded asc;

\* postgresql://oldestbusinesses 6 rows affected.

## Out[99]:

country_code	category_code	year_founded	business
JPN	CAT6	578	Kongō Gumi
AUT	CAT4	803	St. Peter Stifts Kulinarium
DEU	CAT9	862	Staffelter Hof Winery
FRA	CAT12	864	Monnaie de Paris
GBR	CAT12	886	The Royal Mint
IRL	CAT4	900	Sean's Bar

```
In [100]:
          %%nose
          last output =
          def test_resultset():
              try:
                  assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
              except AssertionError:
                  assert False, "Please ensure a SQL ResultSet is the output of th
          e code cell."
          results = last_output.DataFrame()
          def test_shape():
              try:
                  assert results.shape == (6, 4)
              except AssertionError:
                  assert False, "The results should have four columns and six row
          s."
          def test_colnames():
              try:
                  assert results.columns.tolist() == ['business', 'year_founded',
            'category code', 'country code']
              except AssertionError:
                  assert False, "The results should have the four columns from the
          `businesses` table."
          def test where year founded lt 1000():
                   assert results.loc[:, 'year_founded'].max() < 1000</pre>
              except AssertionError:
                  assert False, "The most recent year founded is not before 1000."
          def test ordered by year founded():
                  assert results.loc[:, 'year_founded'].is_monotonic
              except AssertionError:
                  assert False, "The rows are not ordered by increasing year found
          ed."
```

Out[100]: 5/5 tests passed

## 4. Exploring the categories

Now we know that the oldest, continuously operating company in the world is called Kongō Gumi. But was does that company do? The category codes in the businesses table aren't very helpful: the descriptions of the categories are stored in the categories table.

This is a common problem: for data storage, it's better to keep different types of data in different tables, but for analysis, you want all the data in one place. To solve this, you'll have to join the two tables together.

## In [101]: | %%sql

-- Select business name, founding year, and country code from businesse s; and category from categories

-- where the founding year was before 1000, arranged from oldest to newe

SELECT bus.business, bus.year\_founded, bus.country\_code, cat.category FROM businesses AS bus INNER JOIN categories AS cat ON bus.category\_code = cat.category\_code

WHERE year\_founded < 1000 ORDER BY year\_founded;

- \* postgresql://oldestbusinesses
- 6 rows affected.

### Out[101]:

category	country_code	year_founded	business
Construction	JPN	578	Kongō Gumi
Cafés, Restaurants & Bars	AUT	803	St. Peter Stifts Kulinarium
Distillers, Vintners, & Breweries	DEU	862	Staffelter Hof Winery
Manufacturing & Production	FRA	864	Monnaie de Paris
Manufacturing & Production	GBR	886	The Royal Mint
Cafés, Restaurants & Bars	IRL	900	Sean's Bar

```
In [102]:
          %%nose
          last output =
          def test_resultset():
              try:
                  assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
              except AssertionError:
                  assert False, "Please ensure a SQL ResultSet is the output of th
          e code cell."
          results = last_output.DataFrame()
          def test_shape():
              try:
                  assert results.shape == (6, 4)
              except AssertionError:
                  assert False, "The results should have four columns and six row
          s."
          def test_colnames():
              try:
                  assert results.columns.tolist() == ['business', 'year_founded',
           'country code', 'category']
              except AssertionError:
                  assert False, "The results should have business, year founded, a
          nd country code columns from the `businesses` table and category from th
          e `categories` table."
          def test_where_year_founded_lt_1000():
              try:
                  assert results.loc[:, 'year founded'].max() < 1000</pre>
              except AssertionError:
                  assert False, "The most recent year founded is not before 1000."
          def test ordered by year founded():
              try:
                  assert results.loc[:, 'year founded'].is monotonic
              except AssertionError:
                  assert False, "The rows are not ordered by increasing year found
          ed."
```

Out[102]: 5/5 tests passed

## 5. Counting the categories

With that extra detail about the oldest businesses, we can see that Kongō Gumi is a construction company. In that list of six businesses, we also see a café, a winery, and a bar. The two companies recorded as "Manufacturing and Production" are both mints. That is, they produce currency.

I'm curious as to what other industries constitute the oldest companies around the world, and which industries are most common.

```
In [103]:
```

%%sql

SELECT cat.category, COUNT(cat.category) AS n
 FROM businesses AS bus
 INNER JOIN categories AS cat
 ON bus.category\_code = cat.category\_code
 GROUP BY cat.category
 ORDER BY n DESC
 LIMIT 10;

- \* postgresql:///oldestbusinesses
- 10 rows affected.

### Out[103]:

### category n

- Banking & Finance 37
- Distillers, Vintners, & Breweries 22
  - Aviation & Transport 19
    - Postal Service 16
  - Manufacturing & Production 15
    - Media 7
    - Agriculture 6
    - Cafés, Restaurants & Bars 6
      - Food & Beverages 6
      - Tourism & Hotels 4

```
In [104]:
          %%nose
          last output =
          def test_resultset():
              try:
                  assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
              except AssertionError:
                  assert False, "Please ensure a SQL ResultSet is the output of th
          e code cell."
          results = last_output.DataFrame()
          def test_shape():
              try:
                  assert results.shape == (10, 2)
              except AssertionError:
                  assert False, "The results should have two columns and ten row
          s."
          def test_colnames():
              try:
                  assert results.columns.tolist() == ['category', 'n']
              except AssertionError:
                  assert False, "The results should have a category column and a c
          ount column named `'n'`."
          def test ordered by desc n():
              try:
                  assert results.loc[:, 'n'].is monotonic decreasing
              except AssertionError:
                  assert False, "The rows are not ordered by descending count."
          def test count():
              try:
                  assert results.loc[:, 'n'].values.tolist() == [37, 22, 19, 16, 1
          5, 7, 6, 6, 6, 4]
              except AssertionError:
                  assert False, "The category counts are not correct."
```

Out[104]: 5/5 tests passed

# 6. Oldest business by continent

It looks like "Banking & Finance" is the most popular category. Maybe that's where you should aim if you want to start a thousand-year business.

One thing we haven't looked at yet is where in the world these really old businesses are. To answer these questions, we'll need to join the businesses table to the countries table. Let's start by asking how old the oldest business is on each continent.

```
In [105]: %%sql
```

- -- Select the oldest founding year (as "oldest") from businesses,
- -- and continent from countries
- -- for each continent, ordered from oldest to newest SELECT MIN(bus.year\_founded) as oldest, cnt.continent

FROM businesses AS bus

INNER JOIN countries as cnt

ON bus.country code = cnt.country code

GROUP BY continent

ORDER BY oldest;

- \* postgresql://oldestbusinesses
- 6 rows affected.

## Out[105].

continent	oldest	it[105]:
Asia	578	
Europe	803	
North America	1534	
South America	1565	
Africa	1772	
Oceania	1809	

```
In [106]:
          %%nose
          last output =
          def test_resultset():
              try:
                  assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
              except AssertionError:
                  assert False, "Please ensure a SQL ResultSet is the output of th
          e code cell."
          results = last_output.DataFrame()
          def test_shape():
              try:
                  assert results.shape == (6, 2)
              except AssertionError:
                  assert False, "The results should have two columns and six row
          s."
          def test_colnames():
              try:
                  assert results.columns.tolist() == ['oldest', 'continent']
              except AssertionError:
                  assert False, "The results should have columns named oldest, and
          continent."
          def test ordered by min year founded():
              try:
                  assert results.loc[:, 'oldest'].is monotonic
              except AssertionError:
                  assert False, "The rows are not ordered by year founded."
          def test count():
              try:
                  assert results.loc[:, 'oldest'].values.tolist() == [578, 803, 15
          34, 1565, 1772, 1809]
              except AssertionError:
                  assert False, "The year founded values are not correct."
```

Out[106]: 5/5 tests passed

# 7. Joining everything for further analysis

Interesting. There's a jump in time from the older businesses in Asia and Europe to the 16th Century oldest businesses in North and South America, then to the 18th and 19th Century oldest businesses in Africa and Oceania.

As mentioned earlier, when analyzing data it's often really helpful to have all the tables you want access to joined together into a single set of results that can be analyzed further. Here, that means we need to join all three tables.

In [107]: %%sql

-- Select the business, founding year, category, country, and continent SELECT bus.business, bus.year\_founded, cat.category, cnt.country, cnt.co ntinent

FROM businesses AS bus INNER JOIN categories as cat ON bus.category code = cat.category code INNER JOIN countries as cnt ON bus.country\_code = cnt.country\_code;

\* postgresql://oldestbusinesses 163 rows affected.

Out[107]:

business	year_founded	category	country	continent
Spinzar Cotton Company	1930	Agriculture	Afghanistan	Asia
ALBtelecom	1912	Telecommunications	Albania	Europe
Andbank	1930	Banking & Finance	Andorra	Europe
Liwa Chemicals	1939	Manufacturing & Production	United Arab Emirates	Asia
Bank of the Province of Buenos Aires	1822	Banking & Finance	Argentina	South America
Yerevan Ararat Brandy-Wine- Vodka Factory	1877	Distillers, Vintners, & Breweries	Armenia	Asia
Australia Post	1809	Postal Service	Australia	Oceania
St. Peter Stifts Kulinarium	803	Cafés, Restaurants & Bars	Austria	Europe
Azerbaijan Caspian Shipping Company	1858	Aviation & Transport	Azerbaijan	Asia
Brarudi	1955	Distillers, Vintners, & Breweries	Burundi	Africa
Affligem Brewery	1074	Distillers, Vintners, & Breweries	Belgium	Europe
Communauté Électrique du Bénin	1968	Energy	Benin	Africa
Air Burkina	1967	Aviation & Transport	Burkina Faso	Africa
M. M. Ispahani Limited	1820	Food & Beverages	Bangladesh	Asia
Arsenal AD	1878	Defense	Bulgaria	Europe
ВММІ	1883	Retail	Bahrain	Asia
Sarajevska Pivara	1864	Distillers, Vintners, & Breweries	Bosnia and Herzegovina	Europe
Olivaria Brewery	1864	Distillers, Vintners, & Breweries	Belarus	Europe
Belize Bank	1902	Banking & Finance	Belize	North America
Banco Nacional de Bolivia	1871	Banking & Finance	Bolivia, Plurinational State of	South America
Casa da Moeda do Brasil	1694	Manufacturing & Production	Brazil	South America
Mount Gay Rum	1703	Distillers, Vintners, & Breweries	Barbados	North America
Hua Ho Department Store	1947	Retail	Brunei Darussalam	Asia
Tashi Group	1959	Aviation & Transport	Bhutan	Asia
Botswana Meat Commission	1965	Agriculture	Botswana	Africa
Banque Internationale pour la Centrafrique	1946	Banking & Finance	Central African Republic	Africa
Hudson's Bay Company	1670	Retail	Canada	North America

Gasthof Sternen	1230	Tourism & Hotels	Switzerland	Europe
Famae	1811	Defense	Chile	South America
Ma Yu Ching's Bucket Chicken House	1153	Cafés, Restaurants & Bars	China	Asia
La Poste	1945	Postal Service	Côte d'Ivoire	Africa
Cameroon Development Corporation	1947	Agriculture	Cameroon	Africa
Société nationale des Chemins de fer du Congo	1889	Aviation & Transport	Congo, The Democratic Republic of the	Africa
Development Bank of the Central African States	1975	Banking & Finance	Congo	Africa
Casa de Moneda de Colombia	1621	Manufacturing & Production	Colombia	South America
Central Bank of the Comoros	1981	Banking & Finance	Comoros	Africa
Correios de Cabo Verde	1849	Postal Service	Cabo Verde	Africa
Florida Ice and Farm Company	1908	Distillers, Vintners, & Breweries	Costa Rica	North America
Cubana de Aviación	1929	Aviation & Transport	Cuba	North America
Bank of Cyprus	1899	Banking & Finance	Cyprus	Europe
Pivovar Broumov	1348	Distillers, Vintners, & Breweries	Czechia	Europe
Staffelter Hof Winery	862	Distillers, Vintners, & Breweries	Germany	Europe
Ethio-Djibouti Railways	1901	Aviation & Transport	Djibouti	Africa
The Chronicle (Dominica)	1909	Media	Dominica	North America
Munke Mølle	1135	Manufacturing & Production	Denmark	Europe
Hamoud Boualem	1878	Food & Beverages	Algeria	Africa
Egyptian National Railways	1854	Aviation & Transport	Egypt	Africa
Asmara Brewery	1939	Distillers, Vintners, & Breweries	Eritrea	Africa
Casa de Ganaderos	1218	Agriculture	Spain	Europe
Raeapteek	1422	Medical	Estonia	Europe
National Bank of Ethiopia	1906	Banking & Finance	Ethiopia	Africa
Fiskars	1649	Consumer Goods	Finland	Europe
Monnaie de Paris	864	Manufacturing & Production	France	Europe
BGFIBank Group	1971	Banking & Finance	Gabon	Africa
The Royal Mint	886	Manufacturing & Production	United Kingdom	Europe
Bank of Georgia	1903	Banking & Finance	Georgia	Asia

Halco Mining	1962	Mining	Guinea	Africa
Correios da Guiné-Bissau	1973	Postal Service	Guinea-Bissau	Africa
Guinea Ecuatorial Airlines	1996	Aviation & Transport	Equatorial Guinea	Africa
Piraeus Bank	1606	Banking & Finance	Greece	Europe
Corporación Multi Inversiones	1920	Food & Beverages	Guatemala	North America
Banks DIH	1840	Food & Beverages	Guyana	South America
National Railroad of Honduras	1870	Aviation & Transport	Honduras	North America
Kraljevica Shipyard	1729	Manufacturing & Production	Croatia	Europe
Rhum Barbancourt	1862	Distillers, Vintners, & Breweries	Haiti	North America
Zwack	1790	Distillers, Vintners, & Breweries	Hungary	Europe
Pindad	1808	Defense	Indonesia	Asia
Wadia Group	1736	Manufacturing & Production	India	Asia
Sean's Bar	900	Cafés, Restaurants & Bars	Ireland	Europe
North Oil Company	1928	Energy	Iraq	Asia
Íslandspóstur	1776	Postal Service	Iceland	Europe
Café Abu Salem	1914	Cafés, Restaurants & Bars	Israel	Asia
Marinelli Bell Foundry	1040	Manufacturing & Production	Italy	Europe
Rose Hall	1770	Tourism & Hotels	Jamaica	North America
Arab Bank	1930	Banking & Finance	Jordan	Asia
Kongō Gumi	578	Construction	Japan	Asia
Bogatyr Access Komir	1913	Mining	Kazakhstan	Asia
KCB Group Limited	1896	Banking & Finance	Kenya	Africa
National Bank of Cambodia	1954	Banking & Finance	Cambodia	Asia
KT Corporation	1885	Telecommunications	Korea, Republic of	Asia
M.H. Alshaya Co.	1890	Retail	Kuwait	Asia
Electricite du Laos	1959	Energy	Lao People's Democratic Republic	Asia
Bank Audi	1830	Banking & Finance	Lebanon	Asia
National Port Authority	1921	Aviation & Transport	Liberia	Africa
Umma Bank	1907	Banking & Finance	Libya	Africa
1st National Bank of St Lucia	1938	Banking & Finance	Saint Lucia	North America

National Bank of Liechtenstein	1861	Banking & Finance	Liechtenstein	Europe
George Steuart Group	1835	Food & Beverages	Sri Lanka	Asia
Central Bank of Lesotho	1978	Banking & Finance	Lesotho	Africa
Gubernija	1665	Distillers, Vintners, & Breweries	Lithuania	Europe
Mousel	1511	Distillers, Vintners, & Breweries	Luxembourg	Europe
Cēsu Alus	1590	Distillers, Vintners, & Breweries	Latvia	Europe
Attijariwafa Bank	1904	Banking & Finance	Morocco	Africa
Air Madagascar	1962	Aviation & Transport	Madagascar	Africa
La Casa de Moneda de México	1534	Manufacturing & Production	Mexico	North America
Tutunski kombinat Prilep	1873	Consumer Goods	North Macedonia	Europe
Office de Radiodiffusion- Télévision du Mali	1957	Media	Mali	Africa
HSBC Bank Malta	1882	Banking & Finance	Malta	Europe
Myanmar National Airlines	1948	Aviation & Transport	Myanmar	Asia
Pošta Crne Gore	1841	Postal Service	Montenegro	Europe
Mongolian National Broadcaster	1931	Media	Mongolia	Asia
Beira Railroad Corporation	1892	Aviation & Transport	Mozambique	Africa
Central Bank of Mauritania	1973	Banking & Finance	Mauritania	Africa
Mauritius Post	1772	Postal Service	Mauritius	Africa
Malawi Broadcasting Corporation	1964	Media	Malawi	Africa
Pos Malaysia	1800	Postal Service	Malaysia	Asia
NamPost	1814	Postal Service	Namibia	Africa
Office of Radio and Television of Niger	1960	Media	Niger	Africa
First Bank of Nigeria	1894	Banking & Finance	Nigeria	Africa
Flor de Caña	1890	Distillers, Vintners, & Breweries	Nicaragua	North America
The Brand Brewery	1340	Distillers, Vintners, & Breweries	Netherlands	Europe
Posten Norge	1647	Postal Service	Norway	Europe
Nepal Bank Limited	1937	Banking & Finance	Nepal	Asia
Bank of New Zealand	1861	Banking & Finance	New Zealand	Oceania
Petroleum Development Oman	1937	Energy	Oman	Asia
House of Habib	1841	Conglomerate	Pakistan	Asia
National Bank of Panama	1904	Banking & Finance	Panama	North America

Casa Nacional de Moneda	1565	Banking & Finance	Peru	South America
Destileria Limtuaco	1853	Distillers, Vintners, & Breweries	Philippines	Asia
Bochnia Salt Mine	1248	Mining	Poland	Europe
Kim Chong-t'ae Electric	1945	Aviation & Transport	Korea, Democratic	Asia
Locomotive Works		·	People's Republic of	Asia
CTT-Correios de Portugal SA	1520	Postal Service	Portugal	Europe
Salam International Investment Limited	1952	Conglomerate	Qatar	Asia
Ursus Breweries	1878	Distillers, Vintners, & Breweries	Romania	Europe
Petrodvorets Watch Factory	1721	Consumer Goods	Russian Federation	Europe
National Post Office	1922	Postal Service	Rwanda	Africa
House of Alireza	1845	Construction	Saudi Arabia	Asia
Bank of Khartoum	1913	Banking & Finance	Sudan	Africa
Dakar-Niger Railway	1924	Aviation & Transport	Senegal	Africa
Singapore Post	1819	Postal Service	Singapore	Asia
Rokel Commercial Bank	1917	Banking & Finance	Sierra Leone	Africa
HSBC El Salvador	1891	Banking & Finance	El Salvador	North America
Radio Mogadishu	1943	Media	Somalia	Africa
Apatin Brewery	1756	Distillers, Vintners, & Breweries	Serbia	Europe
Ivory Bank	1994	Banking & Finance	South Sudan	Africa
Central Bank of São Tomé and Príncipe	1975	Banking & Finance	Sao Tome and Principe	Africa
Kremnica Mint	1328	Manufacturing & Production	Slovakia	Europe
Gostilna Gastuž	1467	Tourism & Hotels	Slovenia	Europe
Skyllbergs bruk	1346	Manufacturing & Production	Sweden	Europe
Swazi Rail	1963	Aviation & Transport	Eswatini	Africa
Air Seychelles	1977	Aviation & Transport	Seychelles	Asia
Bakdash	1885	Cafés, Restaurants & Bars	Syrian Arab Republic	Asia
Cotontchad	1971	Agriculture	Chad	Africa
La Poste du Togo	1883	Postal Service	Togo	Africa
B.Grimm Group	1878	Conglomerate	Thailand	Asia
House of Angostura	1830	Distillers, Vintners, & Breweries	Trinidad and Tobago	North America
La Poste Tunisienne	1847	Postal Service	Tunisia	Africa
Çemberlitaş Hamamı	1584	Tourism & Hotels	Turkey	Asia

Bank of Taiwan	1897	Banking & Finance	Taiwan, Province of China	Asia
Tanzania Breweries Limited	1933	Distillers, Vintners, & Breweries	Tanzania, United Republic of	Africa
Stanbic Bank Uganda Limited	1906	Banking & Finance	Uganda	Africa
Drohobych salt plant	1250	Manufacturing & Production	Ukraine	Europe
Cafe Brasilero	1877	Cafés, Restaurants & Bars	Uruguay	South America
Shirley Plantation	1638	Agriculture	United States	North America
Tashkent Aviation Production Association	1932	Manufacturing & Production	Uzbekistan	Asia
Hacienda Chuao	1660	Food & Beverages	Venezuela, Bolivarian Republic of	South America
Vietnam Railways	1881	Aviation & Transport	Viet Nam	Asia
European Trust Company	1991	Banking & Finance	Vanuatu	Oceania
Yemenia Airways	1962	Aviation & Transport	Yemen	Asia
Premier FMCG	1820	Manufacturing & Production	South Africa	Africa
ZamPost	1896	Postal Service	Zambia	Africa
Standard Chartered Zimbabwe	1892	Banking & Finance	Zimbabwe	Africa
Meridian Corporation	1999	Media	Kosovo	Europe

```
In [108]: %%nose
          last_output = _
          def test resultset():
              try:
                  assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
              except AssertionError:
                  assert False, "Please ensure a SQL ResultSet is the output of th
          e code cell."
          results = last output.DataFrame()
          def test_shape():
              try:
                  assert results.shape == (163, 5)
              except AssertionError:
                  assert False, "The results should have five columns and one hund
          red and sixty three rows."
          def test colnames():
              try:
                  assert results.columns.tolist() == ['business', 'year founded',
            'category', 'country', 'continent']
              except AssertionError:
                  assert False, "The results should have columns named business, y
          ear founded, category, country, and continent."
```

Out[108]: 3/3 tests passed

# 8. Counting categories by continent

Having businesses joined to categories and countries together means we can ask questions about both these things together. For example, which are the most common categories for the oldest businesses on each continent?

```
In [109]: %%sql
```

-- Count the number of businesses in each continent and category SELECT cnt.continent, cat.category, COUNT(\*) AS n FROM businesses AS bus INNER JOIN categories as cat ON bus.category code = cat.category code INNER JOIN countries as cnt ON bus.country\_code = cnt.country\_code GROUP BY cnt.continent, cat.category;

\* postgresql://oldestbusinesses 56 rows affected.

Out[109]:	continent	category	n
Ν	lorth America	Banking & Finance	4
	Oceania	Postal Service	1
S	outh America	Food & Beverages	2
	Europe	Tourism & Hotels	2
	Asia	Media	1
	Europe	Medical	1
	Asia	Defense	1
	Africa	Manufacturing & Production	1
	Europe	Postal Service	4
N	North America	Aviation & Transport	2
	Asia	Distillers, Vintners, & Breweries	2
S	outh America	Banking & Finance	3
N	North America	Food & Beverages	1
	Europe	Manufacturing & Production	8
	Africa	Postal Service	9
	Asia	Telecommunications	1
	Africa	Food & Beverages	1
	Europe	Consumer Goods	3
	Europe	Mining	1
	Oceania	Banking & Finance	2
	Asia	Agriculture	1
N	lorth America	Manufacturing & Production	1
	Africa	Mining	1
	Africa	Aviation & Transport	10
	Asia	Construction	2
	Asia	Energy	3
	Asia	Retail	3
S	outh America	Manufacturing & Production	2
	Asia	Cafés, Restaurants & Bars	3
	Europe	Banking & Finance	5
	Africa	Banking & Finance	17
Ν	North America	Tourism & Hotels	1
	Europe	Cafés, Restaurants & Bars	2
	Asia	Banking & Finance	6
S	outh America	Defense	1
	Africa	Energy	1

3	Conglomerate	Asia
1	Media	North America
1	Agriculture	Europe
1	Mining	Asia
7	Aviation & Transport	Asia
2	Food & Beverages	Asia
5	Distillers, Vintners, & Breweries	North America
3	Agriculture	Africa
3	Distillers, Vintners, & Breweries	Africa
1	Agriculture	North America
2	Postal Service	Asia
1	Defense	Europe
3	Manufacturing & Production	Asia
1	Telecommunications	Europe
12	Distillers, Vintners, & Breweries	Europe
1	Cafés, Restaurants & Bars	South America
1	Retail	North America
4	Media	Africa
1	Media	Europe
1	Tourism & Hotels	Asia

```
In [110]:
         %%nose
         last output =
         def test_resultset():
             try:
                 assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
             except AssertionError:
                 assert False, "Please ensure a SQL ResultSet is the output of th
         e code cell."
         results = last_output.DataFrame()
         def test_shape():
             try:
                 assert results.shape == (56, 3)
             except AssertionError:
                 assert False, "The results should have three columns and fifty s
         ix rows."
         def test_colnames():
             try:
                 assert results.columns.tolist() == ['continent', 'category',
          'n']
             except AssertionError:
                 assert False, "The results should have continent, category, and
          count (as 'n')."
         def test_count():
             try:
                 assert results.loc[:, 'n'].sort_values(ascending=False).values.t
         olist() == [17, 12, 10, 9, 8, 7, 6, 5, 5, 4, 4, 4, 3, 3, 3, 3, 3, 3, 3,
          1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1]
             except AssertionError:
                 assert False, "The counts are not correct."
```

Out[110]: 4/4 tests passed

## 9. Filtering counts by continent and category

Combining continent and business category led to a lot of results. It's difficult to see what is important. To trim this down to a manageable size, let's restrict the results to only continent/category pairs with a high count.

```
In [111]: %%sql

-- Repeat that previous query, filtering for results having a count grea
    ter than 5
    SELECT cnt.continent, cat.category, COUNT(*) AS n
    FROM businesses AS bus
    INNER JOIN categories as cat
        ON bus.category_code = cat.category_code
    INNER JOIN countries as cnt
        ON bus.country_code = cnt.country_code
```

\* postgresql:///oldestbusinesses 7 rows affected.

Banking & Finance

GROUP BY cnt.continent, cat.category

n	category	continent	Out[111]:
17	Banking & Finance	Africa	
12	Distillers, Vintners, & Breweries	Europe	
10	Aviation & Transport	Africa	
9	Postal Service	Africa	
8	Manufacturing & Production	Europe	
7	Aviation & Transport	Asia	

Asia

HAVING COUNT(\*) > 5
ORDER BY n DESC;

```
In [112]:
          %%nose
          last_output = __
          def test_resultset():
              try:
                  assert str(type(last_output)) == "<class 'sql.run.ResultSet'>"
              except AssertionError:
                  assert False, "Please ensure a SQL ResultSet is the output of th
          e code cell."
          results = last_output.DataFrame()
          def test_shape():
              try:
                  assert results.shape == (7, 3)
              except AssertionError:
                  assert False, "The results should have three columns and seven r
          ows."
          def test_colnames():
              try:
                  assert results.columns.tolist() == ['continent', 'category',
           'n']
              except AssertionError:
                  assert False, "The results should have continent, category, and
           count (as 'n')."
          def test_count():
              try:
                  assert results.loc[:, 'n'].values.tolist() == [17, 12, 10, 9, 8,
          7, 6]
              except AssertionError:
                  assert False, "The counts are not correct."
```

### Out[112]: 4/4 tests passed