ASSESSMENT 3

ASSESSMENT DATE	06-10-2022
STUDENT NAME	Jayadharani.B
STUDENT ROLL NUMBER	713119205002
MAXIMUM MARKS	2 Marks

```
import pandas as pd
import numpy as np
```

#1. Download the dataset

```
from google.colab import files
uploaded = files.upload()
```

#2. Load the dataset into the tool.

```
df=pd.read_csv('abalone - abalone.csv')
df.head()
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings	Age
0	М	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	15	16.5
1	М	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	7	8.5
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	9	10.5
3	М	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	10	11.5
4	- 1	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	7	8.5

```
df['age'] = df['Rings']+1.5
df.drop('Rings', axis = 1, inplace = True)
df.age
```

```
[6] 0
           16.5
            8.5
    1
    2
           10.5
    3
           11.5
            8.5
            . . .
           12.5
    4172
    4173
           11.5
    4174
           10.5
    4175
           11.5
          13.5
    4176
    Name: age, Length: 4177, dtype: float64
```

```
(4177, 10)
```


```
df.info()
```

df.shape

```
4177 non-null
                                      object
     0 Sex
[8]
                                      float64
     1 Length
                      4177 non-null
     2 Diameter
                                     float64
                      4177 non-null
     3 Height
                      4177 non-null float64
     4 Whole weight 4177 non-null float64
       Shucked weight 4177 non-null float64
     6 Viscera weight 4177 non-null float64
     7
        Shell weight 4177 non-null float64
     8
        Unnamed: 9
                       4177 non-null float64
                       4177 non-null
                                    float64
        age
    dtypes: float64(9), object(1)
    memory usage: 326.5+ KB
```


3. Perform Below Visualizations. #univariate analysis

```
import matplotlib.pyplot as plt
import seaborn as sns
plt.scatter(df.index,df['Height'])
plt.show()
```





plt.hist(df['Diameter'])

<a list of 10 Patch objects>)




sns.displot(df['Whole weight'])
<seaborn.axisgrid.FacetGrid at 0x7f400117f050>






sns.boxplot(df['Shell weight'])




sns.countplot(df['age'])



#Bivariate analysis

```
plt.scatter(df.Length,df.Height)
plt.title('length vs Height')
plt.xlabel('length')
plt.ylabel('height')
```




df.corr()

	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Unnamed: 9	age
Length	1.000000	0.986812	0.827554	0.925261	0.897914	0.903018	0.897706	0.556720	0.556720
Diameter	0.986812	1.000000	0.833684	0.925452	0.893162	0.899724	0.905330	0.574660	0.574660
Height	0.827554	0.833684	1.000000	0.819221	0.774972	0.798319	0.817338	0.557467	0.557467
Whole weigh	t 0.925261	0.925452	0.819221	1.000000	0.969405	0.966375	0.955355	0.540390	0.540390
Shucked weig	ht 0.897914	0.893162	0.774972	0.969405	1.000000	0.931961	0.882617	0.420884	0.420884
Viscera weigh	nt 0.903018	0.899724	0.798319	0.966375	0.931961	1.000000	0.907656	0.503819	0.503819
Shell weight	0.897706	0.905330	0.817338	0.955355	0.882617	0.907656	1.000000	0.627574	0.627574

#multivariate analysis

sns.pairplot(df)

plt.show



4.Perform descriptive statistics on the dataset.

df.describe()

	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Unnamed: 9	age
count	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000
mean	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	11.433684	11.433684
std	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169	3.224169
min	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	2.500000	2.500000
25%	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	9.500000	9.500000
50%	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	10.500000	10.500000

#5.Check for Missing values and deal with them.

df.info()

Data columns (total 10 columns):

#	Column	Non-Null Count	Dtype
0	Sex	4177 non-null	object
1	Length	4177 non-null	float64
2	Diameter	4177 non-null	float64
3	Height	4177 non-null	float64
4	Whole weight	4177 non-null	float64
5	Shucked weight	4177 non-null	float64
6	Viscera weight	4177 non-null	float64
7	Shell weight	4177 non-null	float64
8	Unnamed: 9	4177 non-null	float64
9	age	4177 non-null	float64
d+vn	oc: float64(0)	object(1)	

dtypes: float64(9), object(1)
memory usage: 326.5+ KB

df.isnull()

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	o · bamernii	□ 700	l ²
0	False	False	False	False	False	False	False	False	False		
1	False	False	False	False	False	False	False	False	False	False	
2	False	False	False	False	False	False	False	False	False	False	
3	False	False	False	False	False	False	False	False	False	False	
4	False	False	False	False	False	False	False	False	False	False	
4172	False	False	False	False	False	False	False	False	False	False	
4173	False	False	False	False	False	False	False	False	False	False	
4174	False	False	False	False	False	False	False	False	False	False	

df.notnull()

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Unnamed: 9	age
0	True	True	True	True	True	True	True	True	True	True
1	True	True	True	True	True	True	True	True	True	True
2	True	True	True	True	True	True	True	True	True	True
3	True	True	True	True	True	True	True	True	True	True
4	True	True	True	True	True	True	True	True	True	True
4172	True	True	True	True	True	True	True	True	True	True

df.fillna(0)

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Unnamed: 9	age
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.1500	16.5	16.5
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.0700	8.5	8.5
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.2100	10.5	10.5
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.1550	11.5	11.5
4	- 1	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.0550	8.5	8.5

df['Length'].fillna('No Length',inplace=True)
df.head()

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Unnamed: 9	age
0	М	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5	16.5
1	М	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5	8.5
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5	10.5
3	М	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5	11.5
4	- 1	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5	8.5

df.drop('Shucked weight',axis=1,inplace=True)
df.tail()

	Sex	Length	Diameter	Height	Whole weight	Viscera weight	Shell weight	Unnamed: 9	age
4172	F	0.565	0.450	0.165	0.8870	0.2390	0.2490	12.5	12.5
4173	М	0.590	0.440	0.135	0.9660	0.2145	0.2605	11.5	11.5
4174	M	0.600	0.475	0.205	1.1760	0.2875	0.3080	10.5	10.5
4175	F	0.625	0.485	0.150	1.0945	0.2610	0.2960	11.5	11.5
4176	M	0.710	0.555	0.195	1.9485	0.3765	0.4950	13.5	13.5

print(df.isnull().sum())

Sex 0
Length 0
Diameter 0
Height 0
Whole weight 0
Viscera weight 0
Shell weight 0
Unnamed: 9 0
age 0
dtype: int64

#6.Find the outliers and replace them outliers

Q1=df.quantile(0.25)

Q3=df.quantile(0.75) IQR=Q3-Q1 print(IQR)


Length	0.1650
Diameter	0.1300
Height	0.0500
Whole weight	0.7115
Viscera weight	0.1595
Shell weight	0.1990
Rings	3.0000
Age	3.0000
dtype: float64	

```
print(df<(Q1-1.5*IQR))
(df>(Q3+1.5*IQR))
```


₽		Age	Diameter	Height	Length	Rings	Sex	Shell weight	\
_	0	False	False	False	False	False	False	False	
	1	False	False	False	False	False	False	False	
	2	False	False	False	False	False	False	False	
	3	False	False	False	False	False	False	False	
	4	False	False	False	False	False	False	False	
	4172	False	False	False	False	False	False	False	
	4173	False	False	False	False	False	False	False	
	4174	False	False	False	False	False	False	False	
	4175	False	False	False	False	False	False	False	
	4176	False	False	False	False	False	False	False	

	Viscera weight	Whole weight
0	False	False
1	False	False
2	False	False
3	False	False
4	False	False

sns.boxplot(df.Rings)



sns.heatmap(df.corr(),annot=True)



np.where(df.age>7,7,df.age)

output

```
array([7, 7, 7, ..., 7, 7, 7])
```

```
print(df['Height'].quantile(0.25))
print(df['Height'].quantile(0.75))
df['Height']=np.where(df['Height']>0.090 ,0.125,df['Height'])
df.describe()
```

	Length	Diameter	Height	Whole weight	Viscera weight	Shell weight	Unnamed: 9	age	
count	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	
mean	0.523992	0.407881	0.118327	0.828742	0.180594	0.238831	11.433684	11.433684	
std	0.120093	0.099240	0.018405	0.490389	0.109614	0.139203	3.224169	3.224169	
min	0.075000	0.055000	0.000000	0.002000	0.000500	0.001500	2.500000	2.500000	
25%	0.450000	0.350000	0.125000	0.441500	0.093500	0.130000	9.500000	9.500000	
50%	0.545000	0.425000	0.125000	0.799500	0.171000	0.234000	10.500000	10.500000	
75%	0.615000	0.480000	0.125000	1.153000	0.253000	0.329000	12.500000	12.500000	

7.Check for Categorical columns and perform encoding.

```
df['Diameter'].value counts()
    0.450
          139
   0.475 120
   0.400 111
    0.500 110
    0.470 100
         1
1
   0.610
    0.650
           1
   0.620
            1
   0.095
    0.615
            1
   Name: Diameter, Length: 111, dtype: int64
df.dtypes
     Sex
                        object
                        float64
     Length
                        float64
     Diameter
     Height
                        float64
     Whole weight
                        float64
     Viscera weight
                       float64
     Shell weight
                        float64
     Unnamed: 9
                        float64
                        float64
     age
     dtype: object
df['Whole weight'].value counts().sort index()
     0.0020 1
     0.0080 1
     0.0105 1
     0.0130 1
     0.0140
           1
     2.5500
            1
     2.5550
            1
           1
     2.6570
     2.7795 1
     2.8255 1
     Name: Whole weight, Length: 2429, dtype: int64
```

```
pd.get dummies(df,columns=['Whole weight']).tail()
```

	Sex	Length	Diameter	Height	Viscera weight		Unnamed: 9	age	Whole weight_0.002	Whole weight_0.008	 Whole weight_2.505	Who weight_2.50
4172	F	0.565	0.450	0.125	0.2390	0.2490	12.5	12.5	0	0	 0	
4173	M	0.590	0.440	0.125	0.2145	0.2605	11.5	11.5	0	0	 0	
4174	М	0.600	0.475	0.125	0.2875	0.3080	10.5	10.5	0	0	 0	
4175	F	0.625	0.485	0.125	0.2610	0.2960	11.5	11.5	0	0	 0	
4176	М	0.710	0.555	0.125	0.3765	0.4950	13.5	13.5	0	0	 0	

5 rows × 2437 columns

from sklearn.preprocessing import OneHotEncoder

```
one_encde= OneHotEncoder(sparse=False)
encoded_arr=one_encde.fit_transform(df[['Length','Diameter','Height','Visc
era weight']])
encoded arr
```

#8. Split the data into dependent and independent variables.

```
x=df.iloc[:,1:3]
x
} Length Diameter
```

→		Length	Diameter
	0	0.455	0.365
	1	0.350	0.265
	2	0.530	0.420
	3	0.440	0.365
	4	0.330	0.255
	4172	0.565	0.450
	4173	0.590	0.440
	4174	0.600	0.475

```
y=df.iloc[:,1:4]
```

У

	Length	Diameter	Height	10:
0	0.455	0.365	0.095	
1	0.350	0.265	0.090	
2	0.530	0.420	0.135	
3	0.440	0.365	0.125	
4	0.330	0.255	0.080	
4172	0.565	0.450	0.165	
4173	0.590	0.440	0.135	

#9. Scale the independent variables.

from sklearn.preprocessing import MinMaxScaler
model=MinMaxScaler()
scaled_x=pd.DataFrame(model.fit_transform(x),columns=x.columns)
scaled_x.head()

C→		Length	Diameter
	0	0.513514	0.521008
	1	0.371622	0.352941
	2	0.614865	0.613445
	3	0.493243	0.521008
	4	0.344595	0.336134

#10. Split the data into training and testing

from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2,random_st
ate=0)
x train.shape

(3341, 2)

x_test.shape

(836, 2)

y_train.shape

```
(3341, 3)
```

```
y test.shape
```

#11. Build the Model

```
from sklearn.linear_model import LinearRegression
```

```
model = LinearRegression()
```

model.fit(x,y)

output

LinearRegression()

#12. Train the Model

```
model.fit(x_train, y_train)
LinearRegression()
```

output

LinearRegression()

#13. Test the Model

pred1=model.predict(x_train)
pred1

```
predictions=model.predict(x_test)
predictions
pred=model.predict(x_test)
pred
```

	Length	Diameter
668	0.550	0.425
1580	0.500	0.400
3784	0.620	0.480
463	0.220	0.165
2615	0.645	0.500

y_test

	Length	Diameter	Height
668	0.550	0.425	0.125
1580	0.500	0.400	0.125
3784	0.620	0.480	0.125
463	0.220	0.165	0.055
2615	0.645	0.500	0.125
575	0.610	0.475	0.125

```
length=pd.DataFrame({'Actual_y_value':[pred1],'predicted_y_value':[pred]})
length
```

```
Actual_y_value
                                                        predicted_y_value
 0 [[0.180000000000055, 0.13500000000000023, 0.... [[0.180000000000055, 0.1350000000000023, 0....
from sklearn import metrics
#Mean Absolute Error (MAE)
metrics.mean absolute error(y test, predictions)
0.0038991947837602914
#Mean Squared Error (MSE)
metrics.mean squared error(y test, predictions)
7.655875085238909e-05
#Root Mean Squared Error (RMSE)
np.sqrt(metrics.mean squared error(y test, predictions))
0.008749785760370884
#14. Measure the performance using Metrics.
from sklearn.metrics import accuracy score
accuracy score=(y test, y pred)
accuracy_score
    ( Length Diameter Height
     668 0.550 0.425 0.125
     1580 0.500 0.400 0.125
     3784 0.620 0.480 0.125
     463 0.220 0.165 0.055
     2615 0.645 0.500 0.125
           ...
                   . . .
     575 0.610 0.475 0.125
     3231 0.410 0.325 0.125
     1084 0.445
                 0.345 0.125
     290
         0.540 0.435 0.125
     2713 0.250 0.175 0.060
from sklearn.metrics import classification report
classification report(y test,y pred)
classification report
<function sklearn.metrics. classification.classification report(y true,
y pred, *, labels=None, target names=None, sample weight=None, digits=2,
output dict=False, zero division='warn')>
```