ORIGINAL PAPER

Virtual Reality Job Interview Training in Adults with Autism Spectrum Disorder

Matthew J. Smith · Emily J. Ginger · Katherine Wright · Michael A. Wright · Julie Lounds Taylor · Laura Boteler Humm · Dale E. Olsen · Morris D. Bell · Michael F. Fleming

Published online: 7 May 2014

© Springer Science+Business Media New York 2014

Abstract The feasibility and efficacy of virtual reality job interview training (VR-JIT) was assessed in a single-blinded randomized controlled trial. Adults with autism spectrum disorder were randomized to VR-JIT (n=16) or treatment-as-usual (TAU) (n=10) groups. VR-JIT consisted of simulated job interviews with a virtual character and didactic training. Participants attended 90 % of laboratory-based training sessions, found VR-JIT easy to use and enjoyable, and they felt prepared for future interviews. VR-JIT participants had greater improvement during live standardized job interview role-play performances than TAU participants

rtic- intervention · Job interview skills · Vocational training ljob ants

Introduction

M. J. Smith · E. J. Ginger · K. Wright · M. A. Wright · M. F. Fleming
Department of Psychiatry and Behavioral Sciences,
Northwestern University Feinberg School of Medicine, 446 E.
Ontario Suite 7-100, Chicago, IL 60611, USA

M. J. Smith (⊠)

Department of Psychiatry and Behavioral Sciences, Northwestern University Feinberg School of Medicine, 710 N. Lake Shore Dr, Abbott Hall 13th Floor, Chicago, IL 60611, USA e-mail: matthewsmith@northwestern.edu

J. L. Taylor

Departments of Pediatrics and Special Education, Vanderbilt Kennedy Center, Vanderbilt University, PMB 40, 230 Appleton Pl, Nashville, TN 37203, USA

L. B. Humm · D. E. Olsen SIMmersion, LLC, 9861 Broken Land Pkwy, Suite 200, Columbia, MD 21046-3039, USA

M. D. Bell

Department of Psychiatry, Yale School of Medicine, West Haven, CT, USA

M D Bell

Department of Veteran Affairs, VACHS, Yale School of Medicine, 950 Campbell Avenue, West Haven, CT 06516, USA

18 years old each year and transitioning into adult-based services (Shattuck et al. 2012). Historically, the communitybased employment rate for these individuals ranges from 25 to 50 % (Hendricks 2010; Shattuck et al. 2012; Taylor and Seltzer 2011), suggesting a need for programs and services to assist with their transition to employment (Shattuck et al. 2012). For example, Project SEARCH recently demonstrated efficacy at helping youth with ASD transition from high school to finding employment (Wehman et al. 2013). However, research developing adult-based services to help individuals obtain competitive employment appears to be much more limited. A common gateway to obtaining competitive employment is the job interview, but this experience may be a significant barrier for individuals with ASD (Higgins et al. 2008; Strickland et al. 2013). Thus, improving job interview performance is a critical target for employment services and is especially important for individuals with ASD given their significant social deficits (American Psy-

chiatric Association 2013; Wing and Gould 1979).

(p = 0.046). A similar pattern was observed for self-repor-

ted self-confidence at a trend level (p = 0.060). VR-JIT simulation performance scores increased over time

 $(R^2 = 0.83)$. Results indicate preliminary support for the

feasibility and efficacy of VR-JIT, which can be adminis-

Keywords Autism spectrum disorder · Internet-based

The 1990s witnessed a rapid increase in the prevalence of

autism spectrum disorders (ASD) (Gurney et al. 2003), with

approximately 50,000 individuals with ASD turning

tered using computer software or via the internet.



A review of the occupational literature (Huffcutt 2011) and a meta-analysis (Salgado and Moscoso 2002) indicate that successful job interviewees are proficient at conveying job-relevant interview content (e.g., experience, core knowledge) and providing a strong interviewee performance (e.g., social effectiveness, interpersonal presentation). Thus, interventions designed to target both of these constructs may improve job interview performance. There is also evidence that greater self-confidence in one's ability to perform a job interview is associated with greater social engagement during interviews as well as more effective verbal and nonverbal communicative strategies during interviews (Hall et al. 2011; Tay et al. 2006). This suggests that improving job interview skills may also increase interview-based selfconfidence, which may increase the likelihood that individuals will be motivated to go on job interviews.

Highly interactive virtual reality role-play training based on behavioral learning principles demonstrated greater effectiveness than conventional role-playing for training other types of interactive skills. This software has been used to train federal law enforcement agents on interrogation methods (Olsen et al. 1999), primary care physicians to perform brief psychosocial intervention to treat alcohol abuse (Fleming et al. 2009), and individuals with ASD to improve their social skills (Trepagnier et al. 2011). Other virtual reality training systems have been designed to train social skills in individuals with ASD (Kandalaft et al. 2013; Stichter et al. 2013). Virtual reality training offers trainees several advantages over traditional learning methods, including: (1) repetitive practice with the simulation, (2) active participation and not passive observation, (3) a unique training experience with each simulation, (4) consistent in-the-moment feedback, (5) opportunity for trainees to make, detect, and correct errors without adverse consequences, (6) accurate representation of real-life situations compared to avatar-based environments, (7) opportunity to apply multiple learning strategies across a range of difficulty levels, and (8) access to web-based educational material that promotes learning skillful strategies before and during the simulation (Issenberg et al. 2005). The training advantages of virtual reality simulations should be equally helpful for individuals with ASD as they can benefit from being able to progress at their own rate of learning and from repeating the exercises as often as necessary until they achieve mastery.

The purpose of the present study was to test the feasibility and efficacy of a highly interactive virtual reality role-play simulation, "virtual reality job interview training" (VR-JIT), to improve job interview skills that relate to job-relevant interview content and interviewee performance among individuals with ASD. The intervention was initially developed for use by individuals with psychiatric disabilities (e.g., schizophrenia, bipolar disorder) (Bell and

Weinstein 2011; Smith et al. in press) and has limited e-learning material and interviewing scripts that focus on autism. However, this study evaluated the feasibility and efficacy of VR-JIT in a sample of adults with ASD. The feasibility of VR-JIT was evaluated via the number of training sessions that participants attended, the total time participants engaged in simulated interviews, and participant feedback on the intervention's efficacy via a brief selfreport measure. In a randomized, single-blinded controlled trial, efficacy of VR-JIT was evaluated by measuring participant performance on standardized job interview roleplays and their self-reports of job interview self-confidence before and after training. The VR-JIT group was compared to participants randomized to a treatment-as-usual (TAU) control condition. VR-JIT performance scores were examined as a process measure to determine whether there was improvement across trials.

Based on participant feedback during the prototype development of VR-JIT (Bell and Weinstein 2011), the first set of hypotheses were that training would be well attended, and participants would rate the intervention as easy to use, enjoyable, and helpful, as well as increase their confidence and readiness for interviewing. A second set of hypotheses were that the VR-JIT group would demonstrate improved job interview skills (job-relevant interview content and interviewee performance) and enhanced interviewbased self-confidence between baseline and follow-up, while the TAU control group would remain stable overtime. A third hypothesis was that VR-JIT performance scores would increase over the course of their training. Lastly, the study explored whether the follow-up role-play performance, self-confidence, and the performance scores were associated with demographic characteristics, ASDrelated symptoms, vocational history, neurocognition, and social cognition.

Methods

Participants

Participants (ages 18–31) included 26 individuals with an autism spectrum disorder (ASD) recruited through advertisements at community-based service providers, local universities, community-based support groups (e.g., Anixter Center, Chicagoland Autism Connection, Autism Society of Illinois, Illinois Department of Rehabilitation Services), and online (e.g., Facebook). A non-specific diagnosis on the autism spectrum was required for participation in this pilot study and was determined with a T-score of 60 or higher using parent and self-report versions of the Social Responsiveness Scale, Second Edition (SRS-2) (Constantino and Gruber 2012). The SRS-2 has



high sensitivity and moderate specificity (Aldridge et al. 2012). Four participants did not meet the required SRS-2 cutoff (scoring 51–59), but were included based on documentation of an ASD diagnosis by their clinician. Participants were also required to (1) have at least a 6th grade reading level as determined by the sentence comprehension subtest of the wide range achievement test-IV (WRAT-IV) (Wilkinson and Robertson 2006), (2) be willingly videorecorded, (3) unemployed or underemployed (i.e., working less than half time and looking for additional work), and (4) actively seeking employment.

Participants were excluded from the study for (1) having a medical illness that significantly comprises cognition (e.g., traumatic brain injury), (2) an uncorrected vision or hearing problem, which would prevent full participation in the intervention, or (3) having a current diagnosis of substance abuse or dependence as assessed using the MINI international neuropsychiatric interview (MINI) (Sheehan et al. 1998). Northwestern University's Institutional Review Board approved the study protocol, and all participants provided informed consent. After enrollment, participants were randomized with a 2 out of 3 chance into the intervention (n = 16) or treatment-as-usual (TAU) groups (n = 10). The uneven randomization was to enable us to learn more about the intervention process.

Intervention

Virtual reality job interview training (VR-JIT) is a computerized virtual reality training simulation that can be used as computer software or via the internet. VR-JIT was developed by SIMmersion LLC (http://www.jobinterview training.net) in consultation with expert panels convened with academic and vocational experts. SIMmersion's patented PeopleSIMTM technology is the main platform for the simulated interactions in VR-JIT and has been used in other studies (Fleming et al. 2009; Trepagnier et al. 2011; Smith et al. in press). VR-JIT uses non-branching logic, which provides users with variation and freedom in their responses and provides a virtual reality interviewer displaying a wide range of emotions, personality, and memory. The non-branching nature of the interview creates a different interview each time from >1,000 video-recorded interview questions and 2,000 trainee responses, the novelty of which further encourages repeated plays. VR-JIT is designed to improve job interview performance by targeting the following domains recommended by the expert panel, which were grouped into job-relevant interview content and interviewee performance constructs as outlined in the literature (Huffcutt 2011). The job-relevant interview content included: conveying oneself as a hard worker (dependable), sounding easy to work with (teamwork), conveying that one behaves professionally, and negotiating a workable schedule. Interviewee performance included: sharing things in a positive way, sounding honest, sounding interested in the position, and establishing overall rapport with the interviewer.

Virtual reality job interview training uses the following strategies to target improvement in the aforementioned domains: (1) providing repeatable VR interviews, (2) offering in-the-moment feedback, (3) displaying scores on key dimensions of performance, and (4) allowing review of audio and written transcripts color coded for 'strong,' 'neutral,' or 'needs improvement' interview responses. In addition, VR-JIT provides didactic electronic learning (e-learning) guidance on how to successfully perform job interviews and covers related topics such as creating a resume, researching a position, hygiene, what to wear, what types of questions to ask, reminders about eye contact, and whether to disclose a disability. The e-learning material is available to trainees at any time while working with the intervention.

Since many jobs now require an online application, the program also provides training in how to complete such a process and uses an online application that is later used by the program to personalize the simulated job interviews. The job application section prompts users for information such as education, employment history, and job-related skills. Thus, the VR-JIT-simulated interviewer might ask questions regarding prior work experience, work history gaps, or the specific skills necessary to perform the position. The program allows trainees to choose from eight different employment positions when completing the job application, including cashier, inventory worker, food service worker, grounds worker, stock clerk, janitor, customer service representative, and security. The variation in these positions enables trainees to learn how to talk generally about their skills and strengths across a variety of positions.

Virtual reality job interview training's simulated interviews allow trainees to interact with Molly Porter (the virtual human resources (HR) representative) while using speech recognition software (Fig. 1). This feature allows trainees to practice speaking their responses to Molly's questions. The variation in available responses provides multiple options that can enhance or damage rapport with Molly. This approach allows trainees to make mistakes and learn how to improve their responses. VR-JIT provides trainees with inthe-moment feedback on their performance using an onscreen non-verbal job coach (Fig. 1). Trainees can receive verbal feedback from the on-screen coach by clicking on a help button. VR-JIT also enables trainees to review a transcript of every simulated question and response, which indicates why responses were appropriate/inappropriate and gives related advice to the trainee. The transcripts can be reviewed using an audio format where they can hear themselves respond to questions (if trainees used speech recognition). Following each simulated interview, trainees are also






Fig. 1 VR-JIT-simulated interview interface. Molly's interview question is asked as well as displayed at the *bottom* of her video image. SIMantha, the virtual job coach is displayed in the *bottom-right corner*. Available relevant responses are coded in *yellow* that

provided feedback on why certain training objectives received a particular score.

There are additional features that individualize the VR-JIT learning experience. To promote hierarchical learning, the simulated interviews have three difficulty levels where Molly is friendly (easy), business-oriented (medium), or brusque (hard). At the hard level, she is unforgiving of errors and may even ask illegal questions. Also, Molly's character continually evolves so her demeanor or questions may change depending on the trainee's prior responses and the rapport that has been established. This emotional realism creates a dynamic experience in which the trainee sees Molly become nicer when responded to honestly and respectfully, or sees her become more abrupt and dismissive when responded to evasively or rudely. These features, taken together with the scope of VR-JIT's main components and non-branching logic, provide a comprehensive and interactive learning experience for practicing and performing a successful job interview.

Training Fidelity

Two research staff members were trained to administer the intervention using a checklist devised by the scientific team

can be read aloud and understood by Molly with the use of voice recognition software. Buttons to the *left* of the responses allow trainees to change the direction of the conversation. When Molly asks her question, the computer screen transitions into full-screen mode

(see "Appendix 1"). Participant orientation using the checklist covered the following topic areas: navigating the graphic user interface (GUI), creating a user profile, completing a job application, e-learning materials, starting the simulation, reading transcripts, using in-the-moment feedback and help modules, reviewing transcripts, and reviewing summarized interview performance. Staff engaged in practice sessions where they oriented team members on administering the intervention.

Study Procedures

Both groups completed baseline and follow-up assessments in the research laboratory. Baseline assessments included psychosocial and vocational interviews, clinical assessments, and neurocognitive and social cognitive assessments. The TAU group completed baseline assessments, and then, after a 2-week waiting period, they returned to repeat the two standardized role-plays and the self-confidence measure as follow-up tests. Following the completion of baseline measures, the intervention group was asked to complete 10 h (approximately 20 trials) of VR-JIT training over the course of 5 visits (within a 2-week period) and then complete the training experience questionnaire



(TEQ), 2 standardized role-plays, and the self-confidence measure as follow-up tests.

Once VR-JIT orientation was completed, participants were given the opportunity to ask questions and receive clarification on any aspect of the program. Then, participants began a trial run by creating a practice job application and engaging in a single practice session to demonstrate that they could navigate VR-JIT. Staff provided feedback and assistance until the participant felt ready to begin. VR-JIT was administered in private offices to provide a safe environment where participants felt comfortable using the speech recognition component.

Participants were encouraged to use the e-learning materials prior to each simulated interview. To promote hierarchical learning, participants were required to progress through three difficulty levels. First, at least three "easy" interviews needed to be completed. One score of 80 or higher was required to advance to the "medium" level. Participants were automatically advanced to medium if a score of at least 80 was not achieved prior to 5 completed interviews. This process was repeated for participants at the "medium" level before advancing to the "hard" level. Participants played on the "hard" level for the remainder of training.

Participants were asked to notify the research team once an interview was completed so the staff could record the simulated interview scores. The research team then reviewed the completed transcript with the participant, particularly emphasizing places where improvement could be made. Only after this information had been reviewed could the participant begin another interview. Participants could make notes within VR-JIT that could be printed out for their use at home.


Study Measures

Demographic Characteristics, Vocational History, and Clinical Assessment

A psychosocial interview was used to obtain the participants' demographic characteristics (e.g., age, gender, race), and vocational history (e.g., months since prior employment, prior vocational training). Raw scores on the 65-item SRS-2 were converted to *T*-scores to generate the following domain scores of social deficits: social awareness, social cognition, social communication, social motivation, and restricted interests and repetitive behaviors (Constantino and Gruber 2012).

Neuocognitive and Social Cognitive Measures

The repeatable battery for the assessment of neuropsychological status (RBANS) (Randolph et al. 1998) was



Basic social cognition was measured using the Bell–Lysaker emotion recognition task (BLERT) (Bell et al. 1997). The BLERT assesses emotion recognition using twenty-one video-recorded vignettes of an affective monologue, which are observed, and then, participants label each vignette with the emotion that is most prominently displayed. An accuracy rating was generated based on the number of correct responses. The BLERT recently received the highest scientific rating for measures of its kind from an independent RAND panel (Pinkham et al. 2013).

Advanced social cognition was measured using an emotional perspective-taking task, which is a proxy of cognitive empathy. Participants were shown 60 scenes of 2 actors engaged in social interactions. The face of one actor is masked, and participants were asked to select which of two faces reflected how the masked character would feel in the interaction. An accuracy rating was generated based on the number of correct responses (Smith et al. 2013).

Feasibility Assessments

Participants were invited to attend five training sessions during which they would spend up to 2-h working with VR-JIT. The attendance of participants was recorded across the five training sessions and the number of minutes (out of a possible 600 min) that each participant engaged in training with VR-JIT.

Participants completed the TEQ to assess the extent to which VR-JIT was easy to use, enjoyable, helpful, instilled confidence in interviewing, and prepared them for interviews (Bell and Weinstein 2011). The TEQ's 5 items were rated on a seven-point Likert's scale, with higher scores reflecting more positive opinions of VR-JIT ($\alpha = 0.84$).

Primary Efficacy Assessments

Role-play job interviews were the primary outcome measures and lasted approximately 20 min each. They were rated on nine communication skills that contribute to successful job interviews: (1) comfort level, (2) negotiation skills (asking for Thursdays off), (3) conveying oneself as a hard worker (dependable), (4) sounding easy to work with (teamwork), (5) sharing things in a positive way, (6) sounding honest, (7) sounding interested in the position, (8) conveying that one behaves professionally, and (9) establishing overall rapport with the interviewer. These role-play scoring domains were the same as those used for feedback in VR-JIT and are consistent with the job-relevant



interview content and interviewee performance constructs discussed in the literature (Huffcutt 2011).

Participants completed two baseline role-plays and two follow-up role-plays. They selected four of eight employment scenarios and completed a job application to guide each of their role-play sessions. Participants were provided the following instructions prior to each interview: "You are interviewing for part-time work, particularly because you need to have Thursdays off for personal reasons. You will need to negotiate for a schedule that will accommodate for Thursdays off." Interview role-plays were conducted by standardized role-play actors (SRAs) posing as HR representatives. Eight employment scenarios were developed by the research team and vetted through a panel of vocational rehabilitation experts. Interviews entailed 13 standard questions (e.g., "Why did you leave your last position?" "If you were offered this job, how long do you see yourself working here?"), with additional questions optionally asked, to help make the interview as naturalistic as possible. All role-plays were video-recorded for scoring purposes.

SRAs are extensively used to act as standardized patients in the field of medical education (Issenberg et al. 2005; Sommers et al. 2013) and are used to improve clinicians' clinical and communication skills (Barrows 1993; Cohen et al. 1996). For this study, SRAs were recruited from the Clinical Education Center at Northwestern University Feinberg School of Medicine to act as HR representatives during the role-plays. They were selected based on their experience as SRAs and having previously worked as HR interviewers. They were trained to follow the study protocol (i.e., ask 13 required questions in a naturalistic way) and were monitored by the research team for any deviations in performance, which were addressed with feedback and additional training.

Role-play videos were randomly assigned to two raters who were blinded to condition. The raters had expertise as HR interviewers, and were trained with 10 practice videos before independently rating the study videos. The raters established reliability with the study data by double scoring 20 % of the videos and attained a high degree of reliability (ICC = .94). In order to prevent rater drift, both raters met with the research team every 20 videos to review two videos, discuss inconsistencies, and reach a consensus score. A total score was computed across nine domains (range of 1–5 per domain) for each of the two baseline role-plays and then averaged to compute a single score. The same method was used to compute a single follow-up role-play score. The role-play interview scoring (including anchors) can be found in "Appendix 2."

Job interview self-confidence was the second primary outcome. Participants rated their confidence in performing job interviews using a seven-point Likert's scale to answer nine questions (e.g., "How comfortable are you going on a job interview?" "How skilled are you at making a good first impression?" and "How skilled are you at maintaining rapport throughout the interview?"). Total baseline and follow-up job interview self-confidence scores were computed. The internal consistencies at baseline ($\alpha = 0.90$) and follow-up ($\alpha = 0.94$) across all subjects were strong.

Process Measure

Participants' VR-JIT performance scores and time spent engaged with the simulated interviews were also tracked in the laboratory. The VR-JIT program scored each simulated interview from 0 to 100 using an algorithm programed into the software based on the appropriateness of their responses throughout the interview in the eight domains outlined above: negotiation skills (asking for Thursdays off), conveying you are a hard worker (dependable), sounding easy to work with (teamwork), sharing things in a positive way, sounding honest, sounding interested in the position, acting professionally, and establishing overall rapport with the interviewer.

Data Analysis

Continuous data were examined for normality and no transformations were necessary. Examination of the role-play data revealed that although participants were instructed to negotiate for Thursdays off, they forgot during 25 % of the role-plays despite prompting from the SRAs. The mean value of the other role-play scores was used as an imputed value for the missing data (Myers 2000; Sterne et al. 2009). No other ratings were missing.

In addition to analyzing the total score of the role-play assessments, subscores were created for the job-relevant interview content (using item scores from hard worker, easy to work with, sounding professional, and negotiation skills) and interviewee performance (using item scores from sharing things positively, sounding honest, sounding interested, comfort level, and overall rapport) constructs (Huffcutt 2011).

T tests and chi-square analyses were used to determine between-group differences related to demographics, vocational history, global neurocognition, social cognition, and ASD-related social deficits. Feasibility of VR-JIT was determined from descriptive statistics that characterized the frequency of attended sessions, the mean number of minutes spent completing the simulated interviews, and mean responses to the TEQ. Repeated measures analysis of variance (RM-ANOVA) was performed to examine whether there was a group effect and a time-by-group interaction for the primary outcome measures (role-play performance and job interview self-confidence). Cohen's d effect sizes were generated to characterize the within-subject differences between baseline and follow-up scores.



Table 1 Characteristics of the study sample

	TAU group $(n = 10)$	VR-JIT group $(n = 16)$	$\chi^2/$ T statistic
Demographics			
Mean age (SD)	23.2 (3.0)	24.9 (6.7)	-0.7
Gender (% male)	80 %	75 %	0.1
Parental education [mean years (SD)]	15.9 (1.3)	15.0 (2.6)	0.9
Race			
% Caucasian	40 %	50 %	
% African American	30 %	25 %	2.4
% other	30 %	25 %	
Vocational history			
Prior full-time employment (%)	10 %	12.5 %	<0.1
Prior paid employment (any type) (%)	30 %	62.5 %	2.6
Prior participation in vocational training program	20 %	43.8 %	1.5
Months since any prior employment, mean (SD)	26.5 (24.9)	32.7 (22.2)	-0.5
Social Responsiveness Scale	65.7 (11.1)	69.1 (7.9)	-0.8
% Normal (<60) ^a	30 %	6.3 %	
% Mild (60–65)	40 %	37.5 %	4.2
% Moderate (66-75)	10 %	37.5 %	
% Severe (76+)	20 %	18.8 %	
Total score [mean (SD)]	65.7 (11.1)	68.8 (7.7)	-0.8
Social awareness [mean (SD)]	62.8 (9.9)	63.7 (6.2)	-0.3
Social cognition [mean (SD)]	63.5 (12.0)	66.5 (9.5)	-0.7
Social communication [mean (SD)]	64.8 (10.8)	68.5 (11.5)	-0.8
Social motivation [mean (SD)]	60.3 (11.8)	61.3 (9.0)	-0.2
Restricted interests and repetitive behaviors [mean (SD)]	68.8 (9.2)	70.9 (11.4)	-0.5
Cognitive function			
Global neurocognition [mean (SD)]	89.0 (19.2)	89.8 (21.4)	-0.1
Basic social cognition [mean (SD)]	.81 (.11)	.72 (.17)	1.5
Advanced social cognition [mean (SD)]	.80 (.13)	.76 (.08)	1.0

TAU treatment-as-usual participants, VR-JIT intervention participants $^{\rm a}$ The 4 subjects in the "normal" category provided clinical documentation of an ASD diagnosis



Table 2 Feasibility characteristics of VR-JIT training, Mean (SD)

Attendance measures	_
% session attendance	91.3 (0.1)
Elapsed simulation time (min)	532.5 (92.6)
Simulated interviews (count)	15.8 (4.8)
Training experience questionnaire	
Ease of use	5.8 (1.2)
Enjoyable	5.1 (1.6)
Helpful	5.4 (1.6)
Instilled confidence	5.4 (1.7)
Prepared for interviews	5.8 (1.4)

VR-JIT total performance scores were evaluated as a process measure. The VR-JIT performance across trials was determined by computing linear regression slopes for each subject based on the regression of their performance scores on the log of trial number. In addition, a plot of the group-level performance average was created for each successive VR-JIT trial and reports the R^2 from the regression of average performance on the log of trial number.

Partial correlations explored whether the primary outcome scores at follow-up and VR-JIT performance slopes were associated with age, gender, months since prior employment, global neurocognition, basic and advanced social cognition, and ASD-related symptoms (while covarying for baseline outcome scores).

Study data were collected and managed using Research Electronic Data Capture (REDCap) electronic data capture tools hosted at Northwestern University Feinberg School of Medicine (Harris et al. 2009). REDCap is a secure, webbased application designed to support data capture for research studies.

Results

Our between-group analyses revealed that the VR-JIT and TAU groups did not statistically differ with respect to background and baseline characteristics (Table 1). Thus, covariates were not analyzed in the RM-ANOVAs. The feasibility results presented in Table 2 suggest VR-JIT was well attended, easy to use, enjoyable, helpful, instilled confidence in interviewing, and prepared participants for future interviews.


The results of the primary outcome analyses are displayed in Table 3. A significant group-by-time interaction was found for the total role-play assessment scores ($F_{1,24}=4.4$, p=0.046) that was characterized by a large effect size in the VR-JIT group and no change in the TAU group (d=0.83 and 0.11, respectively) (Fig. 2a). The VR-JIT group demonstrated trend-level improvements in the subdomains of job-relevant interview content ($F_{1,24}=4.0$, p=0.056) and interviewee performance ($F_{1,24}=3.2$, p=0.086) that were characterized


Table 3 Primary outcome measures

	TAU group			VR-JIT group		
	Baseline Mean (SD)	Follow-up Mean (SD)	Cohen's d	Baseline Mean (SD)	Follow-up Mean (SD)	Cohen's d
Role-play performance total score	28.2 (5.0)	28.5 (6.1)	0.11	29.5 (5.7)	32.7 (5.7)	0.83
Job-relevant interview content score	12.7 (2.4)	12.8 (2.6)	0.08	13.5 (2.5)	14.6 (2.7)	0.76
Hard worker	3.3 (0.9)	3.3 (0.8)	-0.06	3.3 (0.8)	3.8 (0.9)	0.87
Easy to work with/teamwork	2.9 (0.6)	3.0 (0.7)	0.36	3.3 (0.6)	3.6 (0.7)	0.58
Sounding professional	3.0 (0.9)	3.1 (1.0)	0.25	3.2 (0.7)	3.5 (0.9)	0.49
Negotiation skills	3.7 (0.7)	3.5 (0.6)	-0.36	3.7 (1.0)	3.8 (0.8)	0.15
Interviewee performance score	15.5 (2.8)	15.7 (3.6)	0.10	16.2 (3.4)	18.0 (3.3)	0.73
Sharing things positively	2.9 (0.6)	3.0 (0.7)	0.32	3.0 (0.9)	3.7 (0.9)	0.84
Sounding honest	4.5 (0.8)	4.6 (0.7)	0.32	4.7 (0.4)	4.8 (0.4)	0.36
Sounding interested in the job	2.4 (1.2)	2.5 (1.2)	0.32	2.4 (1.1)	2.8 (0.8)	0.50
Comfort level	2.7 (0.9)	2.6 (0.9)	-0.25	3.0 (0.8)	3.3 (0.9)	0.35
Establishing overall rapport	2.9 (0.7)	3.0 (0.8)	0.19	3.0 (0.9)	3.4 (0.9)	0.40
Job interview self-confidence rating	41.0 (9.6)	43.8 (9.1)	0.32	41.4 (10.6)	50.6 (8.4)	1.15

TAU treatment-as-usual participants, VR-JIT intervention participants

Fig. 2 Primary outcomes.
a Plots the significant time-BY-VR-JIT group interaction with regard to baseline and follow-up role-play scores. b Plots the trend-level time-by-VR-JIT group interaction with regard to baseline and follow-up self-confidence measures





by moderate effect sizes (d = 0.76 and 0.73, respectively), while the TAU group did not demonstrate improvement (d = 0.08 and 0.10, respectively). VR-JIT subjects improved on the following individual items: hard worker, easy to work with, sounding professional, sharing things positively, sounding interested in the job, and establishing overall rapport, which were characterized by moderate-to-large effect sizes (Cohen's d range from 0.40 to 0.87). The TAU group did not improve on any individual items (all d < 0.15).

A trend-level group-by-time interaction was found for the total score on the job interview self-confidence measure $(F_{1,22}=3.9,\,p=0.060)$ (Fig. 2b). The improvement in the VR-JIT group was characterized by a large effect size (d=1.15), while the improvement in the TAU group was characterized by a small effect size (d=0.32). The main effect of group was not significant for any RM-ANOVA (p>0.10).

The results of the process measure demonstrated that VR-JIT performance scores were lower during the early trials at each difficulty level (1st trial on easy, 1st trial on medium, and 1st trial on hard) and then improved as the number of trials progressed across each difficulty level (Fig. 3). Specifically, the slope (mean = 4.7, SD = 6.1) suggests that performance improves 4.7 points for every 1 point increase in the natural log of the trial number ($R^2 = 0.83$).

There were no significant exploratory correlations between the outcome measures and baseline variables across the entire sample or within the VR-JIT group alone. However, due to the small sample size, the correlations may not have been stable.

Discussion

The goal of the study was to evaluate the feasibility and efficacy of VR-JIT in a small randomized single-blinded controlled trial. The feasibility results suggest that participants were (1) largely compliant with attendance at training sessions (>90 %), (2) engaged with the simulated interviews during these sessions







Fig. 3 VR-JIT learning curve in adults with an autism spectrum disorder. This figure plots the average score for each successive VR-JIT-simulated interview trial. Trials 1-3 at easy, trials 4-6 at medium, and trials 7-17 at hard. Initial trials at each difficulty level (*trials* 1, 4, and 7) are much lower than subsequent trials at that level. Overall model fit, $R^2 = .83$

(>500 min of training out of a maximum of 600 min), and (3) reported that VR-JIT was easy to use, enjoyable, helpful, instilled them with confidence, and prepared them for future interviews. The efficacy results suggest that when compared to the TAU group, the VR-JIT group demonstrated as follows: (1) significantly improved job interview skills that were characterized by moderate-to-large effect sizes, (2) enhanced job interview self-confidence, and (3) a progressive increase in simulated interview scores across trials and increasing levels of difficulty. Thus, this study provides initial evidence that VR-JIT may be a feasible and efficacious program to enhance practical job interview skills for adults with ASD.

The findings that job interview role-play performance can be improved with virtual reality training were consistent with a recent study that demonstrated job interview skills, practiced in a virtual environment and performed in a live role-play, were amenable to change (Strickland et al. 2013). In this prior study, participants (1) completed a pre-training interview with a human resources expert, (2) reviewed multimedia educational content at their discretion for 1 week, (3) used a human controlled avatar to practice interviewing skills they displayed weaknesses on during the pre-training interview, and (4) completed a post-training interview with a human resources expert. This approach was associated with significant improvements in the content of responses to job interview questions and a trend toward improving the delivery of these responses (Strickland et al. 2013).

There were some limitations to the current study. First, given the limited scope and resources of this pilot study, there was no access to trained clinicians who could administer the standard ASD diagnostic instruments, the ADI-R (Lord et al. 1994) and ADOS (Lord et al. 1989). Future work assessing the efficacy of VR-JIT will include diagnostic confirmation via these instruments. Next, the intervention was initially



Although the e-learning component of VR-JIT provides information on eye contact, personal appearance, appropriate behavior, and responses, a current limitation of the software is that users do not receive feedback about these issues directly from the program. The use of the e-learning materials was not tracked, which may or may not have a direct benefit on improving the outcome and process measures. These data would provide a more thorough assessment of how participants use and benefit from VR-JIT. Some participants did not consistently use the speech recognition option, which provides the opportunity to practice speaking appropriate responses. The inconsistent use of this option could limit the potential benefit from training. Inclusion criteria required that participants were actively seeking employment, which may have created a self-selection sampling bias, although these are the individuals who are likely to use the software. In the future, a larger sample will be needed to demonstrate the effectiveness of VR-JIT as the main interaction was significant, but the observed changes in the subdomains were at the trend level. In addition, greater statistical power would be needed to evaluate whether the observed effectiveness of VR-JIT is associated with ASD symptoms, neurocognitive, and social cognitive functioning. Lastly, employment outcome data for the participants in this study have not yet been collected. Future studies will examine whether VR-JIT completion is associated with completing more job interviews and obtaining employment.

In conclusion, virtual reality training is an efficacious and highly accessible strategy for improving job interview skills among individuals with ASD. There is a major gap in services available to address vocational skills among adults with ASD after they transition out of high school (Taylor et al. 2012). This study presents preliminary evidence that the use of VR-JIT may be a feasible and efficacious tool to improve job interview skills for adults with ASD. This training system uses a virtual reality platform (via computer



software or the internet), and as such, is widely accessible to families, support groups, and service providers.

Acknowledgments Support for this work was provided by a grant to Dr. Dale Olsen (R44 MH080496) from the National Institute of Mental Health with a subcontract to Dr. Michael Fleming at Northwestern University Feinberg School of Medicine. We would like to thank Dr. Zoran Martinovich for his consultation on the statistical analyses. The authors acknowledge research staff at Northwestern University's Clinical Research Program for data collection and our participants for volunteering their time.

Conflict of interest Drs. Smith, Lounds Taylor, and Fleming as well as Ms. Ginger, Ms. Wright, and Mr. Wright have no conflicts of interest to declare in relation to the subject of this study. Dr. Olsen and Ms Boteler Humm have owners equity in SIMmersion and Dr. Bell was a paid consultant by SIMmersion during the development of the intervention.

Appendix 1: Fidelity Checklist for Facilitator of Virtual Reality Job Interview Training

	Subject ID Number_	
First Training Sess	ion:	
☐ Oriented train	ee to the training environment	
☐ Related the tra	nining to the trainee's personal goals for job seeking	
<u>Explain</u>	the following:	
☐ Use	r PIN number	
☐ Nav	rigation buttons	
☐ E-le	arning material	
□ Арр	olication (filling out, saving, and submitting)	
☐ Disa	ability page	
☐ Sim	ulated interviews	
	☐ Scenario	
	☐ Instructions (video and written)	
	☐ Coach (click light bulb for verbal feedback)	
	☐ Voice recognition	
	☐ Responses highlighted in yellow vs. white	
	Explain and demonstrate how to:	
	☐ Launch interviews	
	 New application, old application, or no applicat 	ion
	 With or without disabilitiesReturn to e-learning 	,
	☐ Saving simulated interview session	
	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	ı
	☐ Return to help video	
	☐ Change response topics	
	☐ Review and interpret transcript	
	☐ Review summary feedback	
First and Subsequ	ent Training Sessions:	
Set the correct	level for Molly	
☐ Monitored tra	inee's motivation and attention	
☐ Asked trainee	to use E-learning materials	
☐ Asked trainee	to review the transcript	
☐ Available to ar	nswer any questions or concerns	



Appendix 2: Role-Play Interview Scoring

Subject ID Number_____

Item 1 – Comfort level during interview –

Excellent (s	score 5)	Average (score 3)	Poor	(score 1)
Excellent interview skills Enjoying the interview Displays behavioral comfort		Minor discomfort A few signs of anxiety	 Highly anxious Physical signs of discomfort Loses train of thought Taking a long time to respon 	
Comments:				
5	4	3	2	1

Item 2 – Negotiation skills (asking for Thursdays off) –

Excelle	ent	Average	ı	Poor
Clearly addresse Confident, straig Not "thrown" by	ghtforward	Interrupts the interviewer (not waiting for the right time) to ask for Thurs off Well-timed but sounds demanding	 Uncomfortal 	needs Thursday off) ole response oacks off: "I guess
Comments:				
5	4	3	2	1

Item 3 – Hard worker –

Excellent		Average	Poor
Comes across dependable. Mai statements about: Working hard Paying attention Asking for more tasks Doing well working Making work a priority Comments:	re w C b	eports behaviors elated to both hard vork, and unreliability. Ir Says they work hard ut does not provide xamples.	- Showing up late
5	4	3	2 1

Item 4 – Sounding easy to work with –

Excellent	Average	Poor
Seems flexible and likely easy to work with. Makes comments such as: Gets along with teammates Helps customers Takes direction well Willing to go through training and follow rules/policies Comments:	to Work with, but shares some signs of difficulty Says they are easy to work with but does not provide examples.	bad-mouthing coworkers/bosstalks about having conflicts or
5 4	3	2 1



Item 5 – Sharing things in a positive way –

Excell	lent	Average	ı	Poor
 handles illegal q Shares past con or other life eve way: 	optimally, are emphasized juestions well viction, disability,	Shared positive attributes, but without examples	 shares past or life event "I'm a really 	al questions poorly conviction, disability, in a negative way: slow learner" a course, but I anything"
"It didn't relate	to this job, but I out how to work			
Comments:				
5	4	3	2	1

Item 6 – Sounding honest –

Exc	ellent	Average		Poor
, ,	ncies (usually they left the last they usually work	Mostly provide clear honest answers, but provides some answers that seem ambiguous.	dishonest Mentions w table, sayin report it if t stealing, say the clock, e	ning program that
	T-			
5	4	3	2	1

Item 7 – Sounding interested –

Excelle	ent	Average		F	Poor
and decision dat follow-up detailsAffirmed interesCites job descrip	eps for employer ee, verified t in the position	At least one question was asked Cites job description	•	Questions we Emphasizes p like benefits, etc. Sounds despo	do" attitude t short-term work ere inappropriate personal preferences convenient locale,
Comments:					
5	4	3		2	1

Item 8 – Sounding professional –

Exce	llent	Average	F	Poor	
 Polite respons you) Respectful Treats intervie supervisor, no 		Comes across as professional for most of interview, but has a few instances that could be interpreted as unprofessional.	Too casual		
Comments:					
5	4	3	2	1	



Item 9 - Overall rapport -

Excellent		Average			Poor		
interview	ted demeanor al conversation the interview head while tions	•	Friendly, but lost job-focus Small talk was hesitant	•	Awkward p Little eye c Short, briet	ontact	
Comments:							
5	4		3		2	1	

References

- Aldridge, F. J., Gibbs, V. M., Schmidhofer, K., & Williams, M. (2012). Investigating the clinical usefulness of the Social Responsiveness Scale (SRS) in a tertiary level, autism spectrum disorder specific assessment clinic. *Journal of Autism and Developmental Disorders*, 42, 294–300. doi:10.1007/s10803-011-1242-9.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- Barrows, H. S. (1993). An overview of the uses of standardized patients for teaching and evaluating clinical skills. AAMC. Academic Medicine: Journal of the Association of American Medical Colleges, 68, 443–451.; discussion 451–453.
- Bell, M., Bryson, G., & Lysaker, P. (1997). Positive and negative affect recognition in schizophrenia: A comparison with substance abuse and normal control subjects. *Psychiatry Research*, 73, 73–82.
- Bell, M. D., & Weinstein, A. (2011). Simulated job interview skill training for people with psychiatric disability: Feasibility and tolerability of virtual reality training. Schizophrenia Bulletin, 37, S91–S97.
- Cohen, D. S., Colliver, J. A., Marcy, M. S., Fried, E. D., & Swartz, M. H. (1996). Psychometric properties of a standardized-patient checklist and rating-scale form used to assess interpersonal and communication skills. Academic Medicine: Journal of the Association of American Medical Colleges, 71, S87–S89.
- Constantino, J. N., & Gruber, C. P. (2012). Social responsiveness scale, second edition (SRS-2) (2nd ed.). Los Angeles, CA: Western Psychological Services.
- Fleming, M. F., Olsen, D. E., Stathes, H., Boteler, L., Grossberg, P., Pfeifer, J., et al. (2009). Virtual reality skills training for health care professionals in alcohol screening and brief intervention. *Journal of the American Board of Family Medicine: JABFM*, 22, 387–398. doi:10.3122/jabfm.2009.04.080208.
- Gurney, J. G., Fritz, M. S., Ness, K. K., Sievers, P., Newschaffer, C. J., & Shapiro, E. G. (2003). Analysis of prevalence trends of autism spectrum disorder in Minnesota. *Archives of Pediatrics and Adolescent Medicine*, 157, 622–627. doi:10.1001/archpedi. 157.7.622.
- Hall, N. C., Gradt-Jackson, S. E., Goetz, T., & Musu-Gillette, L. E. (2011). Attributional retraining, self-esteem, and the job interview: Benefits and risks for college student employment. *Journal of Experimental Education*, 79, 318–339.
- Harris, P. A., Taylor, R., Thielke, R., Payne, J., Gonzalez, N., & Conde, J. G. (2009). Research electronic data capture

- (REDCap)—A metadata-driven methodology and workflow process for providing translational research informatics support. *Journal of Biomedical Informatics*, 42, 377–381.
- Hendricks, D. (2010). Employment and adults with autism spectrum disorders: Challenges and strategies for success. *Journal of Vocational Rehabilitation*, 32, 125–134.
- Higgins, K. K., Koch, L. C., Boughfman, E. M., & Vierstra, C. (2008). School-to-work transition and Asperger Syndrome. Work, 31, 291–298.
- Huffcutt, A. I. (2011). An empirical review of the employment interview construct literature. *International Journal of Selection* and Assessment, 19, 62–81.
- Issenberg, S. B., McGaghie, W. C., Petrusa, E. R., Lee Gordon, D., & Scalese, R. J. (2005). Features and uses of high-fidelity medical simulations that lead to effective learning: A BEME systematic review. *Medical Teacher*, 27, 10–28. doi:10.1080/01421590500 046924.
- Kandalaft, M. R., Didehbani, N., Krawczyk, D. C., Allen, T. T., & Chapman, S. B. (2013). Virtual reality social cognition training for young adults with high-functioning autism. *Journal of Autism and Developmental Disorders*, 43, 34–44. doi:10.1007/s10803-012-1544-6.
- Knott, F., Dunlop, A. W., & Mackay, T. (2006). Living with ASD: How do children and their parents assess their difficulties with social interaction and understanding? *Autism: The International Journal of Research and Practice*, 10, 609–617. doi:10.1177/ 1362361306068510.
- Lord, C., Rutter, M., & Le Couteur, A. (1994). Autism diagnostic interview-revised: A revised version of a diagnostic interview for caregivers of individuals with possible pervasive developmental disorders. *Journal of Autism and Developmental Disorders*, 24, 659–685.
- Lord, C., Rutter, M., Goode, S., Heemsbergen, J., Jordan, H., Mawhood, L., et al. (1989). Autism diagnostic observation schedule: A standardized observation of communicative and social behavior. *Journal of Autism and Developmental Disorders*, 19, 185–212.
- Myers, W. R. (2000). Handling missing data in clinical trials: An overview. *Drug Information Journal*, *34*, 525–533.
- Olsen, D. E., Sellers, W. A., & Phillips, R. G. (1999). The simulation of a human subject for law enforcement training. Washington, DC: Office of National Drug Control Policy.
- Pinkham, A. E., Penn, D. L., Green, M. F., Buck, B., Healey, K., & Harvey, P. D. (2013). The social cognition psychometric evaluation study: Results of the expert survey and RAND panel. *Schizophrenia Bulletin*. doi:10.1093/schbul/sbt081.
- Randolph, C., Tierney, M. C., Mohr, E., & Chase, T. N. (1998). The repeatable battery for the assessment of neuropsychological



- status (RBANS): Preliminary clinical validity. *Journal of Clinical and Experimental Neuropsychology*, 20, 310–319. doi:10.1076/jcen.20.3.310.823.
- Salgado, J. F., & Moscoso, S. (2002). Comprehensive meta-analysis of the construct validity of the employment interview. European Journal of Work and Organizational Psychology, 11, 299–324.
- Shattuck, P. T., Narendorf, S. C., Cooper, B., Sterzing, P. R., Wagner, M., & Taylor, J. L. (2012). Postsecondary education and employment among youth with an autism spectrum disorder. *Pediatrics*, 129, 1042–1049. doi:10.1542/peds.2011-2864.
- Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E., et al. (1998). The mini-international neuropsychiatric interview (M.I.N.I.): The development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. The Journal of Clinical Psychiatry, 59(Suppl 20), 22–33.; quiz 34–57.
- Smith, M. J., Ginger, E. J., Wright, M. A., Wright, K., Boteler Humm, L., Olsen, D. E., et al. (in press). Virtual reality job interview training for individuals with psychiatric disabilities. *Journal of Nervous and Mental Disease*.
- Smith, M. J., Horan, W. P., Cobia, D. J., Karpouzian, T. M., Fox, J. M., Reilly, J. L., et al. (2013). Performance-based empathy mediates the influence of working memory on social competence in schizophrenia. *Schizophrenia Bulletin*. doi:10.1093/schbul/sbt084.
- Sommers, M. S., Lyons, M. S., Fargo, J. D., Sommers, B. D., McDonald, C. C., Shope, J. T., et al. (2013). Emergency department-based brief intervention to reduce risky driving and hazardous/harmful drinking in young adults: A randomized controlled trial. Alcoholism, Clinical and Experimental Research. doi:10.1111/acer.12142.
- Sterne, J. A., White, I. R., Carlin, J. B., Spratt, M., Royston, P., Kenward, M. G., et al. (2009). Multiple imputation for missing data in epidemiological and clinical research: Potential and pitfalls. *BMJ*, 338, b2393. doi:10.1136/bmj.b2393.
- Stichter, J. P., Laffey, J., Galyen, K., & Herzog, M. (2013). iSocial: Delivering the social competence intervention for adolescents (SCI-A) in a 3D virtual learning environment for youth with high

- functioning autism. *Journal of Autism and Developmental Disorders*. doi:10.1007/s10803-013-1881-0.
- Strickland, D. C., Coles, C. D., & Southern, L. B. (2013). JobTIPS: A transition to employment program for individuals with autism spectrum disorders. *Journal of Autism and Developmental Disorders*, doi:10.1007/s10803-013-1800-4.
- Tay, C., Ang, S., & Van Dyne, L. (2006). Personality, biographical characteristics, and job interview success: A longitudinal study of the mediating effects of interviewing self-efficacy and the moderatin geffects of internal locus of causality. *Journal of Applied Psychology*, 91, 446–454.
- Taylor, J. L., McPheeters, M. L., Sathe, N. A., Dove, D., Veenstra-Vanderweele, J., & Warren, Z. (2012). A systematic review of vocational interventions for young adults with autism spectrum disorders. *Pediatrics*, 130, 531–538. doi:10.1542/peds.2012-0682
- Taylor, J. L., & Seltzer, M. M. (2011). Employment and post-secondary educational activities for young adults with autism spectrum disorders during the transition to adulthood. *Journal of Autism and Developmental Disorders*, 41, 566–574. doi:10.1007/s10803-010-1070-3.
- Trepagnier, C. Y., Olsen, D. E., Boteler, L., & Bell, C. A. (2011).
 Virtual conversation partner for adults with autism. *Cyberpsy-chology, Behavior and Social Networking*, 14, 21–27. doi:10. 1089/cyber.2009.0255.
- Wehman, P. H., Schall, C. M., McDonough, J., Kregel, J., Brooke, V., Molinelli, A., et al. (2013). Competitive employment for youth with autism spectrum disorders: Early results from a randomized clinical trial. *Journal of Autism and Developmental Disorders*. doi:10.1007/s10803-013-1892-x.
- Wilkinson, G. S., & Robertson, G. J. (2006). Wide range achievement test 4 professional manual. Lutz, FL: Psychological Assessment Resources.
- Wing, L., & Gould, J. (1979). Severe impairments of social interaction and associated abnormalities in children: Epidemiology and classification. *Journal of Autism and Developmental Disorders*, 9, 11–29.

