

Web Security Assessment Report

Target Information

Target URL: https://www.flipkart.com/
Scan Date: 2025-07-31 18:04:23
Total Alerts: 8
URLs Scanned: 20

Risk Summary

| Risk Level | Count |
|---------------|-------|
| High | 2 |
| Medium | 4 |
| Low | 2 |
| Informational | 0 |

Executive Summary

The security assessment identified 8 potential security issues. Among these, 2 are classified as high risk and require immediate attention. Additionally, 4 medium-risk vulnerabilities were found that should be addressed in the near term. This report provides detailed information about each finding along with recommended remediation steps.

Key Findings

Critical Issues Found:

- Cross Site Scripting (Reflected)
- SQL Injection

Vulnerability Details

High Risk Vulnerabilities

1. Cross Site Scripting (Reflected)

| | |
|---------------------|---|
| Description: | Cross-site Scripting (XSS) is an attack technique that involves echoing attacker-supplied code into a web page. |
| Risk Level: | High |
| Confidence: | Medium |
| URL: | https://tsit.mjunction.in/tauc/security/getLogin |
| Parameter: | username |

Recommended Solution:

Validate all input and encode output to prevent XSS attacks.

2. SQL Injection

| | |
|---------------------|---|
| Description: | SQL injection may be possible through user input fields. |
| Risk Level: | High |
| Confidence: | High |
| URL: | https://tsit.mjunction.in/tauc/security/authenticate |
| Parameter: | password |

Recommended Solution:

Use parameterized queries to prevent SQL injection.

Medium Risk Vulnerabilities

1. Missing Anti-CSRF Tokens

| | |
|---------------------|---|
| Description: | No Anti-CSRF tokens were found in a HTML submission form. |
| Risk Level: | Medium |
| Confidence: | Medium |
| URL: | https://tsit.mjunction.in/tauc/profile |
| Parameter: | form |

Recommended Solution:

Implement CSRF protection tokens in all forms.

2. Information Disclosure - Sensitive Information in URL

| | |
|---------------------|---|
| Description: | The request appears to contain sensitive information leaked in the URL. |
| Risk Level: | Medium |
| Confidence: | High |
| URL: | https://tsit.mjunction.in/tauc/api/users |
| Parameter: | api_key |

Recommended Solution:

Never pass sensitive data via URL parameters.

3. Directory Browsing

| | |
|---------------------|---|
| Description: | It is possible to view a listing of the directory contents. |
| Risk Level: | Medium |
| Confidence: | High |
| URL: | https://tsit.mjunction.in/tauc/assets/ |
| Parameter: | |

Recommended Solution:

Disable directory browsing on the web server.

4. X-Frame-Options Header Not Set

| | |
|---------------------|---|
| Description: | X-Frame-Options header is not included in the HTTP response to protect against clickjacki |
| Risk Level: | Medium |
| Confidence: | Medium |
| URL: | https://tsit.mjunction.in/tauc/dashboard |
| Parameter: | |

Recommended Solution:

Set X-Frame-Options header to DENY or SAMEORIGIN.

Low Risk Vulnerabilities

1. Content Type Options Not Set

Description: The Anti-MIME-Sniffing header X-Content-Type-Options was not set to nosniff.

Risk Level: Low

Confidence: Medium

URL: <https://tsit.mjunction.in/tauc/assets/css/style.css>

Parameter:

Recommended Solution:

Set X-Content-Type-Options header to nosniff.

2. Server Leaks Information via X-Powered-By HTTP Response Header

Description: The web/application server is leaking information via one or more X-Powered-By HTTP res

Risk Level: Low

Confidence: High

URL: <https://tsit.mjunction.in/>

Parameter:

Recommended Solution:

Remove or customize the X-Powered-By header.

Security Recommendations

General Security Best Practices:

- Implement proper input validation and sanitization
- Use HTTPS for all communications
- Implement Content Security Policy (CSP) headers
- Regular security updates and patches
- Implement proper authentication and authorization
- Use secure coding practices
- Regular security assessments and penetration testing
- Implement proper logging and monitoring

Specific Recommendations Based on Findings:

- Address the identified Content Type Options Not Set vulnerability according to security best practices
- Address the identified Missing Anti-CSRF Tokens vulnerability according to security best practices
- Address the identified X-Frame-Options Header Not Set vulnerability according to security best practices
- Address the identified Server Leaks Information via X-Powered-By HTTP Response Header vulnerability according to security best practices
- Implement proper input validation and output encoding
- Use parameterized queries and stored procedures
- Remove sensitive information from error messages and headers
- Address the identified Directory Browsing vulnerability according to security best practices