## Rajalakshmi Engineering College

Name: ANIRUDH R

Email: 240701039@rajalakshmi.edu.in

Roll no: 240701039 Phone: 9363540767

Branch: REC

Department: I CSE FA

Batch: 2028

Degree: B.E - CSE



### NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 17

Section 1: MCQ

1. Which of the following is true about the finally block in Python?

#### Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

2. How do you rename a file?

#### Answer

os.rename(existing\_name, new\_name)

Status: Correct Marks: 1/1

- 3. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
  - b) f.seek(-5,1) ii) Move file pointer to the end of a file
  - c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
  - d) f.seek(0) iv) Move file pointer to the beginning of a file

#### Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

4. Which of the following is true about

fp.seek(10,1)

#### Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

5. What is the correct way to raise an exception in Python?

#### Answer

raise Exception()

Status: Correct Marks: 1/1

6. What happens if an exception is not caught in the except clause?

#### Answer

The program will display a traceback error and stop execution

Status : Correct Marks : 1/1

7. What will be the output of the following Python code? # Predefined lines to simulate the file content lines = [ "This is 1st line", "This is 2nd line", "This is 3rd line", "This is 4th line", "This is 5th line" print("Name of the file: foo.txt") # Print the first 5 lines from the predefined list for index in range(5): line = lines[index] print("Line No %d - %s" % (index + 1, line.strip())) **Answer** Syntax Error Status: Wrong Marks: 0/1 8. How do you create a user-defined exception in Python? Answer By creating a new class that inherits from the Exception class Status: Correct Marks : 1/1 9. Fill in the blanks in the following code of writing data in binary files. import \_\_\_\_\_ (1) rec=[] while True: rn=int(input("Enter")) nm=input("Enter") temp=[rn, nm]

```
rec.append(temp)
ch=input("Enter choice (y/N)")
  if ch.upper=="N":
    break
f.open("stud.dat",",
                               _")(2)
  _____.dump(rec,f)(3)
          .close()(4)
Answer
(pickle,wb,pickle,f)
Status: Correct
                                                                  Marks: 1/1
   What is the purpose of the except clause in Python?
Answer
To handle exceptions during code execution
                                                                  Marks: 1/1
Status: Correct
11. What will be the output of the following Python code?
f = None
for i in range (5):
with open("data.txt", "w") as f:
    if i > 2:
      break
print(f.closed)
Answer
True
Status: Correct
                                                                  Marks: 1/1
12. What is the output of the following code?
```

```
x = "hello" + 5
except TypeError:
  print("Type Error occurred")
finally:
  print("This will always execute")
Answer
Type Error occurredThis will always execute
Status: Correct
                                                                    Marks: 1/1
13. Fill in the code in order to get the following output:
Output:
Name of the file: ex.txt
fo = open(____(1), "wb")
print("Name of the file: ",____)(2)
Answer
1) "ex.txt"2) fo.name
Status: Correct
                                                                    Marks: 1/1
14. What is the output of the following code?
try:
  x = 1 / 0
except ZeroDivisionError:
  print("Caught division by zero error")
finally:
  print("Executed")
Answer
Caught division by zero errorExecuted
                                                                   Marks : 1/1
Status: Correct
```

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

Answer

1) f.seek(0, 2)2) f.readlines()

Status: Wrong Marks: 0/1

16. What is the default value of reference\_point in the following code?

file\_object.seek(offset [,reference\_point])

Answer

Status: Correct Marks: 1/1

17. What happens if no arguments are passed to the seek function?

Answer

error

Marks: 0/1 Status: Wrong

18. What is the output of the following code? class MyError(Exception): pass try: raise MyError("Something went wrong") except MyError as e: print(e) Answer Something went wrong Marks : 1/1 Status: Correct 19. Which clause is used to clean up resources, such as closing files in Python? Answer finally Marks: 1/1 Status: Correct

20. What is the difference between r+ and w+ modes?

# Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

9)

2407010

240707039