Rajalakshmi Engineering College

Name: Anirudh Sathishkumar

Email: 240701618@rajalakshmi.edu.in

Roll no: 240701618 Phone: 6385589962

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 7_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 19

Section 1: MCQ

1. Which of the following is a valid way to import NumPy in Python?

Answer

import numpy as np

Status: Correct Marks: 1/1

2. What is the output of the following code?

import numpy as np
a = np.arange(10)
print(a[2:5])

Answer

[2, 3, 4]

240	Status: Correct 3. What does NumPy stand for?	Marks : 1/1
	Answer	
	Numerical Python	
	Status: Correct	Marks : 1/1
	4. The important data structure of pandas is/are	
	Answer	7678
10	Both Series and Data Frame	4010,
7.	Status: Correct	Marks: 1/1
	5. Which function is used to create a Pandas DataFrame?	
	Answer	
	pd.DataFrame()	_
	Status: Correct	Marks: 1/1
240	6. Minimum number of argument we require to pass in pandas	A()'
	Answer	2 th
	1	
	Status: Correct	Marks : 1/1
	7. What is the primary data structure used in NumPy for numeri computations?	cal
	Answer	
240	Answer Array	240/0/618

Status: Correct

Marks: 1/1

8. What is the primary purpose of Pandas DataFrame?

Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

9. What is the purpose of the following NumPy code snippet?

import numpy as np arr = np.zeros((3, 4)) print(arr)

Answer

Displays a 3x4 matrix filled with zeros

Status: Correct Marks: 1/1

10. In NumPy, how do you access the first element of a one-dimensional array arr?

Answer

arr[0]

Status: Correct Marks: 1/1

11. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

data = {'Name': ['Tom', 'Jack', 'nick', 'juli'], 'marks': [99, 98, 95, 90]}

df = pd.DataFrame(data, index=['rank1',

'rank2', 'rank3', 'rank4']) print(df) **Answer** rank2 Status: Correct Marks: 1/1 12. What does the np.arange(10) function in NumPy do? Answer Creates an array with values from 0 to 10 Status: Wrong Marks: 0/1 13. What is the output of the following NumPy code snippet? import numpy as np arr = np.array([1, 2, 3, 4, 5])r = arr[arr > 2]print(r) Answer [3 4 5] Status: Correct Marks : 1/1

14. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Status: Correct Marks: 1/1

15. Which NumPy function is used to find the indices of the maximum

and minimum values in an array? Answer argmax() and argmin() Marks: 1/1 Status: Correct 16. What is the result of the following NumPy operation? import numpy as np arr = np.array([1, 2, 3])r = arr + 5print(r) Answer [678]Status: Correct Marks: 1/1 17. What will be the output of the following code? import pandas as pnd pnd.Series([1,2], index= ['a','b','c']) Answer Value Error Status: Correct Marks: 1/1 18. What will be the output of the following code snippet? import numpy as np arr = np.array([1, 2, 3])result = np.concatenate((arr, arr)) print(result) Answer [123123]

Marks: 1/1 Status: Correct

19. Which NumPy function is used to create an identity matrix?

Answer

numpy.identity()

Status: Correct Marks: 1/1

20. What is the output of the following NumPy code?

import numpy as np arr = np.array([1, 2, 3, 4, 5]) r = arr[2:4]print(r)

Answer

[3 4]

Status: Correct Marks: 1/1