

Lab 7

Prasanna Natarajan
1410110298

Code:

```
/*
Name      : Prasanna Natarajan
Roll Number : 1410110298
Inputs    : A graph stored in adjacency matrix
Outputs   : A minimum spanning tree with the weight
Method    : Prim's Algorithm
*/
#include<stdio.h>
#include<stdlib.h>
#include<time.h>

#define N 10
#define M 15
int graph[N][N];

void makeGraph();
void displayGraph();
void prims();
void printMST(int mst[]);
int minKey(int val[], int included[]);
int totalWeight(int mst[]);

int main(){
    time_t t;
    srand((unsigned)time(&t));
    int i,j;
    for(i=0;i<N;i++)
        for(j=0;j<N;j++)
            graph[i][j] = 0;

    makeGraph();
    displayGraph();
    prims();

    return 0;
}

void makeGraph(){

    int i,r1,r2;

    for(i=0;i<M;i++){
        r1 = rand()%N;
```

```

        r2 = rand()%N;
        while(graph[r1][r2] != 0 || r1==r2){
            r1 = rand()%N;
            r2 = rand()%N;
        }
        graph[r1][r2] = rand()%10;
        graph[r2][r1] = graph[r1][r2];
    }
}

void displayGraph(){
    int i,j;
    for(i=0;i<N;i++){
        printf("\n");
        for(j=0;j<N;j++){
            printf("\t%d ",graph[i][j]);
        }
        printf("\n");
    }
}

void printMST(int mst[]){

    printf("\tSelected Edge\tWeight\n");
    int i;
    for (i = 1; i < N; i++)
        printf("\t%d - %d\t\t%d \n", mst[i], i, graph[i][mst[i]]);
}

int totalWeight(int mst[]){
    int i=0;
    int sum=0;
    for(i=0;i<N;i++)
        sum+=graph[i][mst[i]];

    return sum;
}

// function to choose the minimum index from the not included
int minKey(int val[], int included[])
{
    // Initialize min value
    int min = 100, min_index;
    int j = 0;
    for (j = 0; j < N; j++)
        if (included[j] == 0 && val[j] < min){

```

```

        min = val[j];
        min_index = j;
    }

    return min_index;
}

void prims(){

    int mst[N];           // MST
    int val[N];           // values used to pick minimum weight edge in cut
    int included[N];      // To represent set of vertices not yet included in MST

    int i;
    for(i=0;i<N;i++){
        mst[i] = -1;
        val[i] = 100; // Some relatively large integer
        included[i] = 0; // initialise so that no node is included in the MST
    }

    val[0] = 0;           // picking 0 node as the first node
    mst[0] = -1;          // including 0 node into the MST
    int c = 0;
    for (c = 0; c < N-1; c++){
        int min = minKey(val, included);
        included[min] = 1;
        int j=0;
        for (j = 0; j < N; j++){
            if (graph[min][j] !=0 && included[j] == 0 && graph[min][j] < val[j]){
                mst[j] = min;
                val[j] = graph[min][j];
            }
        }
    }

    for(i=1;i<N;i++)
        if(mst[i] ==-1){
            printf("graph is not connected %d for i = %d\n",mst[i],i);
            exit(0);
        }

    printMST(mst);
    printf("The total weight by prim's algorithm = %d\n",totalWeight(mst));
}

```

Results:

n	m	Cost for prim's algorithm
5	5	17
5	9	23
5	5	20
10	15	31
10	38	20
10	15	44

Screenshots:

n=5, m=5 (Case 1)

```
cselab02-14@cselab0214:~/Desktop/lab7$ ./a.out

    0      0      4      6      2
    0      0      5      0      0
    4      5      0      0      6
    6      0      0      0      0
    2      0      6      0      0
Selected Edge  Weight
2 - 1          5
0 - 2          4
0 - 3          6
0 - 4          2
The total weight by prim's algorithm = 17
```

n=5, m=9 (Case 2)

```
cselab02-14@cselab0214:~/Desktop/lab7$ ./a.out

    0      9      0      0      9
    9      0      7      4      3
    0      7      0      0      0
    0      4      0      0      5
    9      3      0      5      0
Selected Edge  Weight
0 - 1          9
1 - 2          7
1 - 3          4
1 - 4          3
The total weight by prim's algorithm = 23
```

n = 5, m=5 (Case 3)

```
prasanna@LENOVO-PC:/mnt/c/Users/prasanna/Desktop/lab7_algo$ ./a.out

    0      5      0      0      0
    5      0      6      0      0
    0      6      0      7      9
    0      0      7      0      8
    0      0      9      8      0
Selected Edge  Weight
0 - 1          5
1 - 2          6
2 - 3          7
3 - 4          8
The total weight by prim's algorithm = 26
```

n=10, m=15 (Case 4)

```
cse02-14@cse0214:~/Desktop/lab7$ ./a.out
```

0	4	0	0	0	0	6	0	0	0
4	0	0	2	3	0	0	8	5	0
0	0	0	0	0	3	0	5	0	0
0	2	0	0	6	3	9	8	4	0
0	3	0	6	0	0	0	0	9	0
0	0	3	3	0	0	0	0	0	0
6	0	0	9	0	0	0	0	0	0
0	8	5	8	0	0	0	0	0	0
0	5	0	4	9	0	0	0	0	1
0	0	0	0	0	0	0	0	1	0

```

Selected Edge Weight
0 - 1      4
5 - 2      3
1 - 3      2
1 - 4      3
3 - 5      3
0 - 6      6
2 - 7      5
3 - 8      4
8 - 9      1

```

The total weight by prim's algorithm = 31

n=10, m=38 (Case 5)

```
prasanna@LENOVO-PC:/mnt/c/Users/prasanna/Desktop/lab7_algo$ ./a.out
```

0	9	8	3	4	6	6	5	0	9
9	0	1	8	3	2	0	4	8	6
8	1	0	3	6	7	0	3	7	7
3	8	3	0	0	8	7	3	2	5
4	3	6	0	0	4	4	0	4	0
6	2	7	8	4	0	7	5	2	9
6	0	0	7	4	7	0	0	8	0
5	4	3	3	0	5	0	0	2	5
0	8	7	2	4	2	8	2	0	1
9	6	7	5	0	9	0	5	1	0

```

Selected Edge Weight
5 - 1      2
1 - 2      1
0 - 3      3
1 - 4      3
8 - 5      2
4 - 6      4
8 - 7      2
3 - 8      2
8 - 9      1

```

The total weight by prim's algorithm = 20

n=10, m=15 (Case 6)

```
prasanna@LENOVO-PC:/mnt/c/Users/prasanna/Desktop/lab7_algo$ ./a.out
```

0	6	0	0	0	0	0	0	8	9
6	0	3	0	0	0	0	0	0	0
0	3	0	0	0	0	4	0	7	0
0	0	0	0	2	0	1	5	0	0
0	0	0	2	0	7	4	0	0	0
0	0	0	0	7	0	8	0	0	0
0	0	4	1	4	8	0	0	0	0
0	0	0	5	0	0	0	0	0	0
8	0	7	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0

```

Selected Edge Weight
0 - 1      6
1 - 2      3
6 - 3      1
3 - 4      2
4 - 5      7
2 - 6      4
3 - 7      5
2 - 8      7
0 - 9      9

```

The total weight by prim's algorithm = 44