

Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:

```
df=pd.read_csv("rainfall_naga mani mizo tripura.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	322	NAGA MANI MIZO TRIPURA	1901	11.7	18.1	29.4	206.2	124.0	443.3	331.4	466.0	304.1	166.7	67.4
1	323	NAGA MANI MIZO TRIPURA	1902	4.8	0.5	36.3	297.8	215.5	480.1	392.4	312.8	318.7	102.4	8.9
2	324	NAGA MANI MIZO TRIPURA	1903	6.5	40.5	139.8	45.5	159.9	458.6	300.2	470.6	366.1	166.4	76.7
3	325	NAGA MANI MIZO TRIPURA	1904	2.3	46.9	47.5	290.3	230.5	455.3	423.5	423.6	375.8	128.9	90.0
4	326	NAGA MANI MIZO TRIPURA	1905	9.1	35.3	306.5	161.7	193.6	339.7	450.1	429.9	320.1	246.4	8.0
...
110	432	NAGA MANI MIZO TRIPURA	2011	12.6	3.6	51.4	81.1	334.9	374.2	313.3	367.6	258.3	92.6	2.4
111	433	NAGA MANI MIZO TRIPURA	2012	24.5	10.2	20.3	243.5	163.5	396.2	280.1	342.7	248.7	160.9	32.0
112	434	NAGA MANI MIZO TRIPURA	2013	0.2	5.7	19.7	60.3	348.9	206.6	255.9	291.3	241.4	125.6	0.3
113	435	NAGA MANI MIZO TRIPURA	2014	1.2	21.0	25.4	49.6	192.5	268.3	295.7	372.3	300.9	69.6	3.3
114	436	NAGA MANI MIZO TRIPURA	2015	14.4	14.2	21.6	253.5	198.3	283.9	413.6	334.2	255.9	118.7	3.9

115 rows × 20 columns

head

In [3]:

```
df.head(5)
df
```

Out[3]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	322		NAGA MANI MIZO TRIPURA	1901	11.7	18.1	29.4	206.2	124.0	443.3	331.4	466.0	304.1	166.7	67.4
1	323		NAGA MANI MIZO TRIPURA	1902	4.8	0.5	36.3	297.8	215.5	480.1	392.4	312.8	318.7	102.4	8.9
2	324		NAGA MANI MIZO TRIPURA	1903	6.5	40.5	139.8	45.5	159.9	458.6	300.2	470.6	366.1	166.4	76.7
3	325		NAGA MANI MIZO TRIPURA	1904	2.3	46.9	47.5	290.3	230.5	455.3	423.5	423.6	375.8	128.9	90.0
4	326		NAGA MANI MIZO TRIPURA	1905	9.1	35.3	306.5	161.7	193.6	339.7	450.1	429.9	320.1	246.4	8.0
...
110	432		NAGA MANI MIZO TRIPURA	2011	12.6	3.6	51.4	81.1	334.9	374.2	313.3	367.6	258.3	92.6	2.4
111	433		NAGA MANI MIZO TRIPURA	2012	24.5	10.2	20.3	243.5	163.5	396.2	280.1	342.7	248.7	160.9	32.0
112	434		NAGA MANI MIZO TRIPURA	2013	0.2	5.7	19.7	60.3	348.9	206.6	255.9	291.3	241.4	125.6	0.3
113	435		NAGA MANI MIZO TRIPURA	2014	1.2	21.0	25.4	49.6	192.5	268.3	295.7	372.3	300.9	69.6	3.3
114	436		NAGA MANI MIZO TRIPURA	2015	14.4	14.2	21.6	253.5	198.3	283.9	413.6	334.2	255.9	118.7	3.9

115 rows × 20 columns



tail

In [4]:

```
df.tail(5)
df
```

Out[4]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	322		NAGA MANI MIZO TRIPURA	1901	11.7	18.1	29.4	206.2	124.0	443.3	331.4	466.0	304.1	166.7	67.4
1	323		NAGA MANI MIZO TRIPURA	1902	4.8	0.5	36.3	297.8	215.5	480.1	392.4	312.8	318.7	102.4	8.9
2	324		NAGA MANI MIZO TRIPURA	1903	6.5	40.5	139.8	45.5	159.9	458.6	300.2	470.6	366.1	166.4	76.7
3	325		NAGA MANI MIZO TRIPURA	1904	2.3	46.9	47.5	290.3	230.5	455.3	423.5	423.6	375.8	128.9	90.0
4	326		NAGA MANI MIZO TRIPURA	1905	9.1	35.3	306.5	161.7	193.6	339.7	450.1	429.9	320.1	246.4	8.0
...
110	432		NAGA MANI MIZO TRIPURA	2011	12.6	3.6	51.4	81.1	334.9	374.2	313.3	367.6	258.3	92.6	2.4
111	433		NAGA MANI MIZO TRIPURA	2012	24.5	10.2	20.3	243.5	163.5	396.2	280.1	342.7	248.7	160.9	32.0
112	434		NAGA MANI MIZO TRIPURA	2013	0.2	5.7	19.7	60.3	348.9	206.6	255.9	291.3	241.4	125.6	0.3
113	435		NAGA MANI MIZO TRIPURA	2014	1.2	21.0	25.4	49.6	192.5	268.3	295.7	372.3	300.9	69.6	3.3
114	436		NAGA MANI MIZO TRIPURA	2015	14.4	14.2	21.6	253.5	198.3	283.9	413.6	334.2	255.9	118.7	3.9

115 rows × 20 columns



Data Cleaning and Data Preprocessing

describe()

In [5]: `df.describe()`

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	379.000000	1958.000000	14.025217	36.652174	77.199130	170.733043	290.839130	445.633913
std	33.341666	33.341666	16.627750	37.776876	60.656689	78.559032	112.675514	123.833058
min	322.000000	1901.000000	0.000000	0.000000	3.100000	26.300000	73.500000	206.600000
25%	350.500000	1929.500000	3.150000	11.700000	31.750000	113.750000	210.650000	361.450000
50%	379.000000	1958.000000	7.900000	30.000000	62.700000	161.700000	278.500000	442.600000
75%	407.500000	1986.500000	18.450000	53.300000	105.050000	213.900000	352.300000	511.050000
max	436.000000	2015.000000	91.400000	306.300000	306.500000	383.800000	743.000000	861.100000

shape

In [6]: `np.shape(df)`

Out[6]: (115, 20)

size

In [7]: `np.size(df)`

Out[7]: 2300

dropna

In [8]: `df=df.dropna()`

columns

In [9]: `df.columns`

Out[9]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb', 'Mar-May', 'Jun-Sep', 'Oct-Dec'],
dtype='object')

info()

In [10]:

`df.info()`


```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

In [11]:

`df.plot.line(subplots=True)`


```
Out[11]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

```
In [12]: df.plot.line()
```


```
Out[12]: <AxesSubplot:>
```



Bar chart

```
In [13]: df.plot.bar()
```

```
Out[13]: <AxesSubplot:>
```




Histogram

In [14]:

```
df.plot.hist()
```

Out[14]: <AxesSubplot:ylabel='Frequency'>




Area chart

In [15]:

```
df.plot.area()
```


Out[15]: <AxesSubplot:>



Box chart

```
In [16]: df.plot.box()
```


```
Out[16]: <AxesSubplot:
```




Pie chart

```
In [17]: df.plot.pie(y='ANNUAL')
```

```
Out[17]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

In [18]: `df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')`

Out[18]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



In [19]:

`df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [20]:

`df.describe()`

Out[20]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	379.000000	1958.000000	14.025217	36.652174	77.199130	170.733043	290.839130	445.633913
std	33.341666	33.341666	16.627750	37.776876	60.656689	78.559032	112.675514	123.833058
min	322.000000	1901.000000	0.000000	0.000000	3.100000	26.300000	73.500000	206.600000
25%	350.500000	1929.500000	3.150000	11.700000	31.750000	113.750000	210.650000	361.450000

	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN
50%	379.000000	1958.000000	7.900000	30.000000	62.700000	161.700000	278.500000	442.600000
75%	407.500000	1986.500000	18.450000	53.300000	105.050000	213.900000	352.300000	511.050000
max	436.000000	2015.000000	91.400000	306.300000	306.500000	383.800000	743.000000	861.100000

EDA AND VISUALIZATION


In [21]: `sns.pairplot(df)`

Out[21]: <seaborn.axisgrid.PairGrid at 0x19263606730>



In [22]: `sns.displot(df['ANNUAL'])`

Out[22]: <seaborn.axisgrid.FacetGrid at 0x1926eb7aa30>

In [23]: `sns.heatmap(df.corr())`

Out[23]: <AxesSubplot:>

