#### 1

# Assignment 1

### Anjali Bagade, EE21MTECH11001

#### vector

Abstract—This document contains the solution to find Internally and externally divided coordinate points.

Download all python codes from

https://github.com/Anjalibagade/EE5600/tree/master/Assignment1

and latex codes from

https://github.com/Anjalibagade/EE5600

### **Problem (1.18)**

Find the coordinates of the point which divides, internally and externally, the line joining (-3,-4) to (-8,7) in the ratio 7:5

### **Explaination**

#### 1. Finding internal coordinate point

Let us consider P is a vector which divides A and B in the ratio of 7:5 gives internally divided point.

Given that

$$\mathbf{A} = \begin{pmatrix} -3 \\ -4 \end{pmatrix} \tag{0.0.1}$$

$$\mathbf{B} = \begin{pmatrix} -8\\7 \end{pmatrix} \tag{0.0.2}$$

$$\frac{AP}{RP} = \frac{7}{5} \tag{0.0.3}$$

$$\implies 5AP = 7BP$$
 (0.0.4)

$$5(\mathbf{P} - \mathbf{A}) = 7(\mathbf{B} - \mathbf{P}) \tag{0.0.5}$$

On solving above equation we get,

$$\implies 12\mathbf{P} = 5\mathbf{A} + 7\mathbf{B} \tag{0.0.6}$$

$$\implies \mathbf{P} = \frac{5}{12}\mathbf{A} + \frac{7}{12}\mathbf{B} \tag{0.0.7}$$

$$\mathbf{P} = \frac{5}{12} \begin{pmatrix} -3 \\ -4 \end{pmatrix} + \frac{7}{12} \begin{pmatrix} -8 \\ 7 \end{pmatrix} \tag{0.0.8}$$

$$\mathbf{P} = \begin{pmatrix} \frac{-15}{12} \\ \frac{-20}{12} \end{pmatrix} + \begin{pmatrix} \frac{-56}{12} \\ \frac{49}{12} \end{pmatrix} \tag{0.0.9}$$

Solving above equation we get internally divided coordinate point

$$\mathbf{P} = \begin{pmatrix} \frac{-71}{12} \\ \frac{29}{12} \end{pmatrix} \tag{0.0.10}$$

### 2. Finding external coordinate point

Let us consider P is a vector which divides A and B in the ratio of 7:5 gives externally divided point.

$$5(A - P) = 7(B - P) (0.0.11)$$

Solving above equation

$$\implies 2\mathbf{P} = 7\mathbf{B} - 5\mathbf{A} \tag{0.0.12}$$

$$\implies \mathbf{P} = \frac{7}{2}\mathbf{B} - \frac{5}{2}\mathbf{A} \tag{0.0.13}$$

$$\mathbf{P} = \frac{7}{2} \begin{pmatrix} -8\\7 \end{pmatrix} - \frac{5}{2} \begin{pmatrix} -3\\-4 \end{pmatrix} \tag{0.0.14}$$

$$\mathbf{P} = \begin{pmatrix} \frac{-56}{2} \\ \frac{49}{2} \end{pmatrix} + \begin{pmatrix} \frac{15}{2} \\ \frac{-20}{2} \end{pmatrix} \tag{0.0.15}$$

Solving above equation we get externally divided coordinate point

$$\mathbf{P} = \begin{pmatrix} \frac{-41}{2} \\ \frac{69}{2} \end{pmatrix} \tag{0.0.16}$$

## Result

Plot of coordinate of the points obtained from Python code is shown below.




Fig. 0: Plot of coordinate of the point which divides internally and externally