



ME TESTING AND CALIBRATION LABORATORY PVT. LTD.

Doc. No.: METCLPL/FF/48

Head Office: 103, 1st Floor, Plot No. C-1/2 Naniwala Bagh,
Commercial Complex, Azadpur, Delhi, India - 110033
Mobile: +91 7535000491, +91 9034341490 | Email: metclplddn@gmail.com

Lab.: Harbanswala, Telpur Chowk, Shimla Bypass Road,
Dehradun, Uttarakhand, India - 248171
Mobile: +91 7535000491, +91 7535000492 | Email: metclddn@gmail.com

TEST REPORT

Issued to: M/s Triveni Construction Company, Kailash Gate, Muni Ki Reti, Tehri Garhwal, Uttarakhand - 249137.	Report No.: METCLPL/DDN/27102025/07 Sample Id: 271025/07 Date of Receipt: 27/10/2025 Date of performance of Testing: 27/10-01/11/2025 Date of Issue of Report: 03/11/2025
Sample Description: Surface Water Sample Quantity: 2 Ltr. Sample Condition: Receipt as OK Sample Plan & Sampling Method: N/A. Environment Condition (Temp. & Humidity): 25.0 ⁰ ±5 ⁰ C & NA Addition to, Deviation or Exclusion from the Method: NA	Source: River (A1 Side) Sampling Period: 26/10/2025 (11:04 AM) Test Performed at: Lab Page No.: 1 of 2
Letter Date: 25/10/2025 N.O.W.: Construction of 84 M Span Single Lane Steel Truss Pedestrian Bridge over Alaknanda River in District Pauri, Uttarakhand. C.A. No.: 08/U-PREPARE/16A/BR/RFB/UGRIDP/2023 Dated: 01.07.2024	

Requirement as per Environment Protection Rules, 1986

S. No.	Characteristics	Test Value	Discharge of Environmental Pollutants				Method of Test
			Inland Surface Water, Max.	Public Sewers, Max.	Land for irrigation, Max.	Marine coastal areas, Max.	
1.	Turbidity, NTU	2	--	--	--	--	IS-3025(P-10)-1984
2.	pH Value	7.54	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	IS-3025(P-11)-2006
3.	Total Hardness, (as CaCO ₃), mg/l Max.	278.0	--	--	--	--	IS-3025(P-21)-2009
4.	Iron (as Fe), mg/l	0.27	3	3	--	3	IS-3025(P-53)-2012
5.	Chloride (as Cl), mg/l	37.1	--	--	--	--	IS-3025(P-32)-1993
6.	Total Dissolved Solids, mg/l	614	--	--	--	--	IS-3025(P-16)-1984
7.	Total Suspended Solid, mg/l	25.0	100	600	200	100	IS-3025 (P-17)-2022
8.	BOD, mg/l	3.5	30	350	100	100	IS 3025 (P-44)-2003
9.	COD, mg/l	14.8	250	--	--	250	IS 3025 (P-58)-2006
10.	Dissolve Oxygen	2.5	--	--	--	--	IS 3025 (P-38)-1989
11.	Lead(pb), mg/l	BDL (DL-0.001)	0.1	1.0	--	2.0	IS 3025 (P-47)-1994
12.	Sulphate (as SO ₄) mg/l	8.1	400	--	--	--	IS 3025 (Part-24/Sec-1) 2022
13.	Calcium (as Ca), mg/l	42.8	--	--	--	--	IS: 3025(P-40)-1991
14.	Magnesium (as Mg), mg/l	27.4	--	--	--	--	IS: 3025(P-46)-1994
15.	Total Residual Chlorine, mg/l	BDL (DL-0.001)	1.0	--	--	1.0	IS: 3025(P-26)-1986
16.	Fluoride (as f), mg/l	0.22	2.0	15	--	15	IS: 3025(P-60)-2008
17.	Nitrate (as NO ₃) mg/l	2.6	--	--	--	--	IS: 3025(P-34)-1988
18.	Potassium as K, mg/l	5.8	--	--	--	--	IS: 3025(P-45)-1993
19.	Manganese as Mn, mg/l	BDL (DL-0.10)	2	2	--	2	IS: 3025(P-59)-2023

Mr. Rahul Rohila (C.M.T.M)

Reviewed By

Authorized Signatory

- The result listed refer only to the tested samples and applicable parameters endorsement of product is neither inferred nor implied.
- Total liability of our Lab. is limited to the invoiced amount.
- Samples will be destroyed after 30 Days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

NABL ACCREDITED & ISO 9001:2015 CERTIFIED LAB.



ME TESTING AND CALIBRATION LABORATORY PVT. LTD.

Doc. No.: METCLPL/FF/48

Head Office: 103, 1st Floor, Plot No. C-1/2 Naniwala Bagh,
Commercial Complex, Azadpur, Delhi, India - 110033
Mobile: +91 7535000491, +91 9034341490 | Email: metclplddn@gmail.com

Lab.: Harbanswala, Telpur Chowk, Shimla Bypass Road,
Dehradun, Uttarakhand, India - 248171
Mobile: +91 7535000491, +91 7535000492 | Email: metclddn@gmail.com

TEST REPORT

Countd....

Report No.: METCLPL/DDN/27102025/07

Page No.: 2 of 2

S. No.	Characteristics	Test -Value	Inland Surface Water, Max.	Public Sewers, Max.	Land for irrigatio n, Max.	Marine coastal areas, Max.	Method of Test
20	Sodium (as Na) PPM	12.0	--	--	--	--	3025(P-43/Sec-1)- 2022
21	Cyanide (as Cn)	BDL(DL-0.002)	0.2	2.0	0.2	0.2	IS: 3025(P-27)-1993
22	Hexavalent Chromium (Cr+6) mg/l	BDL (DL-0.001)	2.0	2.0	--	2.0	IS: 3025(P-52)-2003
23	Selenium (as Se) (mg/l)	BDL(DL-0.01)	0.05	0.05	--	0.05	IS: 3025(P-56)-2003
24	Mercury (as Hg) (mg/l)	BDL(DL-0.01)	0.01	0.01	--	0.01	IS: 3025 (P-48)-1994 /Mercury analyser.
25	Boron (mg/l)	BDL(DL-0.50)	--	--	--	--	IS: 3025(P-57) -2005
26	Copper(as Cu)	BDL (DL-0.02)	3.0	3.0	--	3.0	IS: 3025(P-42) -2003
27	Zinc (as Zn)	BDL (DL-0.07)	5.0	15	--	15	IS: 3025(P-49) -1994
28	Arsenic (as AS)	BDL (DL-0.02)	0.2	0.2	0.2	0.2	IS: 3025(P-37) -1988
29	Cadmium(as CD)	BDL(DL-0.001)	2.0	1.0	--	2.0	IS: 3025(P-41) -1992
30	Aluminum (asAl), mg/l	BDL (DL-0.03)	--	--	--	--	IS 3025 (P-55) : 2003

Note: 1. Decision Rule (In case of Borderline): N.A.

(Decision Rule applicable if sample results are at the borderline of normative reference limits, decision rule will be applied by considering the measurement uncertainty using test results data.)

2. NA stands for Not Applicable, ND stands for Not Detectable, BDL stands for Below Detected limit & DL stands for Detection Limit.

*****End of Report*****

Ramola
Reviewed By

Rahul Rohilla
QM/IN
Mr. Rahul Rohilla (Q.M./T.M.)
Authorized Signatory

1. The result listed refer only to the tested samples and applicable parameters endorsement of product is neither inferred nor implied.
2. Total liability of our Lab. is limited to the invoiced amount.
3. Samples will be destroyed after 30 Days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

NABL ACCREDITED & ISO 9001:2015 CERTIFIED LAB.



ME TESTING AND CALIBRATION LABORATORY PVT. LTD.

Doc. No.: METCLPL/FF/48

Head Office: 103, 1st Floor, Plot No. C-1/2 Naniwala Bagh,
Commercial Complex, Azadpur, Delhi, India - 110033
Mobile: +91 7535000491, +91 9034341490 | Email: metclplddn@gmail.com

Lab.: Harbanswala, Telpur Chowk, Shimla Bypass Road,
Dehradun, Uttarakhand, India - 248171
Mobile: +91 7535000491, +91 7535000492 | Email: metclddn@gmail.com

TEST REPORT

Issued to: M/s Triveni Construction Company, Kailash Gate, Muni Ki Reti, Tehri Garhwal, Uttarakhand - 249137.	Report No.: METCLPL/DDN/27102025/08 Sample Id: 271025/08 Date of Receipt: 27/10/2025 Date of performance of Testing: 27/10-01/11/2025 Date of Issue of Report: 03/11/2025
Sample Description: Surface Water Sample Quantity: 2 Ltr. Sample Condition: Receipt as OK Sample Plan & Sampling Method: N/A. Environment Condition (Temp. & Humidity): 25.0 ⁰ ±5 ⁰ C & NA Addition to, Deviation or Exclusion from the Method: NA	Source: River (A2 side) Sampling Period: 26/10/2025 (11:36 AM) Test Performed at: Lab Page No.: 1 of 2
Letter Date: 25/10/2025 N.O.W.: Construction of 84 M Span Single Lane Steel Truss Pedestrian Bridge over Alaknanda River in District Pauri, Uttarakhand. C.A. No.: 08/U-PREPARE/16A/BR/RFB/UGRIDP/2023 Dated: 01.07.2024	

Requirement as per Environment Protection Rules, 1986

S. No.	Characteristics	Test Value	Discharge of Environmental Pollutants				Method of Test
			Inland Surface Water, Max.	Public Sewers, Max.	Land for irrigation, Max.	Marine coastal areas, Max.	
1.	Turbidity, NTU	3	--	--	--	--	IS-3025(P-10)-1984
2.	pH Value	7.64	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	IS-3025(P-11)-2006
3.	Total Hardness, (as CaCO ₃), mg/l Max.	272.0	--	--	--	--	IS-3025(P-21)-2009
4.	Iron (as Fe), mg/l	0.29	3	3	--	3	IS-3025(P-53)-2012
5.	Chloride (as Cl), mg/l	37.8	--	--	--	--	IS-3025(P-32)-1993
6.	Total Dissolved Solids, mg/l	632	--	--	--	--	IS-3025(P-16)-1984
7.	Total Suspended Solid, mg/l	28.1	100	600	200	100	IS-3025 (P-17)-2022
8.	BOD, mg/l	4.2	30	350	100	100	IS 3025 (P-44)-2003
9.	COD, mg/l	15.4	250	--	--	250	IS 3025 (P-58)-2006
10.	Dissolve Oxygen	2.8	--	--	--	--	IS 3025 (P-38)-1989
11.	Lead(pb), mg/l	BDL (DL-0.001)	0.1	1.0	--	2.0	IS 3025 (P-47)-1994
12.	Sulphate (as SO ₄) mg/l	8.5	400	--	--	--	IS 3025 (Part-24/Sec-1) 2022
13.	Calcium (as Ca), mg/l	44.3	--	--	--	--	IS: 3025(P-40)-1991
14.	Magnesium (as Mg), mg/l	29.0	--	--	--	--	IS: 3025(P-46)-1994
15.	Total Residual Chlorine, mg/l	BDL (DL-0.001)	1.0	--	--	1.0	IS: 3025(P-26)-1986
16.	Fluoride (as f), mg/l	0.31	2.0	15	--	15	IS: 3025(P-60)-2008
17.	Nitrate (as NO ₃) mg/l	2.8	--	--	--	--	IS: 3025(P-34)-1988
18.	Potassium as K, mg/l	5.5	--	--	--	--	IS: 3025(P-45)-1993
19.	Manganese as Mn, mg/l	BDL (DL-0.10)	2	2	--	2	IS: 3025(P-19)-2023

Reviewed By

Authorized Signatory

1. The result listed refer only to the tested samples and applicable parameters endorsement of product is neither inferred nor implied.
2. Total liability of our Lab. is limited to the invoiced amount.
3. Samples will be destroyed after 30 Days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

NABL ACCREDITED & ISO 9001:2015 CERTIFIED LAB.



ME TESTING AND CALIBRATION LABORATORY PVT. LTD.

Doc. No.: METCLPL/FF/48

Head Office: 103, 1st Floor, Plot No. C-1/2 Naniwala Bagh,
Commercial Complex, Azadpur, Delhi, India - 110033
Mobile: +91 7535000491, +91 9034341490 | Email: metclplddn@gmail.com

Lab.: Harbanswala, Telpur Chowk, Shimla Bypass Road,
Dehradun, Uttarakhand, India - 248171
Mobile: +91 7535000491, +91 7535000492 | Email: metclddn@gmail.com

TEST REPORT

Countd....

Report No.: METCLPL/DDN/27102025/08

Page No.: 2 of 2

S. No.	Characteristics	Test -Value	Inland Surface Water, Max.	Public Sewers, Max.	Land for irrigatio n, Max.	Marine coastal areas, Max.	Method of Test
20	Sodium (as Na) PPM	14.4	--	--	--	--	3025(P-43/Sec-1)- 2022
21	Cyanide (as Cn)	BDL(DL-0.002)	0.2	2.0	0.2	0.2	IS: 3025(P-27)-1993
22	Hexavalent Chromium (Cr+6) mg/l	BDL (DL-0.001)	2.0	2.0	--	2.0	IS: 3025(P-52)-2003
23	Selenium (as Se) (mg/l)	BDL(DL-0.01)	0.05	0.05	--	0.05	IS: 3025(P-56)-2003
24	Mercury (as Hg) (mg/l)	BDL(DL-0.01)	0.01	0.01	--	0.01	IS: 3025 (P-48)-1994 /Mercury analyser.
25	Boron (mg/l)	BDL(DL-0.50)	--	--	--	--	IS: 3025(P-57) -2005
26	Copper(as Cu)	BDL (DL-0.02)	3.0	3.0	--	3.0	IS: 3025(P-42) -2003
27	Zinc (as Zn)	BDL (DL-0.07)	5.0	15	--	15	IS: 3025(P-49) -1994
28	Arsenic (as AS)	BDL (DL-0.02)	0.2	0.2	0.2	0.2	IS: 3025(P-37) -1988
29	Cadmium(as CD)	BDL(DL-0.001)	2.0	1.0	--	2.0	IS: 3025(P-41) -1992
30	Aluminum (asAl), mg/l	BDL (DL-0.03)	--	--	--	--	IS 3025 (P-55) : 2003

Note: 1. Decision Rule (In case of Borderline): N.A.

(Decision Rule applicable if sample results are at the borderline of normative reference limits, decision rule will be applied by considering the measurement uncertainty using test results data.)

2. NA stands for Not Applicable, ND stands for Not Detectable, BDL stands for Below Detected limit & DL stands for Detection Limit.

*****End of Report*****

Reviewed By



Mr. Rahul Rohilla (Q.M./T.M)

Authorized Signatory

1. The result listed refer only to the tested samples and applicable parameters endorsement of product is neither inferred nor implied.
2. Total liability of our Lab. is limited to the invoiced amount.
3. Samples will be destroyed after 30 Days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

NABL ACCREDITED & ISO 9001:2015 CERTIFIED LAB.