

```
In [1]: # Name: Atharv Santosh Danave
# Roll No.: 11
# Practical No.: 8
# Academic Year 2025-26
```

```
In [2]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```


```
In [3]: dataset = sns.load_dataset('titanic')
dataset.head()
```

```
Out[3]:
```

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_male	deck	embark_town	alive
0	0	3	male	22.0	1	0	7.2500	S	Third	man	True	NaN	Southampton	no
1	1	1	female	38.0	1	0	71.2833	C	First	woman	False	C	Cherbourg	yes
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	False	NaN	Southampton	yes
3	1	1	female	35.0	1	0	53.1000	S	First	woman	False	C	Southampton	yes
4	0	3	male	35.0	0	0	8.0500	S	Third	man	True	NaN	Southampton	no


```
In [10]: import warnings
warnings.filterwarnings("ignore")
sns.distplot(x = dataset['age'], bins = 10)
```

```
Out[10]: <Axes: ylabel='Density'>
```




```
In [11]: import warnings
warnings.filterwarnings("ignore")
sns.distplot(dataset['age'], bins = 10, kde=False)
```

```
Out[11]: <Axes: xlabel='age'>
```




```
In [6]: # For Plot 1
sns.jointplot(x = dataset['age'], y = dataset['fare'], kind = 'scatter')
```

```
Out[6]: <seaborn.axisgrid.JointGrid at 0x79281c100710>
```




```
In [7]: # For Plot 2
sns.jointplot(x = dataset['age'], y = dataset['fare'], kind = 'hex')
```

```
Out[7]: <seaborn.axisgrid.JointGrid at 0x79281c0f1490>
```




```
In [8]: sns.rugplot(dataset['fare'])
```

```
Out[8]: <Axes: xlabel='fare'>
```




```
In [12]: sns.barplot(x='sex', y='age', data=dataset)
```

```
Out[12]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [13]: sns.barplot(x='sex', y='age', data=dataset, estimator=np.std)
```

```
Out[13]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [14]: sns.countplot(x='sex', data=dataset)
```

```
Out[14]: <Axes: xlabel='sex', ylabel='count'>
```




```
In [15]: sns.boxplot(x='sex', y='age', data=dataset)
```

```
Out[15]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [16]: sns.boxplot(x='sex', y='age', data=dataset, hue="survived")
```

```
Out[16]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [17]: sns.violinplot(x='sex', y='age', data=dataset, hue='survived')
```

```
Out[17]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [18]: sns.stripplot(x='sex', y='age', data=dataset, jitter=False)
```

```
Out[18]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [19]: sns.stripplot(x='sex', y='age', data=dataset, jitter=True)
```

```
Out[19]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [20]: sns.stripplot(x='sex', y='age', data=dataset, jitter=True, hue='survived')
```

```
Out[20]: <Axes: xlabel='sex', ylabel='age'>
```




```
In [21]: sns.swarmplot(x='sex', y='age', data=dataset)
```

```
Out[21]: <Axes: xlabel='sex', ylabel='age'>
```



```
In [22]: sns.swarmplot(x='sex', y='age', data=dataset, hue='survived')
```

```
Out[22]: <Axes: xlabel='sex', ylabel='age'>
```

```
In [23]: dataset = sns.load_dataset('titanic')
dataset.head()
```

```
Out[23]:
```

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_male	deck	embark_town	alive
0	0	3	male	22.0	1	0	7.2500	S	Third	man	True	NaN	Southampton	no
1	1	1	female	38.0	1	0	71.2833	C	First	woman	False	C	Cherbourg	yes
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	False	NaN	Southampton	yes
3	1	1	female	35.0	1	0	53.1000	S	First	woman	False	C	Southampton	yes
4	0	3	male	35.0	0	0	8.0500	S	Third	man	True	NaN	Southampton	no

```
In [24]: dataset.select_dtypes(include=['number']).corr()
```

```
Out[24]:
```

	survived	pclass	age	sibsp	parch	fare
survived	1.000000	-0.338481	-0.077221	-0.035322	0.081629	0.257307
pclass	-0.338481	1.000000	-0.369226	0.083081	0.018443	-0.549500
age	-0.077221	-0.369226	1.000000	-0.308247	-0.189119	0.096067
sibsp	-0.035322	0.083081	-0.308247	1.000000	0.414838	0.159651
parch	0.081629	0.018443	-0.189119	0.414838	1.000000	0.216225
fare	0.257307	-0.549500	0.096067	0.159651	0.216225	1.000000

```
In [26]: print(dataset.dtypes)
```

```
survived      int64
pclass        int64
sex           int64
age           float64
sibsp         int64
parch         int64
fare          float64
embarked      int64
class         int64
who           int64
adult_male    bool
deck          int64
embark_town   int64
alive         int64
alone         bool
dtype: object
```

```
In [25]: from sklearn.preprocessing import LabelEncoder
label_enc = LabelEncoder()
for col in dataset.select_dtypes(include=['object', 'category']).columns:
    dataset[col] = label_enc.fit_transform(dataset[col])
```

```
In [27]: from sklearn.preprocessing import LabelEncoder
label_enc = LabelEncoder()
dataset['sex'] = label_enc.fit_transform(dataset['sex'])
print(dataset.corr())
```

	survived	pclass	sex	age	sibsp	parch	\
survived	1.000000	-0.338481	-0.543351	-0.077221	-0.035322	0.081629	
pclass	-0.338481	1.000000	0.131900	-0.369226	0.083081	0.018443	
sex	-0.543351	0.131900	1.000000	0.093254	-0.114631	-0.245489	
age	-0.077221	-0.369226	0.093254	1.000000	-0.308247	-0.189119	
sibsp	-0.035322	0.083081	-0.114631	-0.308247	1.000000	0.414838	
parch	0.081629	0.018443	-0.245489	-0.189119	0.414838	1.000000	
fare	0.257307	-0.549500	-0.182333	0.096067	0.159651	0.216225	
embarked	-0.163517	0.157112	0.104057	-0.025252	0.066654	0.038322	
class	-0.338481	1.000000	0.131900	-0.369226	0.083081	0.018443	
who	0.325753	-0.196793	-0.639773	0.378685	-0.136003	-0.055682	
adult_male	-0.557080	0.094035	0.908578	0.280328	-0.253586	-0.349943	
deck	-0.294804	0.743251	0.118282	-0.267987	0.041333	-0.031308	
embark_town	-0.163517	0.157112	0.104057	-0.025252	0.066654	0.038322	
alive	1.000000	-0.338481	-0.543351	-0.077221	-0.035322	0.081629	
alone	-0.203367	0.135207	0.303646	0.198270	-0.584471	-0.583398	

	fare	embarked	class	who	adult_male	deck	\
survived	0.257307	-0.163517	-0.338481	0.325753	-0.557080	-0.294804	
pclass	-0.549500	0.157112	1.000000	-0.196793	0.094035	0.743251	
sex	-0.182333	0.104057	0.131900	-0.639773	0.908578	0.118282	
age	0.096067	-0.025252	-0.369226	0.378685	0.280328	-0.267987	
sibsp	0.159651	0.066654	0.083081	-0.136003	-0.253586	0.041333	
parch	0.216225	0.038322	0.018443	-0.055682	-0.349943	-0.031308	
fare	1.000000	-0.221226	-0.549500	0.146290	-0.182024	-0.525994	
embarked	-0.221226	1.000000	0.157112	-0.060177	0.088725	0.191735	
class	-0.549500	0.157112	1.000000	-0.196793	0.094035	0.743251	
who	0.146290	-0.060177	-0.196793	1.000000	-0.437532	-0.153766	
adult_male	-0.182024	0.088725	0.094035	-0.437532	1.000000	0.098553	
deck	-0.525994	0.191735	0.743251	-0.153766	0.098553	1.000000	
embark_town	-0.221226	1.000000	0.157112	-0.060177	0.088725	0.191735	
alive	0.257307	-0.163517	-0.338481	0.325753	-0.557080	-0.294804	
alone	-0.271832	0.065610	0.135207	0.006540	0.404744	0.137515	

	embark_town	alive	alone
survived	-0.163517	1.000000	-0.203367
pclass	0.157112	-0.338481	0.135207
sex	0.104057	-0.543351	0.303646
age	-0.025252	-0.077221	0.198270
sibsp	0.066654	-0.035322	-0.584471
parch	0.038322	0.081629	-0.583398
fare	-0.221226	0.257307	-0.271832
embarked	1.000000	-0.163517	0.065610
class	0.157112	-0.338481	0.135207
who	-0.060177	0.325753	0.006540
adult_male	0.088725	-0.557080	0.404744
deck	0.191735	-0.294804	0.137515
embark_town	1.000000	-0.163517	0.065610
alive	-0.163517	1.000000	-0.203367
alone	0.065610	-0.203367	1.000000


```
In [28]: dataset.corr()
```

Out[28]:


	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	
survived	1.000000	-0.338481	-0.543351	-0.077221	-0.035322	0.081629	0.257307	-0.163517	-0.338481	0.325
pclass	-0.338481	1.000000	0.131900	-0.369226	0.083081	0.018443	-0.549500	0.157112	1.000000	-0.196
sex	-0.543351	0.131900	1.000000	0.093254	-0.114631	-0.245489	-0.182333	0.104057	0.131900	-0.635
age	-0.077221	-0.369226	0.093254	1.000000	-0.308247	-0.189119	0.096067	-0.025252	-0.369226	0.378
sibsp	-0.035322	0.083081	-0.114631	-0.308247	1.000000	0.414838	0.159651	0.066654	0.083081	-0.136
parch	0.081629	0.018443	-0.245489	-0.189119	0.414838	1.000000	0.216225	0.038322	0.018443	-0.055
fare	0.257307	-0.549500	-0.182333	0.096067	0.159651	0.216225	1.000000	-0.221226	-0.549500	0.146
embarked	-0.163517	0.157112	0.104057	-0.025252	0.066654	0.038322	-0.221226	1.000000	0.157112	-0.061
class	-0.338481	1.000000	0.131900	-0.369226	0.083081	0.018443	-0.549500	0.157112	1.000000	-0.196
who	0.325753	-0.196793	-0.639773	0.378685	-0.136003	-0.055682	0.146290	-0.060177	-0.196793	1.000
adult_male	-0.557080	0.094035	0.908578	0.280328	-0.253586	-0.349943	-0.182024	0.088725	0.094035	-0.437
deck	-0.294804	0.743251	0.118282	-0.267987	0.041333	-0.031308	-0.525994	0.191735	0.743251	-0.152
embark_town	-0.163517	0.157112	0.104057	-0.025252	0.066654	0.038322	-0.221226	1.000000	0.157112	-0.061
alive	1.000000	-0.338481	-0.543351	-0.077221	-0.035322	0.081629	0.257307	-0.163517	-0.338481	0.325
alone	-0.203367	0.135207	0.303646	0.198270	-0.584471	-0.583398	-0.271832	0.065610	0.135207	0.006

```
In [29]: corr = dataset.corr()
sns.heatmap(corr)
```

Out[29]: <Axes: >




```
In [30]: # Create the heatmap with better formatting
plt.figure(figsize=(12, 8))
sns.heatmap(dataset.corr(),
            annot=True,           # Show correlation values
            fmt=".2f",           # Limit values to 2 decimal places
            cmap="coolwarm",     # Choose a better color scheme
            linewidths=0.5,     # Add space between cells
            annot_kws={"size": 10}) # Adjust font size for better readability
plt.show()
```



```
In [31]: corr = dataset.corr()
sns.heatmap(corr, cmap='viridis')
```

```
Out[31]: <Axes: >
```



```
In [32]: sns.histplot(dataset['fare'], kde=False, bins=10)
```

```
Out[32]: <Axes: xlabel='fare', ylabel='Count'>
```

