
The Java™ Tutorials

Trail: Getting Started

Lesson: The "Hello World!" Application

"Hello World!" for Microsoft Windows

It's time to write your first application! The following instructions are for users of Windows Vista, Windows 7, and Windows 8. Instructions for other platforms are in ["Hello World!" for Solaris OS and Linux](#) and ["Hello World!" for the NetBeans IDE](#).

If you encounter problems with the instructions on this page, consult the [Common Problems \(and Their Solutions\)](#).

- [A Checklist](#)
- [Creating Your First Application](#)
 - [Create a Source File](#)
 - [Compile the Source File into a .class File](#)
 - [Run the Program](#)

A Checklist



To write your first program, you'll need:

1. The Java SE Development Kit 8 (JDK 8)

You can [download the Windows version now](#). (Make sure you download the **JDK**, *not* the JRE.) Consult the [installation instructions](#).

2. A text editor

In this example, we'll use Notepad, a simple editor included with the Windows platforms. You can easily adapt these instructions if you use a different text editor.

These two items are all you'll need to write your first application.

Creating Your First Application

Your first application, `HelloWorldApp`, will simply display the greeting "Hello world!". To create this program, you will:

- **Create a source file**

A source file contains code, written in the Java programming language, that you and other programmers can understand. You can use any text editor to create and edit source files.

- **Compile the source file into a .class file**

The Java programming language *compiler* (`javac`) takes your source file and translates its text into instructions that the Java virtual machine can understand. The instructions contained within this file are known as *bytecodes*.

- **Run the program**

The Java application *launcher tool* (`java`) uses the Java virtual machine to run your application.

Create a Source File

To create a source file, you have two options:

- You can save the file `HelloWorldApp.java` on your computer and avoid a lot of typing. Then, you can go straight to [Compile the Source File into a .class File](#).
- Or, you can use the following (longer) instructions.

First, start your editor. You can launch the Notepad editor from the **Start** menu by selecting **Programs > Accessories > Notepad**. In a new document, type in the following code:

```
/**
 * The HelloWorldApp class implements an application that
 * simply prints "Hello World!" to standard output.
```

```
*/
class HelloWorldApp {
    public static void main(String[] args) {
        System.out.println("Hello World!"); // Display the string.
    }
}
```

Be Careful When You Type




Note: Type all code, commands, and file names exactly as shown. Both the compiler (`javac`) and launcher (`java`) are *case-sensitive*, so you must capitalize consistently.

`HelloWorldApp` is *not* the same as `helloworldapp`.

Save the code in a file with the name `HelloWorldApp.java`. To do this in Notepad, first choose the **File > Save As** menu item. Then, in the **Save As** dialog box:

1. Using the **Save in** combo box, specify the folder (directory) where you'll save your file. In this example, the directory is `myapplication` on the C drive.
2. In the **File name** text field, type `"HelloWorldApp.java"`, including the quotation marks.
3. From the **Save as type** combo box, choose **Text Documents (*.txt)**.
4. In the **Encoding** combo box, leave the encoding as ANSI.

When you're finished, the dialog box should look like this.



The Save As dialog just before you click **Save**.

Now click **Save**, and exit Notepad.

Compile the Source File into a .class File

Bring up a shell, or "command," window. You can do this from the **Start** menu by choosing **Run...** and then entering `cmd`. The shell window should look similar to the following figure.



A shell window.

The prompt shows your *current directory*. When you bring up the prompt, your current directory is usually your home directory for Windows XP (as shown in the preceding figure).

To compile your source file, change your current directory to the directory where your file is located. For example, if your source directory is `myapplication` on the C drive, type the following command at the prompt and press **Enter**:

```
cd C:\myapplication
```

Now the prompt should change to `C:\myapplication>`.

Note:

To change to a directory on a different drive, you must type an extra command: the name of the drive. For example, to change to the `myapplication` directory on the D drive, you must enter `D:`, as follows:

```
C:\>D:
```

```
D:\>cd myapplication
```

```
D:\myapplication>
```

If you enter `dir` at the prompt, you should see your source file, as follows:

```
C:\>cd myapplication
```

```
C:\myapplication>dir
```

```
Volume in drive C is System
```

```
Volume Serial Number is F2E8-C8CC
```

```
Directory of C:\myapplication
```

```
2014-04-24 01:34 PM <DIR>      .
2014-04-24 01:34 PM <DIR>      ..
2014-04-24 01:34 PM          267 HelloWorldApp.java
                1 File(s)        267 bytes
                2 Dir(s)  93,297,991,680 bytes free
```

```
C:\myapplication>
```

Now you are ready to compile. At the prompt, type the following command and press **Enter**.

```
javac HelloWorldApp.java
```

The compiler has generated a bytecode file, `HelloWorldApp.class` . At the prompt, type `dir` to see the new file that was generated as follows:

```
C:\myapplication>javac HelloWorldApp.java

C:\myapplication>dir
Volume in drive C is System
Volume Serial Number is F2E8-C8CC

Directory of C:\myapplication

2014-04-24  02:07 PM    <DIR>          .
2014-04-24  02:07 PM    <DIR>          ..
2014-04-24  02:07 PM                432 HelloWorldApp.class
2014-04-24  01:34 PM                267 HelloWorldApp.java
                2 File(s)                699 bytes
                2 Dir(s)  93,298,032,640 bytes free

C:\myapplication>
```

Now that you have a `.class` file, you can run your program.

If you encounter problems with the instructions in this step, consult the [Common Problems \(and Their Solutions\)](#).

Run the Program

In the same directory, enter the following command at the prompt:

```
java -cp . HelloWorldApp
```

You should see the following on your screen:

```
C:\myapplication>java -cp . HelloWorldApp
Hello World!

C:\myapplication>
```

Congratulations! Your program works!

If you encounter problems with the instructions in this step, consult the [Common Problems \(and Their Solutions\)](#).

Your use of this page and all the material on pages under "The Java Tutorials" banner is subject to these [legal notices](#).

Problems with the examples? Try [Compiling and Running the Examples: FAQs](#).

Copyright © 1995, 2015 Oracle and/or its affiliates. All rights reserved.

Complaints? Compliments? Suggestions? [Give us your feedback](#).

Previous page: "Hello World!" for the NetBeans IDE

Next page: "Hello World!" for Solaris OS and Linux