

MIMIC-III NLP

Ankita Savaliya

AI in Healthcare

What Disease Did I Pick?

I selected disease codes related to 4010 – Malignant Essential Hypertension. Malignant essential hypertension is a severe and life-threatening form of high blood pressure that develops rapidly and can cause damage to multiple organs.

What About the Text Data?

The objective of this analysis is to extract medical entities using Named Entity Recognition (NER) with SpaCy, SciSpaCy, Word2Vec, and t-SNE plots.

Additionally, used bc5cdr, BlueBert, MedSpacy to perform a similar analysis.

GitHub and Google Colab Links:

https://colab.research.google.com/github/AnkitaSavaliya/AIH/blob/main/MIMIC-III_NLP.ipynb

https://github.com/AnkitaSavaliya/AIH/blob/main/MIMIC-III_NLP.ipynb

<https://github.com/AnkitaSavaliya/AIH/blob/main/MIMIC-III%20NLP.pptx>

Data Preparation

```
from google.colab import auth
auth.authenticate_user()
print('Authenticated')

!gcloud projects list

from google.cloud import bigquery

# Construct a BigQuery client object.
client = bigquery.Client(project='clinical-entity-extraction')

"""
ICD codes related to Hypertension:
4010 - Malignant essential hypertension
4011 - Benign essential hypertension
4019 - Unspecified essential hypertension
"""

# Fetch notes only for ICD-9 code 4010(Malignant essential hypertension)
query = """
SELECT SUBJECT_ID, TEXT, CATEGORY
FROM `physionet-data.mimiciii_notes.noteevents`
WHERE SUBJECT_ID IN (
    SELECT d.SUBJECT_ID
    FROM `physionet-data.mimiciii_clinical.diagnoses_icd` d
    WHERE d.ICD9_CODE = '4010' -- Hypertension code
    AND d.SEQ_NUM = 1 -- Assuming 1 indicates primary diagnosis
)
AND CATEGORY LIKE 'Discharge summary';
"""

# Run the query
query_job = client.query(query)

# Print the results
noteevents_df = query_job.to_dataframe()

len(noteevents_df)
```

- Fetched rows from noteevents only for ICD-9 CODE **4010** and category '**Discharge Summary**' using the BigQuery client.
- The query returned 162 rows.
- Prepared a DataFrame with the required columns.
- Saved the query result to a CSV/XLSX file to reduce queries to the database.

```
patients_dict = {"SUBJECT_ID": [], "CATEGORY": [], "TEXT": []};
for i in range(0, len(noteevents_df)):
    patients_dict["SUBJECT_ID"].append(noteevents_df.loc[i, 'SUBJECT_ID'])
    patients_dict["CATEGORY"].append(noteevents_df.loc[i, 'CATEGORY'])
    patients_dict["TEXT"].append(noteevents_df.loc[i, 'TEXT'])
```

```
patients_df = pd.DataFrame(patients_dict)
```

```
patients_df.shape
```

```
(162, 3)
```

```
#print first few records
patients_df.head(2)
```

```
# Download the patients_df dataframe in .csv and excel format
patients_df.to_csv(r'Patient_Summary_4010.csv', index = False)
patients_df.to_excel("Patient_Summary_4010.xlsx")
```



Spacy

Extract and Visualize SpaCy Entities

```
import spacy

# Function to clean and extract tokens
def extract_cleaned_text(text, nlp_model):
    doc = nlp_model(str(text))
    tokens = [token.text for token in doc if not token.is_punct and not token.is_space and not token.is_stop]
    return " ".join(tokens) # Return cleaned text as a string
```

```
#Load Patient Discharge summary
patients_df_scapy = pd.read_csv("/content/drive/MyDrive/Colab Notebooks/AIH/Patient_Summary_4010.csv")

# Load the spacy model
nlp_spacy = spacy.load('en_core_web_sm')

# Apply token extraction
patients_df_scapy["Processed_Text"] = patients_df_scapy["TEXT"].apply(lambda text: extract_cleaned_text(text, nlp_spacy))
```

```
from spacy import displacy

# Visualize named entities using displacy
for i in range(0, len(patients_df_scapy)):
    doc = nlp_spacy(patients_df_scapy['Processed_Text'][i])
    displacy.render(doc, style="ent")
```

Admission Date 2140 1 19 Discharge Date 2140 1 21 Date Birth 2117 DATE 8 7 Sex F Service MEDICINE Allergies Penicillins Attending:[**First Name3 LF 2297 DATE Chief Complaint headache Major Surgical Invasive Procedure Hemodialysis History Present Illness Ms. Known PERSON lastname 22 year old DATE female SLE lupus nephritis ESRD ORG HD malignant HTN h o TTP ORG HOCM presents HA hypertensive urgency Awoke a.m. ORG 8/10 left sided frontal HA ORG sure d t flare uveitis started Monday DATE d t HTN Decided ORG skip HD come ED evaluation vision changes numbness weakness change gait chest pain SOB + Diarrhea ORG x 1 day DATE ED patient 217/140 CARDINAL elevated 254/152 CARDINAL > received labetalol IV 30 mg x 1 CARDINAL MSO4 4 mg pressures dropped SBPs 208 CARDINAL HA improved Repeat labetalol 50 mg x QUANTITY 1 CARDINAL repeated dose morphine dropped pressures 193/134 CARDINAL > labetalol gtt started asa given HA resolved Head CT negative intracranial bleed CXR ORG unremarkable ROS ORG cold past week DATE fevers chills CP SOB N V + ORG diarrhea arrival floor patient BP 191/126 ORG labetalol gtt started sxs HA states compliant meds mother cooks salt adherent diet Past Medical History 1 Lupus 2134 Diagnosed began swollen fingers rash painful joints 2 CARDINAL ESRD ORG secodary SLE ORG 2135 CARDINAL initially cytozan 1 CARDINAL dose 3 months 2 years DATE began dialysis 3 CARDINAL times week 2137 T Th Sat Awaiting living donor transplant mother 3 CARDINAL HTN 2137 DATE Normal BPs run 180's/120 1 CARDINAL hypertensive crisis precipitated seizures past 4 CARDINAL Uveitis secondary SLE 4 15 5 HOCM Echo 2137 DATE 6 CARDINAL Vaginal bleeding 2139 DATE 9 20 CARDINAL 7 CARDINAL Mulitple episodes dialysis reactions 8 CARDINAL Anemia 9 CARDINAL Coag neg Staph PERSON bacteremia HD line infection 6 CARDINAL 15 10 CARDINAL H O UE clot coumadin longer Social History Lives Location ORG 669 CARDINAL mother 16 year old DATE brother Graduated Name2 Ni School ORG got sick currently working attending school Denies T E D. Family History WORK_OF_ART -No history SLE - Grandfather HTN -Distant ORG history DM -No history clotting disorders -No history autoimmune diseases Physical Exam Vitals ORG 98.0 CARDINAL 173/51 CARDINAL 86 CARDINAL 15 100 CARDINAL RA HEENT PERSON L eye injected w periorbital edema R eye reactive w/ EOMI ORG anicteric sclera MMM OP clear Neck supple LAD thyromegaly ORG Cardiac RRR ORG NL S1 PRODUCT S2 + S4 III VI systolic ejection murmur LUSB radiating apex axilla intensifies w/ Valsalva PERSON rub Lungs WORK_OF_ART CTAB wheezes rhonchi crackles Abd PERSON soft NTND NABS HSM rebound guarding GU CVAT ORG Ext warm 2 + DP DATE pulses C C E L femoral dialysis catheter Neuro AOx3 PERSON CN II XII intact strength sensation grossly intact Pertinent Results UA PERSON mod bld 100 CARDINAL protein present prior UAs Radiology CXR NORP acute CP abnormality EKG NSR nml ORG axis nml intervals borderline LAE LVH ORG J point elevation V2,V3 TWI ORG aVL V5 CARDINAL V6 change compared prior 2139 11 26 DATE CT HEAD intracranial hemorrhage Brief Hospital Course P Patient ORG 22 year old DATE female SLE lupus nephritis ESRD ORG HD presents hypertensive urgency Hypertensive urgency Unclear ORG precipitant Possibly secondary pain worsening uveitis Compliant PERSON meds Denies illicit tox screen negative Patient started labetalol drip ED good BP response subsequently transitioned PO GPE anti hypertensives ICU ORG maintenance stable SBPs 150s-170s CARDINAL baseline 170s-190s CARDINAL nephrologist recommendations home lisinopril increased 40 CARDINAL mg po bid 40 mg QUANTITY po qd better baseline BP control clinical evidence end organ damage UA ORG difficult ro interpret setting CRF CE LOC x 1 CARDINAL negative Headache ORG evidence CT intracranial bleed Headaches PERSON controlled morphine sulfate resolved time discharge Uveitis Followed ORG outpatient optho specialist Optho PERSON consulted patient request ESRD ORG Secondary lupus nephritis transplant list Patient PERSON received hemodialysis house 500 CARDINAL ml ultrafiltrate complications dry weight 45 kg QUANTITY patient Began Sevalamer PERSON 800 TID ORG meals Given difficulty interpreting renin aldosterone levels acutely ill patients drawn need drawn outpatient follow Medications Admission Lisinopril 40 mg PO QD FAC Labetalol 600 CARDINAL PO GPE TID Valsartan 320 CARDINAL mg PO QD Clonidine ORG 0.3 CARDINAL mg transdermal QW Prednisone 40 mg PO QD FAC Atropine 1 Hospital1 Prednisolone Acetate 1 ORG Q1H Moxifloxacin eye drops qid Lorazepam 1 LAW mg PO Q4 FAC 6H PRN Discharge ORG Medications 1 CARDINAL Labetalol 200 mg Tablet Sig 3 CARDINAL Tablet PO TID 3 ORG times day Tablet(s 2 Clonidine 0.3 mg/24 QUANTITY hr Patch Weekly Sig ORG 1 CARDINAL Patch Weekly Transdermal QTHUR Thursday DATE 3 CARDINAL Atropine 1 Drops Sig 1 CARDINAL Drop Ophthalmic Hospital1 2 CARDINAL times day 4 Lorazepam 1 mg Tablet ORG Sig 1 CARDINAL Tablet PO Q4 6H CARDINAL 4 6 hours TIME needed 5 CARDINAL Valsartan 160 CARDINAL mg Tablet ORG Sig 2 CARDINAL Tablet PO DAILY Daily ORG 6 CARDINAL Prednisolone Acetate 1 Drops ORG Suspension Sig 1 CARDINAL Drop Ophthalmic Q1H hour 7 CARDINAL Lisinopril 40 mg Tablet GPE Sig 1 CARDINAL Tablet PO twice day DATE Disp:*60 Tablet(s Refills:*2 PERSON 8 Sevelamer 800 mg Tablet ORG Sig 1 CARDINAL Tablet PO TID 3 ORG times day Disp:*90 Tablet(s Refills:*2 9 Prednisone 20 CARDINAL mg Tablet ORG Sig 2 CARDINAL Tablet PO day 10 CARDINAL Blood Pressure Kit Kit Sig PERSON 1 Kit Miscellaneous day Disp:*1 Kit Refills:*0 Discharge PERSON Disposition Home Discharge Diagnosis Hypertensive urgency Discharge Condition Good Discharge Instructions blood pressure medications prescribed adhere low salt diet increased levels sodium drive blood pressure discharged prescription home blood pressure monitor use daily DATE measurements primary care physician Initial PRE systolic blood pressures greater 180 CARDINAL experience headaches nausea vomiting chest pain shortness breath concerning symptoms Followup Instructions ORG resume hemodialysis according regular schedule scheduled Dr. Name8 NamePattern2 PERSON NamePattern1 4883 DATE Division Nephrology ORG Wednesday 2 3 9:30 DATE Telephone Fax 1 435 CARDINAL need reschedule scheduled follow primary care physician NamePattern4 Name4 NamePattern1 NamePattern1 2423 CARDINAL Tuesday 1 26 3:30 TIME PM Telephone Fax 1 250 CARDINAL need reschedule referred Dr. Name4 PERSON NamePattern1 NamePattern1 2539 CARDINAL Division Hematology ORG evaluation anemia appointment scheduled 2 9 3 p.m. TIME office located Location un Hospital Ward ORG 23 CARDINAL Building Hospital1 18 CARDINAL Hospital Ward LOC 516 CARDINAL Dr.[**Name NI 44536 CARDINAL administrative assistant Doctor 8982 CARDINAL Telephone Fax 1 32192 need confirm reschedule

Word2Vec and t-SNE Visualization Using SpaCy-Processed Data

```
def build_corpus(df, model="en_core_web_sm"):
    """
    Extracts named entities from the specified text column in a DataFrame using a spaCy model,
    builds a corpus.

    Parameters:
    - df (pd.DataFrame): DataFrame containing text data.
    - text_column (str): Column name containing processed text.
    - model (str): spaCy model to use (default: "en_core_web_sm").

    Returns:
    - corpus (list of lists): Extracted entities per document.
    """
    nlp = model
    corpus = []

    for _, row in df.iterrows():
        tokens = [ent.text for ent in nlp(row["Processed_Text"]).ents]
        corpus.append(tokens)

    # Calculate word counts
    word_counts = [len(doc) for doc in corpus]

    return corpus
```

- Created common function to build corpus using given model SpaCy/SciSpaCy/other

```
from gensim.models import Word2Vec

#Build corpus
corpus_spacy = build_corpus(patients_df_scapy, nlp_spacy)

model_word2vec_spacy = Word2Vec(corpus_spacy, min_count=3, window=2, vector_size=100)

model_word2vec_spacy.wv.similar_by_key("BP"), model_word2vec_spacy.wv.similar_by_key("Clonidine")

([('CT', 0.9996870160102844),
 ('ICU', 0.9996408820152283),
 ('EKG', 0.9996089935302734),
 ('MICU', 0.9996005296707153),
 ('CK', 0.9995817542076111),
 ('Known', 0.9995751976966858),
 ('18', 0.9995639324188232),
 ('27', 0.9995404481887817),
 ('IV', 0.9995347261428833),
 ('INR', 0.999534010887146)],
 [('3', 0.9992740154266357),
 ('100', 0.9992536306381226),
 ('PO', 0.999226987361908),
 ('BP', 0.9992194175720215),
 ('90', 0.9992076754570007),
 ('25', 0.9991985559463501),
 ('EKG', 0.9991586804389954),
 ('30', 0.9991428256034851),
 ('CT', 0.9991336464881897),
 ('18', 0.9991272687911987)])
```

- Defined common function for t-SNE plot.
- Call function using corpus built using Spacy processed text.

```
def tsne_plot(model, words, words_limit = None, model_title="", preTrained=False):
    """
    Creates and displays two t-SNE plots:
    1. Simple scatter plot with labels.
    2. Scatter plot with distance-based coloring.

    Parameters:
    - model: The Word2Vec model or pre-trained model.
    - words: List of words to visualize.
    - words_limit : Limit the number of words to visualize.
    - model_title: Title of the model.
    - preTrained: Boolean flag to choose between Word2Vec or pre-trained model.
    """
    labels = []
    tokens = []

    # Apply t-SNE for dimensionality reduction
    tsne_model = TSNE(perplexity=30, early_exaggeration=12, n_components=2, init='pca', max_iter=1000, random_state=23)

    # Prepare tokens and labels
    for word in words[:words_limit]:
        if preTrained:
            tokens.append(model[word]) # Pre-trained word vectors
        else:
            tokens.append(model.wv[word]) # Word2Vec model vectors
            labels.append(word)


    tokens = np.array(tokens)
    new_values = tsne_model.fit_transform(tokens)
```

```
# First plot: Scatter plot with annotations
plt.figure(figsize=(16,12))
for i in range(len(x)):
    plt.scatter(x[i], y[i])
    plt.annotate(labels[i],
                 xy=(x[i], y[i]),
                 xytext=(5, 2),
                 textcoords='offset points',
                 ha='right',
                 va='bottom')


plt.title(f"t-SNE Visualization for {model_title}")
plt.show()
```

```
tsne_plot(model_word2vec_spacy, np.array(list(model_word2vec_spacy.wv.key_to_index.keys())), 100, 'SpaCy')
```


t-SNE Visualization of Top 100 Words from Word2Vec (SpaCy)



From Word2Vec similarity and above plot we can see that, the entity recognition using SpaCy was limited in extracting hypertension-related terms, likely because it focuses on general English entities rather than clinical ones.



SciSpacy

Extract and Visualize SciSpaCy Entities

```
#Load Patient Discharge summary
patients_df_SciSpaCy = pd.read_csv("/content/drive/MyDrive/Colab Notebooks/AIH/Patient_Summary_4010.csv")

nlp_SciSpaCy = spacy.load('en_core_sci_md') # Load the specified NLP model
# Apply token extraction
patients_df_SciSpaCy["Processed_Text"] = patients_df_SciSpaCy["TEXT"].apply(lambda text: extract_cleaned_text(text, nlp_SciSpaCy))

for i in range(0, len(patients_df_SciSpaCy)):
    doc = nlp_SciSpaCy(patients_df_SciSpaCy['Processed_Text'][i])
    displacy.render(doc, style="ent", jupyter=True)
```

Admission ENTITY Date 2140 1 19 Discharge Date ENTITY 2140 1 21 Date Birth ENTITY 2117 8 7 Sex F Service ENTITY MEDICINE Allergies Penicillins ENTITY Attending:[**First ENTITY Name3
ENTITY LF 2297 Chief Complaint headache ENTITY Major Surgical Invasive Procedure Hemodialysis History Present Illness ENTITY Ms. Known lastname ENTITY 22 year old female ENTITY SLE ENTITY
lupus nephritis ENTITY ESRD ENTITY HD ENTITY malignant ENTITY HTN ENTITY h/o TTP ENTITY HOCM ENTITY presents HA hypertensive ENTITY urgency ENTITY Awoke ENTITY
a.m. 8/10 left sided frontal HA sure d/t ENTITY flare uveitis ENTITY started Monday ENTITY d/t HTN ENTITY Decided skip ENTITY HD ENTITY come ED ENTITY evaluation ENTITY vision
changes ENTITY numbness weakness ENTITY change gait chest ENTITY pain SOB ENTITY + Diarrhea ENTITY x 1 day ENTITY ED ENTITY patient ENTITY 217/140 elevated ENTITY 254/152
> received labetalol ENTITY IV 30 mg x 1 MSO4 ENTITY 4 mg pressures ENTITY dropped SBPs ENTITY 208 HA ENTITY improved Repeat labetalol ENTITY 50 mg x 1 repeated dose ENTITY
morphine ENTITY dropped pressures 193/134 > labetalol ENTITY gtt ENTITY started asa given HA ENTITY resolved Head CT ENTITY negative ENTITY intracranial bleed ENTITY CXR ENTITY
unremarkable ROS cold ENTITY past week fevers chills ENTITY CP ENTITY SOB ENTITY N/V ENTITY + diarrhea ENTITY arrival ENTITY floor patient BP ENTITY 191/126 labetalol ENTITY
gtt ENTITY started sxs HA states compliant meds ENTITY mother ENTITY cooks salt ENTITY adherent ENTITY diet ENTITY Past Medical History 1 Lupus 2134 ENTITY Diagnosed ENTITY began
swollen fingers rash painful joints 2 ENTITY ESRD ENTITY secodary ENTITY SLE ENTITY 2135 initially cytoxan 1 dose ENTITY 3 months ENTITY 2 years began dialysis ENTITY 3 times week
ENTITY 2137 T Th Sat Awaiting ENTITY living donor transplant ENTITY mother 3 HTN ENTITY 2137 Normal BPs ENTITY run 180's/120 1 hypertensive crisis ENTITY precipitated ENTITY seizures
ENTITY past 4 Uveitis ENTITY secondary ENTITY SLE ENTITY 4 15 5 HOCM ENTITY Echo ENTITY 2137 6 Vaginal bleeding ENTITY 2139 9 20 7 Multiple episodes dialysis reactions ENTITY 8
Anemia ENTITY 9 Coag neg ENTITY Staph bacteremia ENTITY HD line infection ENTITY 6 15 10 H/O UE ENTITY clot ENTITY coumadin ENTITY longer Social History ENTITY Lives Location
ENTITY 669 mother ENTITY 16 year ENTITY old brother ENTITY Graduated Name2 NI School ENTITY got sick ENTITY currently working ENTITY attending school Denies ENTITY T/E/D. Family
History ENTITY -No history ENTITY SLE ENTITY -Grandfather HTN ENTITY -Distant history DM ENTITY -No history clotting disorders ENTITY -No history ENTITY autoimmune diseases ENTITY

Word2Vec and t-SNE Visualization Using SciSpaCy-Processed Data

```
from gensim.models import Word2Vec
```

```
corpus_scispacy = build_corpus(patients_df_SciSpaCy, nlp_SciSpaCy)
```


```
model_word2vec_scispacy = Word2Vec(corpus_scispacy, min_count=3, window=2, vector_size=100)
```

```
model_word2vec_scispacy.wv.similar_by_key("BP"), model_word2vec_scispacy.wv.similar_by_key("Clonidine")
```

```
((('RA', 0.9994686245918274),  
  ('ED', 0.999396562576294),  
  ('HR', 0.9993236660957336),  
  ('MICU', 0.9991095662117004),  
  ('treated', 0.9991006851196289),  
  ('patient', 0.9990440011024475),  
  ('elevated', 0.998954713344574),  
  ('baseline', 0.9989470839500427),  
  ('O2', 0.9989447593688965),  
  ('RR', 0.9989378452301025)],  
 [('Patch', 0.9970031380653381),  
  ('Prednisone', 0.9962016940116882),  
  ('HCl', 0.9951486587524414),  
  ('Tablet Sig 1 Tablet PO', 0.9949968457221985),  
  ('Labetalol', 0.9949793815612793),  
  ('Refills:*0', 0.9945780038833618),  
  ('Amlodipine', 0.9940680265426636),  
  ('Metoprolol', 0.9939988851547241),  
  ('Aspirin', 0.9939936995506287),  
  ('Acetaminophen', 0.9935530424118042)])
```

```
tsne_plot(model_word2vec_scispacy, np.array(list(model_word2vec_scispacy.wv.key_to_index.keys())), 100, 'SciSpaCy')
```

t-SNE Visualization of Top 100 Words from Word2Vec (SciSpaCy)



From Word2Vec similarity and above plot , SciSpaCy primarily recognized medication names and formulations, such as Clonidine and Labetalol, but it did not specifically highlight key hypertension-related entities beyond drug mentions.



BC5CDR (BioCreative V Chemical-Disease
Relation)

BC5CDR Entity Visualization Using SciSpaCy-Processed Data

```
nlp_bc5cdr = en_ner_bc5cdr_md.load()

# Visualize named entities using displacy
for i in range(0, len(patients_df_SciSpaCy)):
    doc = nlp_bc5cdr(patients_df_SciSpaCy['Processed_Text'][i])
    displacy.render(doc, style="ent", jupyter=True)
```

en_ner_bc5cdr_md is a Named Entity Recognition (NER) model from SciSpaCy that specializes in identifying **diseases** and **chemicals** in text

Admission Date 2140 1 19 Discharge Date 2140 1 21 Date Birth 2117 8 7 Sex F Service MEDICINE Allergies Penicillins CHEMICAL Attending: [First Name] LF 2297 Chief Complaint headache DISEASE Major Surgical Invasive Procedure Hemodialysis History Present Illness Ms. Known lastname 22 year old female SLE lupus nephritis ESRD HD malignant HTN DISEASE h/o TTP HOCM DISEASE presents HA hypertensive DISEASE urgency Awoke a.m. 8/10 left sided frontal HA sure d/t flare uveitis DISEASE started Monday d/t HTN DISEASE Decided skip HD come ED evaluation vision changes numbness weakness DISEASE change gait chest pain DISEASE SOB + Diarrhea DISEASE x 1 day ED patient 217/140 elevated 254/152 > received labetalol CHEMICAL IV 30 mg x 1 MSO4 4 mg pressures dropped SBPs 208 HA improved Repeat labetalol CHEMICAL 50 mg x 1 repeated dose morphine CHEMICAL dropped pressures 193/134 > labetalol CHEMICAL gtt started asa given HA resolved Head CT negative intracranial bleed DISEASE CXR unremarkable ROS cold past week fevers chills CP SOB N/V + DISEASE diarrhea DISEASE arrival floor patient BP 191/126 labetalol CHEMICAL gtt started sxs HA states compliant meds mother cooks salt adherent diet Past Medical History 1 Lupus 2134 Diagnosed began swollen fingers rash DISEASE painful joints 2 ESRD DISEASE secondary SLE 2135 initially cytoxin CHEMICAL 1 dose 3 months 2 years began dialysis 3 times week 2137 T Th Sat Awaiting living donor transplant mother 3 HTN DISEASE 2137 Normal BPs run 180's/120 1 hypertensive DISEASE crisis precipitated seizures DISEASE past 4 Uveitis DISEASE secondary SLE 4 15 5 HOCM DISEASE Echo 2137 6 Vaginal bleeding DISEASE 2139 9 20 7 Multiple episodes dialysis reactions 8 Anemia DISEASE 9 Coag neg Staph bacteremia DISEASE HD line infection DISEASE 6 15 10 H/O UE clot coumadin CHEMICAL longer Social History Lives Location 669 mother 16 year old brother Graduated Name2 NI School got sick currently working attending school Denies T/E/D. Family History -No history SLE -Grandfather HTN DISEASE -Distant history DM CHEMICAL -No history clotting disorders -No history DISEASE autoimmune diseases DISEASE Physical Exam Vitals 98.0 173/51 86 15 100 RA HEENT L eye injected w/periorbital edema R eye reactive w/ DISEASE EOMI anicteric sclera MMM OP clear Neck supple LAD thyromegaly DISEASE Cardiac RRR NL S1 S2 + S4 III/VI systolic ejection murmur LUSB radiating apex axilla intensifies w/ Valsalva rub Lungs CTAB wheezes rhonchi CHEMICAL crackles Abd soft NTND NABS DISEASE HSM rebound guarding GU CVAT Ext warm 2 + DP pulses C/C/E L femoral dialysis catheter Neuro AOX3 CN II-XII intact strength/sensation grossly intact Pertinent Results UA CHEMICAL mod bid 100 protein present prior UAS CHEMICAL Radiology CXR acute CP abnormality CHEMICAL EKG NSR DISEASE nml axis nml intervals borderline LAE LVH J DISEASE point elevation V2,V3 TWI aVL V5 V6 change compared prior 2139 11 26 CT HEAD intracranial hemorrhage DISEASE Brief Hospital Course A/P Patient 22 year old female SLE lupus nephritis ESRD DISEASE HD presents hypertensive DISEASE urgency Hypertensive DISEASE urgency Unclear precipitant Possibly secondary pain DISEASE worsening uveitis DISEASE Compliant meds Denies illicit tox screen negative Patient started labetalol CHEMICAL drip ED good BP response subsequently transitioned PO anti-hypertensives ICU maintenance stable SBPs 150s-170s baseline 170s-190s nephrologist recommendations home lisinopril CHEMICAL increased 40 mg po bid 40 mg po qd better baseline BP control clinical evidence end organ damage UA CHEMICAL difficult to interpret setting CRF DISEASE CE x 1 negative Headache DISEASE evidence CT intracranial bleed DISEASE Headaches DISEASE controlled morphine CHEMICAL sulfate resolved time discharge Uveitis DISEASE Followed outpatient optho specialist Optho consulted patient request ESRD DISEASE Secondary lupus nephritis DISEASE transplant list Patient received hemodialysis house 500 ml ultrafiltrate complications dry weight 45 kg patient Began Sevelamer 800 TID meals Given difficulty interpreting renin aldosterone CHEMICAL levels acutely ill DISEASE patients drawn need drawn outpatient follow Medications Admission Lisinopril CHEMICAL 40 mg PO QD Labetalol CHEMICAL 600 PO TID Valsartan CHEMICAL 320 mg PO QD Clonidine CHEMICAL 0.3 mg transdermal QW Prednisone CHEMICAL 40 mg PO QD Atropine CHEMICAL 1 Hospital1 Prednisolone Acetate CHEMICAL 1 Q1H Moxifloxacin CHEMICAL eye drops qid Lorazepam CHEMICAL 1 mg PO Q4 6H PRN Discharge Medications 1 Labetalol CHEMICAL 200 mg Tablet Sig 3 Tablet PO TID 3 times day Tablet(s CHEMICAL 2 Clonidine CHEMICAL 0.3 mg/24 hr Patch Weekly Sig 1 Patch Weekly Transdermal QTHUR Thursday 3 Atropine CHEMICAL 1 Drops Sig 1 Drop Ophthalmic Hospital1 2 times day 4 Lorazepam CHEMICAL 1 mg Tablet Sig 1 Tablet PO Q4 6H 4 6 hours needed 5 Valsartan CHEMICAL 160 mg Tablet Sig 2 Tablet PO DAILY Daily 6 Prednisolone Acetate CHEMICAL 1 Drops Suspension Sig 1 Drop Ophthalmic Q1H hour 7 Lisinopril CHEMICAL 40 mg Tablet Sig 1 Tablet PO twice day Disp:*60 Tablet(s Refills:*2 CHEMICAL 8 Sevelamer CHEMICAL 800 mg Tablet Sig 1 Tablet PO TID 3 times day Disp:*90 Tablet(s Refills:*2 CHEMICAL 9 Prednisone CHEMICAL 20 mg Tablet Sig 2 Tablet PO day 10 Blood Pressure Kit Kit Sig 1 Kit Miscellaneous day Disp:*1 Kit Refills:*0 Discharge Disposition CHEMICAL Home

Word2Vec and t-SNE Visualization For BC5CDR

```
from gensim.models import Word2Vec
corpus_bc5cdr = build_corpus(patients_df_SciSpaCy, nlp_bc5cdr)
```


```
model_word2vec_bc5cdr = Word2Vec(corpus_bc5cdr, min_count=3, window=2, vector_size=100)
```

```
model_word2vec_bc5cdr.wv.similar_by_word("BP"), model_word2vec_bc5cdr.wv.similar_by_word("Clonidine")
```

```
([('MSSA bacteremia', 0.8200060129165649),
  ('Metoprolol Succinate', 0.8162233233451843),
  ('dementia', 0.8155735731124878),
  ('fungal infection', 0.8151078820228577),
  ('diabetes brothers diabetes', 0.813332200050354),
  ('lasix', 0.8124308586120605),
  ('Levofloxacin', 0.8123695850372314),
  ('Diabetic ketoacidosis', 0.8123500347137451),
  ('seizure', 0.8114094734191895),
  ('EtOH', 0.810998797416687)],
[('Labetalol', 0.9987290501594543),
  ('Lisinopril', 0.9986595511436462),
  ('pain', 0.9986243844032288),
  ('hypertensive', 0.9986111521720886),
  ('hypertension', 0.9985666871070862),
  ('HTN', 0.9985529184341431),
  ('Aspirin', 0.9985363483428955),
  ('chest pain', 0.9984893202781677),
  ('Tablet(s', 0.9984655380249023),
  ('Metoclopramide', 0.9984307885169983)])
```

```
tsne_plot(model_word2vec_bc5cdr, np.array(list(model_word2vec_bc5cdr.wv.key_to_index.keys())), 100, 'bc5cdr')
```


t-SNE Visualization of Top 100 Words from Word2Vec (bc5cdr)



Based on Word2Vec similarity and the above plot, BC5CDR appears to capture disease and medication entities well, with a strong emphasis on hypertension-related terms (e.g., Labetalol, hypertension, headache).



BlueBert

t-SNE Visualization For BlueBert

```
# Visualization of notes filtered with SciSpacy using ClinicalBert
import numpy as np
import torch
from sklearn.manifold import TSNE
import string
import matplotlib.pyplot as plt
from transformers import AutoModel, AutoTokenizer, BertModel

# Load the BERT model and tokenizer
model_name = "bionlp/bluebert_pubmed_mimic_uncased_L-12_H-768_A-12"
tokenizer = AutoTokenizer.from_pretrained(model_name)
blue_bert_model = BertModel.from_pretrained('bionlp/bluebert_pubmed_mimic_uncased_L-12_H-768_A-12')
blue_bert_model.eval()

# Set first note as text
doc = nlp_SciSpaCy(patients_df_SciSpaCy['Processed_Text'][0])
corpus=[]
for ent in doc.ents:
    corpus.append(ent.text)
input_text = ' '.join(corpus)

input_tokens = input_text.split()
word_embs = []


for token in input_tokens:
    # Check if the token is a valid word
    if token not in string.punctuation:
        # Encode the token using the BERT model
        inputs = tokenizer(token, return_tensors="pt")
        with torch.no_grad():
            outputs = blue_bert_model(**inputs)
        token_emb = outputs.last_hidden_state.mean(dim=1).squeeze().numpy()
        word_embs.append(token_emb)
```

- This script utilizes **BlueBERT** (bionlp/bluebert_pubmed_mimic_uncased_L-12_H-768_A-12) to extract word embeddings from clinical notes processed with SciSpaCy.
- Named entities are identified and tokenized, then their embeddings are computed using BlueBERT.
- **Only one note was used here because processing all notes with BlueBERT for embedding extraction requires significant time and memory.**
- The embeddings are visualized in a 2D space using t-SNE, highlighting relationships among clinical terms.

```
# Perform t-SNE dimensionality reduction
tsne_model = TSNE(n_components=2, perplexity=10, random_state=42)
word_embs_2d = tsne_model.fit_transform(np.array(word_embs))
print(len(word_embs_2d))
# Create a scatter plot of the word embeddings in 2D space
plt.figure(figsize=(16,12))
for i in range(100):
    plt.scatter(word_embs_2d[i, 0], word_embs_2d[i, 1])
    plt.annotate(input_tokens[i], (word_embs_2d[i, 0], word_embs_2d[i, 1]))

plt.title(f"t-SNE Visualization for BlueBert")
plt.show()
```

343



Based on Word2Vec similarity and the above plot, BlueBert appears to capture medical terms(e.g., Labetalol, hypertension, hemodialysis).



MedSpacy



Custom Rule-Based Entity Extraction with MedspaCy NLP Pipeline

```
# Load MedspaCy NLP pipeline
nlp_medspacy = medspacy.load()

# Add rules for target concept extraction
target_matcher = nlp_medspacy.get_pipe("medspacy_target_matcher")
# Define custom rules for better entity detection
target_rules = [
    TargetRule("hyperlipidemia", "DISEASE"),
    TargetRule("O2", "CHEMICAL"),
    TargetRule("FiO2", "CHEMICAL"),
    TargetRule("hypertension", "DISEASE"),
    TargetRule("hypertensive urgency", "DISEASE"),
    TargetRule("obesity", "CONDITION"),
    TargetRule("cardiac", "DISEASE"),
    TargetRule("SLE", "DISEASE"),
    TargetRule("lupus nephritis", "DISEASE"),
    TargetRule("ESRD", "DISEASE"),
    TargetRule("dialysis", "TREATMENT"),
    TargetRule("hemodialysis", "TREATMENT"),
    TargetRule("SBP", "MEASUREMENT"),
    TargetRule("HR", "MEASUREMENT"),
    TargetRule("TPN", "TREATMENT"),
    TargetRule("Prednisone", "MEDICATION"),
    TargetRule("Lisinopril", "MEDICATION"),
    TargetRule("Labetalol", "MEDICATION"),
    TargetRule("Clonidine", "MEDICATION"),
    TargetRule("Valsartan", "MEDICATION"),
    TargetRule("Sevelamer", "MEDICATION"),
    TargetRule("Atropine", "MEDICATION"),
    TargetRule("Morphine sulfate", "MEDICATION"),
    TargetRule("Diarrhea", "SYMPTOM"),
    TargetRule("Headache", "SYMPTOM"),
    TargetRule("nausea", "SYMPTOM"),
    TargetRule("vomiting", "SYMPTOM"),
    TargetRule("shortness of breath", "SYMPTOM"),
    TargetRule("fever", "SYMPTOM"),
    TargetRule("chills", "SYMPTOM")
]

target_matcher.add(target_rules)
```

- MedSpaCy is a library designed for processing clinical and biomedical text.
- In this code, MedSpaCy is being enhanced by adding custom target rules to better detect specific medical entities such as diseases, treatments, symptoms, and medications in clinical notes.
- Loaded the MedspaCy NLP pipeline. Used the `medspacy_target_matcher` to add custom rules for extracting medical concepts.
- Defined specific target rules to identify entities like diseases (e.g., hypertension), treatments (e.g., hemodialysis), medications (e.g., Lisinopril), symptoms (e.g., headache), and measurements (e.g., SBP).
- Applied these rules to clinical text for improved entity detection.

MedSpacy Visualization Using SciSpaCy-Processed Data

```
for i in range(0, len(patients_df_SciSpaCy)):  
    # Process the shift note  
    doc = nlp_medspacy(patients_df_SciSpaCy['Processed_Text'][i])  
    # visualize  
    visualize_ent(doc)
```

Admission Date 2140 1 19 Discharge Date 2140 1 21 Date Birth 2117 8 7 Sex F Service MEDICINE Allergies Penicillins Attending:[**First Name3 LF 2297 Chief Complaint **headache SYMPTOM** Major Surgical Invasive Procedure **Hemodialysis TREATMENT** History Present Illness Ms.

Known lastname 22 year old female **SLE DISEASE** **lupus nephritis DISEASE** **ESRD DISEASE** HD malignant HTN h/o TTP HOCM presents HA **hypertensive urgency DISEASE** Awoke a.m. 8/10 left sided frontal HA sure d/t flare uveitis started Monday d/t HTN Decided skip HD

come ED evaluation vision changes numbness weakness change gait chest pain SOB + **Diarrhea SYMPTOM** x 1 day ED patient 217/140 elevated 254/152 > received labetalol IV 30 mg x 1 MSO4 4 mg pressures dropped SBPs 208 HA improved Repeat labetalol 50 mg x 1 repeated

dose morphine dropped pressures 193/134 > labetalol gtt started asa given HA **resolved NEGATED_EXISTENCE** Head CT negative intracranial bleed CXR unremarkable ROS cold past week fevers **chills SYMPTOM** CP SOB N/V + **diarrhea SYMPTOM** arrival floor patient BP 191/126

labetalol gtt started sxs HA states compliant meds **mother FAMILY** cooks salt adherent diet **Past Medical History HISTORICAL** 1 Lupus 2134 Diagnosed began swollen fingers rash painful joints 2 **ESRD DISEASE** secondary **SLE DISEASE** 2135 initially cytoxan 1 dose 3 months 2

years began **dialysis TREATMENT** 3 times week 2137 T Th Sat Awaiting living donor transplant mother 3 HTN 2137 Normal BPs run 180's/120 1 hypertensive crisis precipitated seizures past 4 Uveitis secondary **SLE DISEASE** 4 15 5 HOCM Echo 2137 6 Vaginal bleeding 2139 9 20 7

Multple episodes **dialysis TREATMENT** reactions 8 Anemia 9 Coag neg Staph bacteremia HD line infection 6 15 10 H/O UE clot coumadin longer Social History Lives Location 669 mother 16 year old brother Graduated Name2 NI School got sick currently working attending school

Denies NEGATED_EXISTENCE T/E/D. **Family FAMILY** History -No **history HISTORICAL** **SLE DISEASE** -Grandfather HTN -Distant history DM -No history clotting disorders -No **history HISTORICAL** autoimmune diseases Physical Exam Vitals 98.0 173/51 86 15 100 RA HEENT

L eye injected w/periorbital edema R eye reactive w/ EOMI anicteric sclera MMM OP clear Neck supple LAD thyromegaly **Cardiac DISEASE** RRR NL S1 S2 + S4 III/VI systolic ejection murmur LUSB radiating apex axilla intensifies w/ Valsalva rub Lungs CTAB wheezes rhonchi crackles

Abd soft NTND NABS HSM rebound guarding GU CVAT Ext warm 2 + DP pulses C/C/E L femoral **dialysis TREATMENT** catheter Neuro AOx3 CN II-XII intact strength/sensation grossly intact Pertinent Results UA mod bld 100 protein present prior UAs Radiology CXR acute CP

abnormality EKG NSR nml axis nml intervals borderline LAE LVH J point elevation V2,V3 TWI aVL V5 V6 change compared prior 2139 11 26 CT HEAD intracranial hemorrhage Brief Hospital Course A/P Patient 22 year old female **SLE DISEASE** **lupus nephritis DISEASE** **ESRD**

DISEASE HD presents **hypertensive urgency DISEASE** **Hypertensive urgency DISEASE** Unclear precipitant Possibly secondary pain worsening uveitis Compliant meds **Denies NEGATED_EXISTENCE** illicit tox screen negative Patient started labetalol drip ED good BP response

subsequently transitioned PO anti-hypertensives ICU maintenance stable SBPs 150s-170s baseline 170s-190s nephrologist recommendations home **lisinopril MEDICATION** increased 40 mg po bid 40 mg po qd better baseline BP control clinical evidence end organ damage UA difficult

ro POSSIBLE_EXISTENCE interpret setting CRF CE x 1 negative **Headache SYMPTOM** evidence CT intracranial bleed Headaches controlled **morphine sulfate MEDICATION** **resolved NEGATED_EXISTENCE** time discharge Uveitis Followed outpatient optho specialist Optho

consulted patient request **ESRD DISEASE** Secondary **lupus nephritis DISEASE** transplant list Patient received **hemodialysis TREATMENT** house 500 ml ultrafiltrate complications dry weight 45 kg patient Began Sevelamer 800 TID meals Given difficulty interpreting renin

aldosterone levels acutely ill patients drawn need drawn outpatient follow Medications Admission **Lisinopril MEDICATION** 40 mg PO QD **Labetalol MEDICATION** 600 PO TID **Valsartan MEDICATION** 320 mg PO QD **Clonidine MEDICATION** 0.3 mg transdermal QW **Prednisone**

MEDICATION 40 mg PO QD **Atropine MEDICATION** 1 Hospital1 Prednisolone Acetate 1 Q1H Moxifloxacin eye drops qid Lorazepam 1 mg PO Q4 6H PRN Discharge Medications 1 **Labetalol MEDICATION** 200 mg Tablet Sig 3 Tablet PO TID 3 times day Tablet(s 2 **Clonidine**

MEDICATION 0.3 mg/24 **hr MEASUREMENT** Patch Weekly Sig 1 Patch Weekly Transdermal QTHUR Thursday 3 **Atropine MEDICATION** 1 Drops Sig 1 Drop Ophthalmic Hospital1 2 times day 4 Lorazepam 1 mg Tablet Sig 1 Tablet PO Q4 6H 4 6 hours needed 5 **Valsartan**

MEDICATION 160 mg Tablet Sig 2 Tablet PO DAILY Daily 6 Prednisolone Acetate 1 Drops Suspension Sig 1 Drop Ophthalmic Q1H hour 7 **Lisinopril MEDICATION** 40 mg Tablet Sig 1 Tablet PO twice day Disp:*60 Tablet(s Refills:*2 8 **Sevelamer MEDICATION** 800 mg Tablet Sig 1 Tablet

PO TID 3 times day Disp:*90 Tablet(s Refills:*2 9 **Prednisone MEDICATION** 20 mg Tablet Sig 2 Tablet PO day 10 Blood Pressure Kit Kit Sig 1 Kit Miscellaneous day Disp:*1 Kit Refills:*0 Discharge Disposition Home Discharge Diagnosis **Hypertensive urgency DISEASE** Discharge


Condition Good Discharge Instructions blood pressure medications prescribed adhere low-salt diet increased levels sodium drive blood pressure discharged prescription home blood pressure monitor use daily measurements primary care physician Initial PRE systolic blood pressures

t-SNE Visualization of Top 100 Words from Word2Vec (MedSpacy)

```
#Build corpus
corpus_medspacy = build_corpus(patients_df_SciSpaCy, nlp_medspacy)
```

```
from gensim.models import Word2Vec
model_word2vec_medspacy = Word2Vec(corpus_medspacy, min_count=3, window=2, vector_size=100)
```

```
tsne_plot(model_word2vec_medspacy,np.array(list(model_word2vec_medspacy.wv.key_to_index.keys())) , 100, 'MedSpaCy')
```



Based on the plot, MedspaCy shows a higher frequency of terms associated with hypertension, indicating that the model is effectively recognizing and extracting a broader range of hypertension-related entities, such as medications, symptoms, and conditions, from the clinical text.

Conclusion

The MIMIC data, especially the free-text notes, contains a lot of shorthand, misspellings, and extra details like dates and measurements that aren't useful for Named Entity Recognition (NER). Pre-trained models like BlueBERT, BC5CDR, and MedSpaCy, tailored for the medical field and charting terminology, tend to extract more relevant and accurate entities in NER than models like SpaCy and SciSpaCy.