



Alkacon Software GmbH

An der Wachsfabrik 13  
DE - 50996 Köln (Cologne)

Geschäftsführer / CEO  
Alexander Kandzior

Amtsgericht Köln  
HRB 54613

Tel: +49 (0)2236 3826 - 0  
Fax: +49 (0)2236 3826 - 20

<http://www.alkacon.com>  
<http://www.opencms.org>

# **Alkacon Software GmbH**

---

## **Technote**

## **Alkacon OAMP Survey Module**

Version: 1.0.3

Date: Thursday, November 11, 2010

## 1 Table of Content

1	Table of Content .....	2
2	Abstract .....	3
3	General purpose of the Alkacon OAMP Survey Module .....	3
4	Installation .....	3
5	Module usage .....	4
5.1	Alkacon OpenCms Survey .....	4
5.1.1	Creating an Alkacon OpenCms Survey .....	4
5.1.2	Editing an Alkacon OpenCms Survey.....	4
5.1.3	Editing an Alkacon OpenCms Survey Report.....	6
5.2	Additional configuration for the front end view .....	8
6	The report front end view .....	9

## 2 Abstract

This document describes the installation, configuration and usage of the Alkacon OpenCms Add-On Module Package Survey. With the Survey module, it is possible to create and analyze a survey.

Based on the Webform Module, it is possible to create highly configurable survey forms without knowledge of HTML. Once created, configured and published, a survey can be filled out by website visitors. The analysis of the survey can easily be done by creating a survey report.

## 3 General purpose of the Alkacon OAMP Survey Module

The module extends a basic OpenCms installation with the capability to analyze the answers of online input forms. It provides the following features:

- The survey is identical to the web forms of the OAMP Webform Module, only the view is different.
- Every answer, which is filled out from the user in a survey, is taken for the analysis.
- An overview page shows the analysis of all given answers to a survey.
- It is also possible to show every given answer of a user in a detail page.

## 4 Installation

**Note:** To use the Alkacon OAMP Survey module, you need at least OpenCms version 7.0.4. The module is not compatible with older OpenCms versions.

**Note:** The Alkacon OAMP Webform module with the version 1.2.0 or greater is needed.

**Note:** To use the Alkacon OAMP Survey module in a cluster scenario with replication it is recommended to use at least the Alkacon OAMP Webform module with the version 1.4.1.

Step by step installation procedure:

1. Go to the OpenCms Administration view
2. Click "Module Management" and select either "Import Module from Server" if the module was placed in the **WEB-INF/packages/modules/** folder of your OpenCms installation, or select "Import Module with HTTP" to upload the module from your local file system
3. Select the Alkacon OAMP Survey module zip file **com.alkacon.opencms.survey\_1.0.x.zip** to import
4. Check if the jar file **com.alkacon.opencms.survey.jar** has been deployed in the **WEB-INF/lib/** folder after installation
5. Restart your servlet container afterwards

## 5 Module usage

After successful installation of the Survey module, it is ready to use. Surveys can be set up by creating a new resource of the type "Alkacon Survey" and the reports to analyze can be set up by creating a new resource of the type "Alkacon Survey Report".

### 5.1 Alkacon OpenCms Survey

#### 5.1.1 Creating an Alkacon OpenCms Survey

To create a new survey the "new" dialog in OpenCms has to be used:

1. Click "New" in the Top Bar of the OpenCms Workplace.
2. In the following dialog click "Structured content" and then "Continue".
3. Then select "Alkacon Survey" and "Continue".
4. In the following dialog enter the name of the new file and more properties if desired.

→ A new file of type "alkacon-survey" has been created and is visible in the OpenCms Explorer.




Figure 1: The 2nd stage of the new dialog to create an Alkacon OpenCms Survey.

The survey includes two tabulators. The first tab is the survey form, the second tab is the survey report.

#### 5.1.2 Editing an Alkacon OpenCms Survey

In this chapter is described the tabulator "Survey form" in the survey.

The survey is identical to a webform of the OAMP Webform Module, only the view is different. For more information of editing a webform please have a look on the Document "Alkacon\_OAMP\_Webform.pdf" of the OAMP Webform Module.

In the Alkacon OAMP Webform Module following two new options currently can only be used in the Alkacon OAMP Survey Module. And that is why these two options are additionally described

here:

- **Form Field/Field Options:** With this field is to configure the average bar for the numerical values use in the format key=value|key=value ...:
  - showAverage: If the average of numerical values shall be shown, this key is to set to true
  - averageDigits: The number of internal decimal places for the average
  - averageText: The text on the average bar
  - orientation: Per default the average bar is longer all the more average of the numerical values. This key is set to "desc", when the average bar shall be longer all the less average of the numerical values.
- **Expiry date:** This field is currently only used in the Alkacon OAMP Survey Module. There this field is the date/time when the survey should expire.

To generate the survey report, it is required that the data target must be set to "database".

Only following three types are supported through the Alkacon OpenCms Survey Report:

- Checkbox,
- Radio buttons,
- Select box.

In special cases the building of the new view of the survey has to be set up with different HTML-Tags. In this case you can set the property "webformMessage" on the resource with the path of the new properties-file.

For the label you can provide the text which will be shown as the label in the web form. If you want to specify a different name to be stored in the database, the label should be followed by a pipe symbol ("|") and the name of the field in the database. This should be done if you have the survey in different languages and the labels differ in each language.

The default value of every field can be used to specify the single entries separated by the pipe symbol ("|").





Figure 2: Alkacon OpenCms Survey editor.

Please note that you have to insert a “Check page text” under the section “Advanced configuration”. This is needed for showing a text if the user already has submitted the form.

### 5.1.3 Editing an Alkacon OpenCms Survey Report

In this chapter is described the tabulator “Survey report” in the survey.



**Figure 3: Alkacon OpenCms Survey Report editor.**

The following fields are available:

- **Color:** Here you can set up the colors for the bars in the overview page from WebformReports. For every bar a new color is taken.
- **Group:** This field is optional, if it is set then only users in this group can see the detail pages.
- **Average Bar Color:** The color for the average bar
- **Text:** An optional text which is shown above the overview page.
- **Show count:** If selected the numbers of the voted answers are shown, if not selected the counts are not shown.
- **Footer text:** The text displayed under the report.
- **Survey closed:** The text that is displayed on top of the report when the survey is closed.

**Please note that the OpenCms Alkacon Webform or Alkacon Survey must set the transport of the datatarget to „database“.**

## 5.2 Additional configuration for the front end view

To show the survey and the report with the correct styles, some changes in the template are needed. The following lines have to be included in the head of the template:

```
<html>
<head>
...
  <link
    type="text/css"
    rel="stylesheet"
    href="
      <cms:link>
        /system/modules/com.alkacon.opencms.survey/resources/css/webform.css
      </cms:link>"
  />
  <link
    type="text/css"
    rel="stylesheet"
    href="
      <cms:link>
        /system/modules/com.alkacon.opencms.formgenerator/resources/css/webform.css
      </cms:link>"
  />
...
</head>
...
</html>
```




Figure 4: the view of the survey.



## 6 The report front end view

Two views are available: the overview page and the detail page. The overview page takes the results from the database and calculates how much an answer is selected. Please notice that only following field types can be taken:

- Checkbox
- Radio buttons
- Select box

In the overview page it is possible to have an additional average bar for the numerical values (see chapter 5.1.2).




Figure 5: Example for an overview page.

The detail page shows every filled out survey from a user. Here every field is shown.



Figure 6: Example for the detail page.