# **Student Document Management System**

# **System Design**

# 1. Objective

To create a secure, scalable, and maintainable system that allows students to submit their personal and academic documents, enables admins to manage registrations and document approvals, and provides dashboards for all users.

### 2. Problem Statement

Manual document handling is error-prone, insecure, and inefficient. This system aims to:

- Digitally manage student registrations & documents.
- Automate approval workflows for admins.
- Securely store & serve files.
- Provide dashboards & notifications.

# 3. Scope

- Student registration and login
- Profile management
- Upload, resubmit, and download documents
- Admin approval/rejection workflows
- Role-based dashboards
- Secure file storage and access
- Search using filters

# 4. Technology Stack

Layer Technology

Frontend Angular 20, TypeScript

Backend ASP.NET Core Web API 8, C#

Database SQL Server, v19.0

File Storage Local file system

### 4. Architecture

#### 1. Layered Architecture

• Clear separation of concerns:

 $\textbf{Controller} \rightarrow \textbf{Service} \rightarrow \textbf{Repository} \rightarrow \textbf{Storage}$ 

- Controllers handle HTTP requests and responses.
- Services contain business logic.
- Repositories manage database operations.
- Storage layer handles file storage (local).

#### 2. Service-Oriented Web API

- Modular, reusable services for Students, Documents, Approvals, and Dashboard.
- Each service encapsulates a specific domain of functionality.
- Enables scalability and easier maintenance.

### 3. Secure File Serving

- Files are never served via public URLs.
- Download requests pass through API for authentication and authorization checks.
- Only owners (students) or authorized admins can access files.

#### 4. Role-Based Authorization

- Roles: Student, Admin.
- Students can CRUD their profile and own documents.
- Admins can manage students, view and approve/reject documents.
- Enforced via JWT tokens and role guards both in backend and frontend.

# 6. Backend Design

### **6.1 Controllers**

Controller	Responsibilities
AuthController	Login, Registration, Role Creation
StudentsController	Profile CRUD, list/search students for admin
DocumentsController	Upload, list, download, resubmit
ApprovalsController	Approve/reject students & documents, provide remarks
DashboardController	Admin/student dashboard metrics

### **6.2 Services**

StudentService - profile & student listing logic

DocumentService - upload, resubmit, download and list documents

ApprovalService – approve/ reject students and documents

DashboardService - metrics

#### 6.3 Infrastructure

#### IStorageProvider (Local)

- Purpose: Abstracts file storage for flexibility.
- Implementation: Local disk
- **Responsibilities:** Save files, generates unique paths, retrieve files, optional versioning/soft-delete.

### IFileTypeValidator (Security Hook)

- **Purpose:** Ensures only valid files (e.g., PDFs) are uploaded.
- Security Role: Prevents malicious uploads, supports MIME checks, PDF inspection, antivirus hooks.

### **EF Core Repositories**

- Purpose: Encapsulate database operations.
- **Responsibilities:** CRUD for Students, Documents, Admins; filtering, sorting, paging;soft delete/versioning.
- Benefit: Separates DB access from business logic; easier testing.

#### JWT Authentication & Role-Based Authorization

- Authentication: Users receive JWT with ID and role.
- Authorization: Backend checks token and role for each request.
- Roles:
  - Students: manage own profile/documents
  - Admins: manage all students/documents

# 6.4 Security

- Authentication: JWT access
- Role-based Authorization: Student/Admin
- File validation: Client & server-side PDF only, max size enforced

- Secure download: No direct URLs, streamed after authZ checks
- CORS and HTTPS enforced

# 7. Backend APIs

Module	Endpoint	Method	Description
Auth	/auth/login	POST	Login, return JWT & role
Student	/students/register	POST	Student registration
	/students/me	GET	Get own profile
	/students/me/updateprofile	PUT	Update profile
	/students/getallstudents	GET	Admin: list/search students
	/students/{id}/approve	PATCH	Admin: approve student
	/students/{id}/reject	PATCH	Admin: reject student
Documents	/documents/upload	POST	Student uploads document
	/documents/mydocuments	GET	Student lists own docs
	/documents/{id}/resubmit	POST	Student resubmits document
	/documents/{id}/download	GET	Download document (student/admin)
	/documents/student/{id}	GET	Admin: list all documents of a student
	/documents/{id}/approve	PATCH	Admin approves document
	/documents/{id}/reject	PATCH	Admin rejects document
Dashboard	/dashboard/admin	GET	Admin metrics
	/dashboard/student	GET	Student metrics
Admin Ops	/admins	POST	Add new admin

# 7.1 Sample Request and Response

Module	Endpoint	Method	Description	Request Example	Response Example
Auth	/auth/login	POST	Login, return JWT & role	<pre>{ "email": "student@example.com" , "password": "Password123" }</pre>	<pre>{ "token": "jwt_token_here", "role": "Student", "expiresIn": 3600 }</pre>
Student	/students/ register	POST	Student registration	<pre>{ "name":"John Doe","email":"john@ex ample.com","password" :"Password123","dob": "2000-01-01","courseA pplied":"BSc CS" }</pre>	<pre>{ "studentId": 1, "status": "Pending" }</pre>
	/students/ me	GET	Get own profile	Header: Authorization: Bearer <token></token>	<pre>{ "studentId":1,"name":"Joh n Doe","email":"john@exampl e.com","dob":"2000-01-01" ,"courseApplied":"BSc CS","status":"Pending" }</pre>
	/students/m e/updatepro file	PUT	Update profile	<pre>{ "name":"John Doe","dob":"2000-01-0 1","courseApplied":"B Sc CS","address":"123 Street" }</pre>	<pre>{ "message": "Profile updated successfully" }</pre>
	/students/ getallstuden ts	GET	Admin: list/search students	<pre>Header: Authorization: Bearer <admin_token></admin_token></pre>	<pre>[ {   "studentId":1, "name":"Joh   n   Doe", "email":"john@exampl   e.com", "status":"Pending"</pre>

					<pre>,"courseApplied":"BSc CS" } ]</pre>
	/students/ {id}/approve	PATCH	Admin: approve student	{ "registerNumber": "REG12345" }	<pre>{ "message": "Student approved" }</pre>
	/students/ {id}/reject	PATCH	Admin: reject student	<pre>{ "reason": "Incomplete documents" }</pre>	<pre>{ "message": "Student rejected" }</pre>
Documents	/documents/ upload	POST	Student uploads document	Multipart/form-data: file + documentTypeId	<pre>{ "documentId": 1, "status": "Pending" }</pre>
	/documents/ mydocumen ts	GET	Student lists own documents	Header: Authorization: Bearer <token></token>	<pre>[ {   "documentId":1, "fileName"   :"marksheet.pdf", "status"   :"Pending", "uploadedOn":" 2025-08-18T10:00:00Z" } ]</pre>
	/documents/ {id}/resubmit	POST	Student resubmits document	Multipart/form-data: file	<pre>{ "message": "Document resubmitted successfully", "status": "Pending" }</pre>
	/documents/ {id}/downloa d	GET	Download document	Header: Authorization: Bearer <token></token>	Streams PDF file with Content-Disposition: attachment
	/documents/ student/{id}	GET	Admin: list all documents of a student	<pre>Header: Authorization: Bearer <admin_token></admin_token></pre>	<pre>[ { "documentId":1,"fileName" :"marksheet.pdf","status" :"Pending","uploadedOn":" 2025-08-18T10:00:00Z" } ]</pre>
	/documents/ {id}/approve	PATCH	Admin approves document	<pre>{ "remarks": "Verified" }</pre>	<pre>{ "message": "Document approved" }</pre>
	/documents/ {id}/reject	PATCH	Admin rejects document	<pre>{ "remarks": "Blurry scan" }</pre>	<pre>{ "message": "Document rejected" }</pre>

Dashboard	/dashboard/ admin	GET	Admin metrics	<pre>Header: Authorization: Bearer <admin_token></admin_token></pre>	<pre>{ "totalStudents":50, "pendi ngApprovals":5, "uploadedD ocuments":120, "incomplete Profiles":8 }</pre>
	/dashboard/ student	GET	Student metrics	Header: Authorization: Bearer <token></token>	<pre>{ "registrationStatus":"Pen ding","profileCompletion" :80,"pendingDocuments":2, "rejectedDocuments":1,"no tifications":3 }</pre>
Admin Ops	/admins	POST	Add new admin	<pre>{ "name":"Admin One","email":"admin@e xample.com","password ":"Password123" }</pre>	<pre>{ "adminId":1,"message":"Ad min added successfully" }</pre>

# 8. Frontend Design (Angular)

# 8.1 Modules & Components

Module	Components
AdminModule	Dashboard, Student Management, Document Management
StudentModule	Dashboard, Profile Management, My Documents
AuthModule	Login, Register
Shared	Layout, Header, Footer, Guards, Pipes, Directives, Toasts

### 8.2 Angular Services

- AuthService: login, logout, authentication
- StudentService: profile CRUD, list/search
- DocumentService: upload, download, resubmit, approve/reject
- DashboardService: metrics

### 8.3 Guards

- AuthGuard: Protect routes for authenticated users
- RoleGuard: Restrict routes by role (Student/Admin)

## 9. Future Enhancements

- Audit Log / Activity Tracking Track all user and admin actions (login, updates, approvals, rejections).
- Notification System Email/SMS/WhatsApp alerts for application updates, approvals, or missing documents.
- Cloud Storage Integration Store files in Azure/AWS/GCP instead of local server.

# **Data Flow**

#### Overview

### 1. Student Registration & Admin Approval

- Student submits registration form via frontend.
- Frontend sends data to Backend API: POST /StudentAccount/register.
- Backend validates input, creates AspNetUsers record with Status = Pending.
- Frontend shows message: "Registration submitted. Await admin approval."
- Admin reviews pending registrations:
  - o Approve: Student can log in and upload documents.
  - o Reject: Student denied from login.

#### 2. Student Login

- Student can log in even if Status = Pending.
- Backend returns user info and login token.
- Frontend behavior:
  - Approved: full access (profile + document upload).
  - Pending: login allowed but upload blocked; message shown: "Admin approval required."
  - o Rejected: login denied.

### 3. Student Profile & Document Upload (Post-Approval)

- Student fills profile details: FullName, Phone, Address, CourseApplied, etc.
- Student uploads relevant documents (multiple files with DocumentType).
- Frontend calls API: POST /Student/profile-upload (multipart/form-data).
- Backend validates profile info and files.
- Saves files in /Uploads/{studentId}/{yyyy}/{MM}/{GUID}.pdf
- Updates Student table.
- Inserts into Document table (Status = Pending).
- Frontend lists uploaded documents with status (Pending / Approved / Rejected).

### 4. Admin Document Approval / Rejection

- Admin views pending documents.
- Approves or rejects each document:
  - Approve: Status = Approved.
  - Reject: Status = Rejected + Remarks.
- Frontend displays updated status to student.
- Rejected documents can be resubmitted.

### 5. Student Resubmission of Rejected Documents

- Student sees rejected documents with remarks.
- Student re-uploads corrected documents.
- Frontend calls API: POST /Student/profile-upload or PUT /Document/resubmit.
- Backend updates Document table with new file path and Status = Pending.
- Frontend updates document list to Pending.

### **6. Profile Completion Calculation**

- Formula: (Number of required documents uploaded & approved / Total required documents) \* 100%
- Only approved documents count.
- Frontend shows progress bar or percentage.

### 7. Summary

Action	Allowed?	Notes
Student login before approval	Yes	Upload blocked; can view registration status
Upload documents before approval	No	Message shown: "Await admin approval"
Upload documents after approval	Yes	Status = Pending initially
Admin approves registration	Yes	Enables upload & profile edit
Admin approves document	Yes	Status = Approved
Admin rejects document	Yes	Status = Rejected + Remarks; student can resubmit
Resubmit rejected document	Yes	Status = Pending

#### 8. Full Data Flow


#### Student Frontend:

- Register → Backend → AspNetUsers (Status = Pending) → Show: "Await Admin Approval"
- Login → Backend (returns status + token)
  - If Approved → Access Profile & Upload
  - $\circ$  If Pending  $\rightarrow$  Show message; upload blocked
  - If Rejected → Show rejection remarks
- Upload Profile + Documents → Backend → Update Student & Document Tables
- List documents (Pending/Approved/Rejected + Remarks)
- Resubmit Rejected Documents → Backend → Document Table (Status = Pending)


#### Admin Frontend:

- View Pending Registrations → Backend → AspNetUsers Table
- Approve/Reject Registration → Backend → Update Status + Remarks
- $\bullet \quad \text{View Pending Documents} \to \text{Backend} \to \text{Document Table}$
- Approve/Reject Documents → Backend → Update Status + Remarks


# **DATA FLOW DIAGRAM**




### Registration




### Login



### **Uploading Documents**



### **Downloading Documents**



# **Database Design**

### 1.Tables

#### 1. AspNetUsers

Stores user account details (from ASP.NET Identity). Extended with FullName and AccountStatusId to track admission account approval status.

#### 2. Student

Holds student-specific profile details (linked to AspNetUsers), including personal info, course selection, application status, and identity proof.

#### 3. StudentEducation

Stores academic history of each student (Class X, XII, UG, PG, etc.) with institute details, marks, and linked documents (marksheets).

#### 4. Document

Contains uploaded student documents (ID proof, certificates, marksheets, etc.), along with file metadata and approval status.

#### 5. Course

Defines available courses for admission (e.g., B.Sc., B.Com., MBA). Linked with Student table for course selection.

#### 6. IdProofType

Reference table listing valid identity proof types (Aadhar, Passport, Driving License, etc.), used in the Student table.

#### 7. Notification

Stores messages/alerts sent to students (application updates, document verification, approvals, etc.) with read/unread status.

#### 8. StatusMaster

Centralized status lookup table (for User Accounts, Applications, Documents). Contains categories like Pending, Approved, Rejected, Changes Needed.

### 9. AspNetRoles

Stores application roles (e.g., Admin, Student) as part of ASP.NET Identity.

### 10. AspNetUserRoles

Mapping table linking users to their roles. Composite key: (Userld, Roleld).

# 2. Columns

AspNetUsers			
string	string Id		
nvarchar	UserName		
nvarchar	Email		
nvarchar	FullName		
nvarchar	PasswordHash		
int	AccountStatusId	FK	
datetime	CreatedOn		

Student		
int	StudentId	PK
string	Userld	FK
nvarchar	RegisterNo	
date	DOB	
nvarchar	Gender	
nvarchar	PhoneNumber	
nvarchar	AlternatePhoneNumber	
nvarchar	Address	
nvarchar	PermanentAddress	
nvarchar	City	
nvarchar	District	
nvarchar	State	
nvarchar	Pincode	
int	IdProofTypeId	FK
nvarchar	IdProofNumber	
int	Courseld	FK
int	ApplicationStatusId	FK
datetime	CreatedOn	
datetime	UpdatedOn	

StudentEducation			
int	EducationId	PK	
int	StudentId	FK	
nvarchar	EducationLevel		
nvarchar	InstituteName		
int	PassingYear		
decimal	MarksPercentage		
int	DocumentId	FK	
datetime	CreatedOn		
datetime	UpdatedOn		

Document			
int	DocumentId	PK	
int	Studentld	FK	
nvarchar	DocumentType		
nvarchar	FileName		
nvarchar	FilePath		
nvarchar	FileType		
int	FileSizeKB		
int	StatusId	FK	
nvarchar	Remarks		
datetime	UploadedOn		
datetime	ApprovedOn		

Course			
int	Courseld	PK	
nvarchar	CourseName		

IdProofType			
int	IdProofTypeId	PK	
nvarchar	TypeName		

Notification			
int	NotificationId	PK	
int	StudentId	FK	
nvarchar	Message		
bit	IsRead		
datetime	CreatedOn		

StatusMaster			
int	StatusId	PK	
nvarchar	StatusType		
nvarchar	StatusName		

AspNetRoles				
string	ld	PK		
nvarchar	Name			

AspN	AspNetUserRoles				
string	UserId	FK			
string	Roleld	FK			

# 3. Relations

- 1. AspNetUsers  $\rightarrow$  Student
  - One User → One Student (1:1)
    - o Each user account (login identity) corresponds to exactly one student profile.
    - Student.UserId (FK) → AspNetUsers.Id.
- 2. AspNetUsers → AspNetUserRoles
  - One User → Many UserRoles (1:M)
    - A user can have multiple roles.
    - AspNetUserRoles.UserId (FK) → AspNetUsers.Id.
- 3. AspNetRoles → AspNetUserRoles
  - One Role → Many UserRoles (1:M)
    - A role can be assigned to many users.
    - $\circ$  AspNetUserRoles.RoleId (FK)  $\rightarrow$  AspNetRoles.Id.
  - Meaning: This creates a many-to-many between Users and Roles.
- 4. AspNetUsers → StatusMaster
  - Many Users → One Status (M:1)
    - Each user account has a status (Pending, Approved, Rejected).
    - AspNetUsers.AccountStatusId (FK) → StatusMaster.StatusId.

#### 5. Student → StudentEducation

- One Student → Many Educations (1:M)
  - Each student can upload multiple education records (X, XII, UG, PG).
  - StudentEducation.StudentId (FK) → Student.StudentId.

#### 6. Student → Document

- One Student → Many Documents (1:M)
  - A student can upload multiple supporting documents.
  - $\circ$  Document.StudentId (FK)  $\rightarrow$  Student.StudentId.

### 7. StudentEducation → Document

- One Education → One Document (1:1)
  - Each education record can be linked to one uploaded document (marksheet).
  - StudentEducation.DocumentId (FK) → Document.DocumentId.

#### 8. Document → StatusMaster

- Many Documents → One Status (M:1)
  - Each document has a verification status (Pending, Approved, Rejected).
  - Document.StatusId (FK) → StatusMaster.StatusId.

#### 9. Student → Course

- Many Students → One Course (M:1)
  - Each student applies for exactly one course.
  - Student.Courseld (FK) → Course.Courseld.

### 10. Student $\rightarrow$ IdProofType

- Many Students → One IdProofType (M:1)
  - Each student has one type of ID proof (Aadhar, Passport, etc.).
  - $\qquad \qquad \circ \quad \text{Student.IdProofTypeId (FK)} \rightarrow \text{IdProofType.IdProofTypeId}. \\$

#### 11. Student → Notification


- One Student → Many Notifications (1:M)
  - A student can receive multiple system notifications.
  - Notification.StudentId (FK) → Student.StudentId.

#### 12. Student → StatusMaster


- Many Students → One Application Status (M:1)
  - Each student application has a status (Pending, Approved, Changes Needed).
  - $\circ$  Student.ApplicationStatusId (FK)  $\rightarrow$  StatusMaster.StatusId.

# **UI Prototypes**


### **REGISTER PAGE**




### **LOGIN PAGE**





### STUDENT DASHBOARD







# **PROFILE**









### **MY DOCUMENTS**



### **ADMIN DASHBOARD**





### **APPROVE STUDENT REQUEST**



### **APPROVE DOCUMENTS**

Admin Pannel					Logout
Dashboard Approve Student Req Approve Documents Doc Management	SL NO	Student Name Joel Joseph	Register Number ABC2025001	Profile Documents	
	© 2025 Student Document Management system. All Rights Reserved.				





### **DOCUMENT MANAGEMENT**

