

SQL WORKSHEET-4

ANSWERS:

1. `SELECT date(orderDate), COUNT(shippedDate) as shipped_orders,
AVG(shipped_orders) as shipping_avg FROM orders GROUP BY date(orderDate)`
2. `SELECT date(orderDate), COUNT(orderNumber) as tot_orders, AVG(tot_orders)
as
daily_avg FROM orders GROUP BY date(orderDate)`
3. `SELECT productName FROM products WHERE MSRP = MIN(MSRP)`
4. `SELECT productName FROM products WHERE quantityInStock =
MAX(quantityInStock)`
5. `SELECT productName FROM products WHERE productCode = ('SELECT
productCode
FROM orderdetails WHERE quantityOrdered = MAX(quantityOrdered)')`
6. `SELECT customerName from customers WHERE customerNumber = ('SELECT
customerNumber FROM payments WHERE amount = MAX(amount)')`
7. `SELECT customerName, customerNumber FROM customers WHERE city =
'Melbourne' ORDER BY customerNumber`
8. `SELECT customerName FROM customers WHERE customerName like 'n%'`
9. `SELECT customerName FROM customers WHERE phone like '7%' and city =
'LasVegas'`
10. `SELECT customerName FROM customers WHERE creditLimit < 1000 and city =
['LasVegas','Nantes','Stavern']`
11. `SELECT orderNumber FROM orderdetails WHERE quantityOrdered < 10`
12. `SELECT orderNumber FROM orders WHERE customerNumber = ("SELECT
customerNumber FROM customers WHERE customerName like 'n%')"`
13. `SELECT customerName FROM customers WHERE customerNumber = (" SELECT
customerNumber FROM orders WHERE status = 'disputed'")`
14. `SELECT customerName FROM customers WHERE customerNumber = (" SELECT
customerNumber FROM payments WHERE checkNumber like 'h%' and
paymentDate
= '2004-10-19'")`
15. `SELECT checkNumber FROM payments WHERE amount > 1000`