CSC116 Database

A database is an electronically stored, systematic collection of data that can include words, numbers, images, videos, and other types of files.

Column Name	Data Type	Description
patient_id	INT (PRIMARY KEY)	Unique ID for the patient
first_name	VARCHAR(50)	Patient's first name
last_name	VARCHAR(50)	Patient's last name
date_of_birth	DATE	Patient's date of birth
gender	VARCHAR(10)	Gender of the patient
phone_number	VARCHAR(15)	Contact phone number
email	VARCHAR(100)	Email address
address	VARCHAR(255)	Home address
emergency_contact	VARCHAR(100)	Emergency contact person

	patient_id
1	1

3 3

4 4

5 5

Patients

first_name

William

Jeremy

Brandon

last_name

Cohen

Krause

French



gender

Male

Male

Female

email

brownnatalie@yaho

agross@gmail.com

alistephen@yahoo.c

o.com

om

phone_number

+1-921-661-9495x6

218.633.3609x523

113-902-6043x9575

917

address

55125

88400

60463

28265

620 Robinson

Davistown, IN

Valleys Suite 767

317 Tanner Corner

4521 Gabriel Circle Mejiahaven, MD

Lake Selena, WY

date_of_birth

1958-07-22

1976-08-20

1970-11-25

¥ 7K

emergency_contact

Candice Allen

Stephanie Simmons

Jessica Gomez

Column Name	Data Type	Description
doctor_id	INT (PRIMARY KEY)	Unique ID for the doctor
first_name	VARCHAR(50)	Doctor's first name
last_name	VARCHAR(50)	Doctor's last name
specialization	VARCHAR(100)	Medical specialization
phone_number	VARCHAR(15)	Contact phone number
email	VARCHAR(100)	Email address
office_number	VARCHAR(20)	Office room number

Doctors

1	1	Rachael	Hardy	Orthopedics	039.803.8491	elee@henry-barnes. com	Room 866	
2	2	Cynthia	Paul	Cardiology	636-426-1372x5528	jamesalvarez@gmai l.com	Room 725	

phone_number

+1-277-213-2120x0

99

email

com

pennyolson@gmail.

office_number

Room 124

specialization

Pediatrics

doctor_id

first_name

Fernando

last_name

Lopez

Column Name	Data Type	Description			
appointment_id	INT (PRIMARY KEY)	Unique ID for the appointment			
patient_id	INT (FOREIGN KEY)	References Patients(patient_id)			
doctor_id	INT (FOREIGN KEY)	References Doctors(doctor_id)			
appointment_date	DATETIME	Date and time of the appointment			
reason	VARCHAR(255)	Reason for the visit			
status	VARCHAR(20)	Status of the appointment (Scheduled, Completed, Canceled)			

Appointments

appointment_id

patient_id

3

1	1	3	2	2025-01-24 18:33:19	Consultation	Completed
2	2	5	1	2025-01-26 22:59:58	Check-up	Completed
3	3	5	1	2025-01-27 02:54:06	Emergency	Canceled
4	4	4	2	2025-01-07 22:21:14	Follow-up	Completed

appointment_date

2025-01-25

21:46:34

reason

Emergency

status

Scheduled

doctor_id

3

Column Name	Data Type	Description
hospitalization_id	INT (PRIMARY KEY)	Unique ID for the hospitalization
patient_id	INT (FOREIGN KEY)	References Patients(patient_id)
doctor_id	INT (FOREIGN KEY)	References Doctors(doctor_id)
admission_date	DATE	Date of admission
discharge_date	DATE	Date of discharge (nullable if ongoing)
room_number	VARCHAR(10)	Assigned room number
diagnosis	VARCHAR(255)	Initial diagnosis
treatment	TEXT	Treatment details

	hospitalization_id
1	1

Hospitalizations

2

4

patient_id

1

admission_date

2025-01-06

2025-01-01

2025-01-11

discharge_date

room_number

Room 499

Room 362

Room 211

diagnosis

Hypertension

Migraine

Migraine

treatment

Loss among laugh

Wear center then

Almost stock term

might society fact.

explain provide.

easy best pay spend name.

doctor_id

2

3

Column Name	Data Type	Description		
medication_id	INT (PRIMARY KEY)	Unique ID for the medication		
patient_id	INT (FOREIGN KEY)	T (FOREIGN KEY) References Patients(patient_id)		
doctor_id	INT (FOREIGN KEY)	References Doctors(doctor_id)		
medication_name	VARCHAR(100)	Name of the prescribed medication		
dosage	VARCHAR(50)	Dosage instructions		
start_date	DATE	Start date of the medication		
end_date	DATE	End date of the medication		

Medications

3 3

4

medication_id

patient_id

3

4

doctor_id

2

3

1	1	3	2	Aspirin	1 tablet	2025-02-01	2025-02-03
2	2	1	3	Paracetamol	250mg	2025-01-02	2025-01-05

Ibuprofen

Aspirin

medication_name

dosage

250mg

250mg

end_date

2025-01-14

2025-01-19

start_date

2025-01-02

2025-01-18

Column Name	Data Type	Description			
bill_id	INT (PRIMARY KEY)	Unique ID for the bill			
patient_id	INT (FOREIGN KEY)	References Patients(patient_id)			
total_amount	DECIMAL(10, 2)	Total amount due			
billing_date	DATE	Date of billing			
payment_status	VARCHAR(20)	Status of payment (Paid, Pending, Overdue)			
insurance_provider	VARCHAR(100)	Insurance company name (if applicable)			

Billing

2

3

3

	bill_id	patient_id	total_amount	billing_date	payment_status	insurance_provider	
1	1	5	349.26	2025-01-01	Pending	HealthCare Inc.	

2025-01-16

2025-01-28

2025-01-30

Paid

Pending

Pending

LifeSecure

LifeSecure

HealthCare Inc.

411.07

556.8

118.32

4

4

5

-- Create Patients table

```
CREATE TABLE Doctors (
CREATE TABLE Patients (
                                                      doctor id INT AUTO INCREMENT
  patient_id INT AUTO_INCREMENT PRIMARY KEY,
                                                    PRIMARY KEY,
  first name VARCHAR(50) NOT NULL,
                                                      first name VARCHAR(50) NOT NULL,
  last name VARCHAR(50) NOT NULL,
                                                      last name VARCHAR(50) NOT NULL,
  date of birth DATE NOT NULL,
                                                      specialization VARCHAR(100),
  gender VARCHAR(10),
                                                      phone number VARCHAR(15),
  phone number VARCHAR(15),
                                                      email VARCHAR(100),
  email VARCHAR(100),
                                                      office number VARCHAR(20)
  address VARCHAR(255),
                                                    );
  emergency contact VARCHAR(100)
);
```

SQL

SQL is a standard language for storing, manipulating and retrieving data in databases.

Query Delete Insert Update

Query

```
select * from patients;
select * from docters;
select (patient_id, gender, email) from patients;
```

reason, appointment_id, patient_id

Question 1: Query appointment table shows the

DISTINCT

Question 2:

SELECT DISTINCT medication_name, dosage FROM medications;

SELECT DISTINCT medication_name FROM medications;

Where

```
SELECT * FROM Customers
WHERE Country='Mexico';

SELECT * FROM Customers
WHERE Country='Mexico' or Country='USA';
```

I want to know all the female patients.

Question 3:

AND, OR, NOT

```
SELECT * FROM Customers
WHERE NOT Country = 'Spain';

SELECT * FROM Customers
WHERE Country='Mexico' or Country='USA';
```

I want to know a female patient and her

emergence contact named Jordan Yang.

Question 4:

Insert

INSERT INTO table_name (column1, column2, column3,

VALUES (value1, value2, value3, ...);

INSERT INTO table name

VALUES (value1, value2, value3, ...);

INSERT INTO Customers (CustomerName, City, Country) VALUES ('Cardinal', 'Stavanger', 'Norway');

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
89	White Clover Markets	Karl Jablonski	305 - 14th Ave. S. Suite 3B	Seattle	98128	USA
90	Wilman Kala	Matti Karttunen	Keskuskatu 45	Helsinki	21240	Finland
91	Wolski	Zbyszek	ul. Filtrowa 68	Walla	01-012	Poland
92	Cardinal	null	null	Stavanger	null	Norway

Delete All Records

It is possible to delete all rows in a table without deleting the table. This means that the table structure, attributes, and indexes will be intact:

```
DELETE FROM table name;
```

DELETE FROM Customers WHERE CustomerName='Alfreds Futterkiste';

Question 5:

I want to delete a patient whose email equals to 'agross@gmail.com'

Update

```
UPDATE Customers
```

```
SET ContactName = 'Alfred Schmidt', City=
'Frankfurt'
```

WHERE CustomerID = 1;

Question 6:

I want to update a patient whose email equals to 'agross@gmail.com', his first name actually is Kevin

SQL JOIN

A JOIN clause is used to combine rows from two or more tables, based on a related column between them.

OrderID	CustomerID	OrderDate
10308	2	1996-09-18
10309	37	1996-09-19
10310	77	1996-09-20

CustomerID	CustomerName	ContactName	Country
1	Alfreds Futterkiste	Maria Anders	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mexico

SELECT Orders.OrderID, Customers.CustomerName,
Orders.OrderDate

FROM Orders INNER JOIN Customers ON Orders.CustomerID=Customers.CustomerID;

OrderID	CustomerName	OrderDate
10308	Ana Trujillo Emparedados y helados	9/18/1996

Database Types

Relational Databases (RDBMS):

- Use structured tables with rows and columns.
- Support SQL (Structured Query Language) for data management.
- **Examples:** MySQL, Oracle Database, Microsoft SQL Server.

NoSQL Databases:

- Designed for unstructured or semi-structured data.
- Include different models like document, key-value, column-family, and graph.
- Examples:
 - Document: MongoDB, CouchDB.
 - Key-Value: Redis, DynamoDB.
 - Column-Family: Cassandra, HBase.
 - Graph: Neo4j, ArangoDB.

	patient_id	first_name	last_name	date_of_birth	gender	phone_number	email	address	emergency_contact
1	1	Robert	Roberts	1951-09-26	Female	001-680-793-5427	larrysherman@peck -williamson.com	70240 Sherman Harbors Apt. 751 Hoffmanbury, CT 39049	Sarah Obrien
2	2	Karen	Moore	1964-03-25	Male	(494)464-4132x654 3	osmith@yahoo.com	0143 Davis Stravenue Port Denise, WA 55125	Jordan Yang
3	3	William	Cohen	1958-07-22	Male	+1-921-661-9495x6 917	brownnatalie@yaho o.com	317 Tanner Corner Lake Selena, WY 88400	Candice Allen
4	4	Jeremy	Krause	1976-08-20	Male	218.633.3609x523	agross@gmail.com	4521 Gabriel Circle Mejiahaven, MD 60463	Stephanie Simmons
5	5	Brandon	French	1970-11-25	Female	113-902-6043x9575 6	alistephen@yahoo.c om	620 Robinson Valleys Suite 767 Davistown, IN 28265	Jessica Gomez

Name: Jack

Age: 25

Condition: Cold


Name: Li Si

Age: 30

Condition: High Blood Pressure

Allergies: Penicillin

Decentralized Database IPFS



Security problems in Databases

- Authentication & Authorization: Passwords, biometrics, role-based access (e.g., nurses accessing only their patients' records).
- **Encryption:** Scrambling data (e.g., SSL for online forms).
- Backups & Recovery: Regular backups to prevent data loss.
- Audits: Tracking access logs to detect breaches.

Thanks