ezRA - Easy Radio Astronomy - ezCon

- Nov-25-2022

ezRA - Easy Radio Astronomy https://github.com/tedcline/ezRA

The ezCon program is a data CONdenser, which reads one or more frequency spectrum data .txt files, processes the data to better reveal the Galactic hydrogen information, and creates one condensed data .ezb file, and perhaps one Galaxy data *Gal.npz file. Along the way, ezCon creates many plot image files and perhaps 2 text files to study.

.ezb Data File Column Numbering

That human-readable .ezb condensed data output file has a few header lines, followed by one long line for each recorded data sample. Each long line has 20 ragged columns of numbers, separated by one space character.

The "coordinate" columns 0 through 9 are unrelated to the radio of the sample:
TimeUtcMjd, RAH, DecDeg, GLatDeg, GLonDeg, VLSR, Count, Spare1, Spare2

Spare1 and Spare2 are experimentally redefined as Azimuth and Elevation.

The remaining 11 "signal" columns document the processing of the radio samples. The last 10 "signal" columns are 5 signal pairs of the signal sample's average value, followed by its signal sample's maximum value. The 2 unprocessed (maybe filtered) signals are in columns 10 through 13:

AntAvg, AntMax, RefAvg, RefMax


The 3 processed signals are in columns 14 through 19:

AntBAvg, AntBMax, AntRBAvg, AntRBMax, AntXTVTAvg, AntXTVTMax Throughout ezRA, these 10 signals use this order, and are conveniently numbered using 0 through 9. Each of the 5 signals use its own color for plot traces.

And then there is column 9 with the unusual processed signal, AntXTVTCmDop, which tracks the center-of-mass of the Doppler shift of the AntXTVT signal.

ezCon Data Flow


Here is simplified diagram of the data flow inside the ezCon program.



Starting at the top left, ezCon reads .txt data files, filters the Raw data samples, and separates them into Antenna (Ant) samples and Reference (Ref) samples.

Continuing at center left, ezCon uses those Ant and Ref samples to create the AntB and AntRB signals. It then selects AntB (default) or AntRB, and creates AntXT, AntXTV, and AntXTVT signals. All to better reveal Galactic hydrogen emission and the information it contains. Default values for the many options provide guidance.

Here is a more complete diagram of the data flow inside the ezCon program.



This ezCon program diagram reveals more program controls, and the output .ezb file column numbers.

ezCon Plot File List

Each ezCon plot image filename starts with "ezCon", followed by a 3-digit number, followed by a brief description, followed by ".png". The first plot filename is "ezCon001raw.png".

The ezCon plot files are organized into groups. The groupings allows the -ezConPlotRangeL arguments to speed execution by creating only the related plots that are wanted.

The ezCon0Nx plot files are colorful heatmaps of frequency spectra, using color to indicate relative power values, where N is the 0-9 signal number (plotting sample spectrum frequency by sample number). The Max plots also mark each vertical sample's maximum value with a green dot, and mark the maximum value of those maximums with a yellow dot. Ideally, those green maximum dots track the weak hydrogen signal, but sometimes they mark stronger noise.

ezCon001raw.png	- filtered Raw sample spectra, Ant and Ref mingled
ezCon002antRaw.png ezCon007ant.png ezCon017antMax.png	unfiltered Ant sample spectrafiltered Ant sample spectrafiltered Ant sample spectra, with dots on spectrum maximum
ezCon027ref.png ezCon037refMax.png	filtered Ref sample spectrafiltered Ref sample spectra, with dots on spectrum maximum
ezCon047antB.png ezCon057antBMax.png	- AntB sample spectra- AntB sample spectra, with dots on spectrum maximum
ezCon061antRA.png ezCon067antRB.png ezCon077antRBMax.png	- AntRA sample spectra (calculation step toward AntRB)- AntRB sample spectra- AntRB sample spectra, with dots on spectrum maximum
ezCon081antXT.png ezCon082antXTV.png ezCon087antXTVT.png ezCon097antXTVTMax.png	 - AntXT (from AntB, AntRA, or AntRB) spectra, freq Trimmed - AntXTV sample spectra, VLSR Velocity corrected - AntXTVT sample spectra, frequency Trimmed - AntXTVT sample spectra, with dots on spectrum maximum

The ezCon1NN plot files are 2-dimensional plots of values related to samples, where NN is generally the output condensed data .ezb file 0-19 column number (plotting value by sample number). These include coordinate values (such as time, declination, or VLSR), and signal values (such as Ant, Ref, or AntRB). Identify problem samples with the ezConStudy*.txt file, which records the samples that have the maximum, minimum, and greatest change values, for each of 10 signals.

- UTC MJD time of sample (fractional days)

ezCon100timeUtcMjd.png

- Right Ascension of sample (hours) ezCon101raH.png ezCon102decDeg.png - Declination of sample (degrees) ezCon103gLatDeg.png - Galactic Latitude of sample (degrees) ezCon104gLonDeg.png - Galactic Longitude of sample (degrees) ezCon105vlsr.png - VLSR of sample (km/sec) ezCon110antAvg.png - filtered Ant averaged spectrum values ezCon111antMax.png - filtered Ant maximum spectrum values ezCon112refAvg.png - filtered Ref averaged spectrum values - filtered Ref maximum spectrum values ezCon113refMax.png ezCon114antBAvg.png - AntB averaged spectrum values - AntB maximum spectrum values ezCon115antBMax.png - AntRB averaged spectrum values ezCon116antRBAvg.png ezCon117antRBMax.png - AntRB maximum spectrum values - AntXTVT averaged spectrum values ezCon118antXTVTAvg.png ezCon119antXTVTMax.png - AntXTVT maximum spectrum values ezCon191sigProg.png - summary of ezCon110-ezCon119 plots - Azimuth sample values (degrees) ezCon198azimuth.png ezCon199elevation.png - Elevation sample values (degrees) ezConStudy*.txt - text max, min, and fastest-changing value, sample number, for 10 signals The ezCon2Nx plot files are 2-dimensional plots of values related to samples, revealing the processing of the Galactic hydrogen information, where N is generally the output condensed data .ezb file 0-19 column number (plotting value by sample number). These include raw, separated, and processed data (such as time between Raw or Ant samples, Ant, Ref, AntRA, AntXT). Some of these ezCon2xx plots present the same information as some of the ezCon1xx plot files.

ezCon201ArawAvg.png ezCon201GrawAntRef.png

- unfiltered Raw spectrum average values
- unfiltered Raw spectrum average values, with Ant and Ref dots

 $ez Con 201 Htime Utc Mjd DBetween Raw.png \\ ez Con 201 Itime Utc Mjd DBetween Ant.png \\ ez Con 201 Jtime Utc Mjd DBetween Ref.png$

- time between Raw samples (seconds)
- time between Ant samples (seconds)
- time between Ref samples (seconds)

ezCon202antRawAvg.png ezCon207antAvg.png ezCon217antMax.png

- unfiltered Ant spectrum average values
- filtered Ant spectrum average values (like ezCon110)
- filtered Ant spectrum maximum values (like ezCon111)

 $\begin{array}{l} ez Con 227 ref Avg.png \\ ez Con 237 ref Max.png \end{array}$

- filtered Ref spectrum average values (like ezCon112)
- filtered Ref spectrum maximum values (like ezCon113)

ezCon241antBaseline.png ezCon247antBAvg.png ezCon257antBMax.png

- AntBaseline values (calculation step toward AntB)
- AntB spectrum average values (like ezCon114)
- AntB spectrum maximum values (like ezCon115)

ezCon261antRAAvg.png ezCon262antRABasAvg.png ezCon267antRBAvg.png ezCon277antRBMax.png

- AntRA spectrum average values (calculation step toward AntRB)
- AntRABas values (calculation step toward AntRB)
- AntRB spectrum average values (like ezCon116)
- AntRB spectrum maximum values (like ezCon117)

ezCon281antXTAvg.png ezCon282antXTVAvg.png ezCon287antXTVTAvg.png ezCon297antXTVTMax.png

- AntXT spectrum average values, chosen and Trimmed
- $\mbox{\sc Ant}\mbox{\sc XTV}$ spectrum average values, VLSR Velocity corrected
- AntXTVT spectrum average , freq Trimmed (like ezCon118)
- AntXTVT spectrum maximum values (like ezCon119)

The ezCon3Nx plot files are 2-dimensional plots of values by frequency, averaged or maximized across all samples, where N is generally the 0-9 signal number (plotting value by frequency). These include raw and separated and processed signal data (such as rawRaw, filtered Raw, Ant, Ref, AntRA, AntXT).

ezCon301rawByFreqBinAvg.png - averaged Raw spectrum, Ant and Ref mingled ezCon302antRawByFreqBinAvg.png - averaged unfiltered Ant spectrum ezCon307antByFreqBinAvg.png - averaged filtered Ant spectrum ezCon317antByFreqBinMax.png - maximized filtered Ant spectrum ezCon327refByFreqBinAvg.png - averaged filtered Ref spectrum ezCon337refByFreqBinAvg.png - maximized filtered Ref spectrum ezCon347antBByFreqBinAvg.png - averaged AntB spectrum ezCon357antBByFreqBinAvg.png - maximized AntB spectrum ezCon361antRAByFreqBinAvg.png - averaged AntRA spectrum (step toward AntRB) ezCon367antRBByFreqBinAvg.png - averaged AntRB spectrum ezCon377antRBByFreqBinMax.png - maximized AntRB spectrum ezCon381antXTByFreqBinAvg.png - averaged AntXT spectrum ezCon382antXTVByFreqBinAvg.png - averaged AntXTV spectrum ezCon387antXTVTByFreqBinAvg.png - averaged AntXTVT spectrum ezCon388antXTByFreqBinAvgRfi.png - rotated ezCon387 to identify fregBin values ezCon397antXTVTByFreqBinMax.png - maximized AntXTVT spectrum

If the data includes Galactic plane crossings, the ezCon5xx plot files are various plots of Galactic plane hydrogen gas velocity information. Many ezCon690 plot files are possible, each displaying a spectrum for a particular 1-degree Galactic Longitude. The ezCon511velGLonCount.txt file is a scorecard of which 1-degree Galactic Longitude Galactic plane spectra are recorded.

ezCon510velGLon.png - Galactic crossing corrected spectra vs 1-degree GLongitude ezCon511velGLonCount.png - Count of Galactic crossing spectra vs 1-degree GLongitude ezCon511velGLonCount.txt - text Count of Galactic crossing spectra vs 1-degree GLongitude ezCon520velGLonPolar.png - Galactic crossing corrected spectra vs GLongitude, Polar ezCon521velGLonPolarCount.png - Count of Galactic crossing spectra vs GLongitude, Polar - count of Galactic crossings, Declination vs Galactic Longitude ezCon530galDecGLon.png ezCon541velGLonEdges.png - min and max freq of Galactic crossing spectrum vs GLongitude ezCon550galRot.png - Galactic rotation speed vs Galactic radius ezCon560antXTVTMaxIdxGLon - index of antXTVTMax vs Galactic Longitude ezCon690gLonDegP180_*ByFreqBinAvg.png - spectrum for one Gal crossing at a 1-degree GLon


77	$\boldsymbol{\pi}$	7777	$\tau \pi$	##	TTT:	$\pi\pi$	-77	$\pi\pi$	-77	777	77	t = t	***	$\boldsymbol{\pi}$	$\tau \tau$	$\tau \tau \tau$	77	77	$\boldsymbol{\pi}$	$\pi \tau$	77	77	$\tau \tau \tau$	t = t	77	-77	***	77:	π_{7}	77	77	77	$\boldsymbol{\pi}$	$\boldsymbol{\pi}$	$\tau \tau$	$\tau \tau$	$\tau \tau \tau$	77	$\boldsymbol{\pi}$	77	$\tau \tau$	77	777	77	77	$r \tau \tau$	77	$\pi \tau$	$\tau \pi$	177	77	$\pi \tau$	$\tau \pi$	777	$\boldsymbol{\pi}$	$\tau \pi$	t + t	77
77	$\boldsymbol{\pi}$	7777	$\tau \tau \tau$	##	+++	$_{m}$	-77	HH	-77	777	77	t = t	***	$\boldsymbol{\pi}$	$\tau \tau$	$\tau \tau$	-	77	$\boldsymbol{\pi}$	$\boldsymbol{\pi}$	77	77	$\tau \tau$	t = t		-77	***	77:	$\boldsymbol{\pi}$	77	77		77	$\boldsymbol{\pi}$	$\tau \tau$	77	$r \tau \tau$	-	$\boldsymbol{\pi}$	77	$\tau \tau$	-	777	77	77	777	77-	$\boldsymbol{\pi}$	$\tau \tau \tau$	***	-	$\boldsymbol{\pi}$	$\tau \tau \tau$	77	$\boldsymbol{\pi}$	$\tau \tau \tau$	t + t	-
#	##	***	77	##	+++	HH	-++-	HH	-	11 1	77	+++	**	#	##	++	+++	**	#	#1	77	++	++	† ††	+++	-77	**	₩.	# 1	##	++	+++	#	#	##	++	+++	**	#	##	++	**	#	##	++	+++	#	##	† †I	+++	++-	##	† †I	+++-	##	† †I	+++	11
#	##	##	##	##	#	##	#	##	#	##	##	##	#	#	41	#	#	#	#	##	##	#	#	##	#	#	#	#	#1	##	#	#	#	#	##	#	#	#	#	##	#	#	#	##	#	#	#:	##	##	#	#	##	##	#	##	##	##	#
#	##	***	77	##	+++	HH	-++-	HH	-	11 1	77	+++	**	#	##	++	+++	**	#	#1	77	++	++	† ††	+++	-77	**	₩.	# 1	##	++	+++	#	#	##	++	+++	**	#	##	++	**	#	##	++	+++	#	##	† †I	+++	++-	##	† †I	+++-	##	† †I	+++	-
#	##	##	##	##	#	##	#	##	#	##	##	##	#	#	4#	#	#	#	#	##	##	#	#	##	#	#	#	#	#1	##	#	#	#	#	##	#	#	#	#	##	#	#	#	##	#	#	#:	##	##	#	#	##	##	#	##	##	##	#
				##																																																						
#	##	***	77	##	+++	HH	-	HH	-	11 1	77	+++	**	#	##	++	+++	**	#	#1	77	++	++	† ††	+++	-77	**	₩.	# 1	##	++	+++	#	#	##	++	+++	**	#	##	++	**	#	##	++	+++	#	##	† † †	+++	++-	##	† † †	+++-	##	† † †	+++	-
77	$\boldsymbol{\pi}$	7777	$\tau \tau \tau$	##	+++	$_{m}$	-77	HH	-77	777	77	t = t	***	$\boldsymbol{\pi}$	$\tau \tau$	$\tau \tau$		77	$\boldsymbol{\pi}$	$\boldsymbol{\pi}$	77	77	$\tau \tau$	t = t		-77	***	77:	$\boldsymbol{\pi}$	77	77		77	$\boldsymbol{\pi}$	$\tau \tau$	77	$r \tau \tau$	-	$\boldsymbol{\pi}$	77	$\tau \tau$	-	777	77	77	777	77-	$\boldsymbol{\pi}$	$\tau \tau \tau$	***	-	$\boldsymbol{\pi}$	$\tau \tau \tau$	77	$\boldsymbol{\pi}$	$\tau \tau \tau$	t + t	_
77	$\boldsymbol{\pi}$	7777	$\tau \pi$	##	TTT:	$\pi\pi$	-77	$\pi\pi$	-77	777	77	t = t	***	$\boldsymbol{\pi}$	$\tau \tau$	$\tau \tau$	77	77	$\boldsymbol{\pi}$	$\pi \tau$	77	77	$\tau \tau$	t = t	77	-77	***	77:	π_{7}	77	77	77	$\boldsymbol{\pi}$	$\boldsymbol{\pi}$	$\tau \tau$	$\tau \tau$	$\tau \tau \tau$	77	$\boldsymbol{\pi}$	77	$\tau \tau$	77	777	77	77	$r \tau \tau$	77	$\pi \tau$	$\tau \pi$	177	77	$\pi \tau$	$\tau \pi$	777	$\boldsymbol{\pi}$	$\tau \pi$	t + t	77

Blah, blah, blah ...


I continue exploring how to reduce the pesky day-to-day and minute-to-minute gain variation of our Radio Astronomy data.

My May-5-2020 "RA Status #15" talked about needing 3 inputs: Antenna signal, Calibrator signal, and local Temperature data. Within 3 hours of emailing that, I found I did not need the Temperature data.

My simpler system can record a noisy dish antenna signal,



and post-process it to something cleaner, with much less gain variation,




AntB

AntB is Ant minus the average of those dull (unused) top 60 Ant frequency bins and bottom 60 Ant frequency bins as a baseline in time.

AntB(f, t) = Ant(f, t) - AntBaseline(t)

AntB is interesting, but needs more processing,



Note how that removes the time (horizontal) variability.


AntCA

AntCA is Ant divided by Cal, for each frequency and time.

The Feed-Calibrator resistor is about 290 Kelvin hot, so I multiply by 290.

$$AntCA(f, t) = 290 * Ant(f, t) / Cal(f, t)$$

AntCA is a stepping stone for AntCB later,



Note how that removes much of the frequency (vertical) variability.


AntCB

AntCB is combination of the methods above.

AntCB is AntCA minus the average of those dull top 60 AntCA frequency bins and bottom 60 AntCA frequency bins as a baseline in time.

AntCB(f, t) = AntCA(f, t) - AntCABaseline(t)
=
$$290 * Ant(f, t) / Cal(f, t)$$
 - AntCABaseline(t)


AntCB looks good,



Much better, at least for the interesting 1420 MHz hydrogen signal in the middle frequencies.

But to plot the radio sky, I want signal strength as a function only of time.

Averaging the frequency bins in the plots above, as a function of time yields,



In this 3 day drift scan example,

At the top, the ORANGE Cal input data of the warm feed calibrator averaged about 1144.

Next, the BROWN Ant input data of the cold sky (Azimuth=227.9, Elevation=38.9, Declination= 0.6) averaged about 689.

The bottom BLUE AntCB output line (not the same scale) has more signal, and less gain variation than the brown Ant input. Note the galactic outer and inner arm signal peaks, repeating 3 times.