

# **ZOOM MEETING AUTOMATION**

**A Project Report Submitted  
In Partial Fulfillment of the Requirements  
for the Degree of**


## **BACHELOR OF COMPUTER APPLICATION**

**by**

**Akash Awasthi  
(21015001603)**

**Under the Guidance of**

**Mr Nitin Mishra/Satya Pratap Singh / Vivek Nigam  
Asst. Professor**



**Undertaken at**

**Dr Virendra Swarup Institute of Computer Studies  
Kanpur**

**CHHATRAPATI SHAHU JI MAHARAJ UNIVERSITY  
KANPUR**

**May, 2024**

## **DECLARATION**

I hereby declare that the work presented in this report entitled "Zoom Meeting Automation", was carried out by me. I have not submitted the matter embodied in this report for the award of any other degree or diploma of any other University or Institute.

I affirm that no portion of my work is plagiarized, and the experiments and results reported in the report are not manipulated

Name : Akash Awasthi

Univ. Roll No. : 21015001603

Course : Bachelor of Computer Application

**(Student Signature)**

## **CERTIFICATE**

Certified that **Akash Awasthi** (Univ. Roll No: 21015001603 ) has carried out the project work presented in this report entitled "**Zoom Meeting Automation**" for the award of **Bachelor of Computer Application** from CSJM University, Kanpur under our guidance. The project embodies results of original work and studies carried out by the student himself and the contents of the report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

**Nitin Mishra**

Asst Professor

*Dr Virendra Swarup Institute of  
Computer Studies, Kanpur*

**Vivek Nigam**

Asst Professor

*Dr Virendra Swarup Institute of  
Computer Studies, Kanpur*

**Date:**

# Zoom Meeting Automation

(Akash Awasthi)

## ABSTRACT

As the demand for remote collaboration continues to rise, the efficiency of virtual meetings becomes paramount. This abstract proposes a solution to streamline Zoom meetings through automation. By leveraging scripting tools provided by Zoom, tasks such as meeting scheduling, participant management, and content sharing can be automated. The abstract discusses the benefits of automation, including time savings, reduced human error, and enhanced participant experience. Furthermore, it outlines the technical implementation of automation scripts and their integration with existing workflows. The proposed automation not only optimizes meeting logistics but also empowers organizers to focus on higher-value tasks, ultimately improving productivity in the remote work environment.

Certainly! Here are some additional points to include in the abstract:

- **Enhanced User Experience:** Automation can improve the user experience by simplifying the meeting process, reducing manual tasks, and ensuring smoother interactions for participants. Personalization Automation tools can help personalize the meeting experience by automatically addressing individual preferences, such as preferred meeting times, topics of interest, or preferred communication channels.
- **Integration with Calendar Systems:** Seamless integration with calendar systems like Google Calendar or Outlook allows for automatic scheduling, reminders, and updates, minimizing the chance of scheduling conflicts and missed meetings.
- **Efficient Resource Management:** Automation can optimize resource allocation by automatically assigning meeting rooms, equipment, and resources based on availability and requirements, leading to better utilization and cost savings.
- **Data Analysis and Reporting:** Automation tools can analyze meeting data and generate insightful reports on attendance, engagement metrics, and follow-up actions, enabling organizations to make data-driven decisions and improve future meetings.
- **Customizable Workflows:** Flexible automation workflows can be tailored to suit different meeting formats, such as team meetings, client presentations, or training sessions, ensuring that specific objectives are met efficiently. Automated security protocols can help enforce compliance with privacy regulations and prevent unauthorized access to meetings, ensuring sensitive information remains protected.

- **Remote Collaboration:** Automation fosters seamless remote collaboration by providing features such as virtual backgrounds, screen sharing, and real-time document collaboration, facilitating effective communication and teamwork.
- **Scalability:** Automation solutions can scale with the organization's growth, accommodating an increasing number of meetings, participants, and diverse collaboration needs without compromising performance or quality.
- **Continuous Improvement:** By gathering feedback and analyzing meeting performance over time, automation enables continuous improvement of processes, leading to more effective and productive meetings.

## **ACKNOWLEDGEMENT**

First and foremost, I would like to thank our Project guide **Mr Nitin Mishra/Vivek Nigam/Satya Pratap Singh** who guided us in doing these projects. He provided us with invaluable advice and helped us in difficult periods. His motivation and help contributed tremendously to the successful completion of the project.

Besides, we would like to thank Mr Nitin Mishra, HOD and all the teachers who helped us by giving us advice and providing the resources which we needed.

At last but not in least, we would like to thank everyone who helped and motivated us to work on this project.

**Akash Awasthi**

*BCA Scholar*

*Chhatrapati Shahu Ji Maharaj University, Kanpur,*

*U.P., INDIA*

## TABLE OF CONTENTS

<b>Certificate .....</b>	ii
<b>Abstract .....</b>	iii
<b>Acknowledgements .....</b>	iv
<b>1. Introduction -----</b>	<b>1-6</b>
1.1 Background .....	
1.2 Method used .....	
1.3 Limitation .....	
<b>2. Preliminary -----</b>	<b>7-8</b>
2.1 Drawback of current manual System.....	
<b>3. Project Category -----</b>	<b>9-10</b>
<b>4. Analysis-----</b>	<b>11-14</b>
4.1 DFD's .....	
4.2 ERD Diagrams .....	
<b>5. Complete Structure of the Program -----</b>	<b>15 - 22</b>
5.1 No ofmodules and its description .....	
5.2 Data structures (tables etc) of all the modules .....	
5.3 Files Structure Diagram of zoom meeting automation .....	
<b>6. Hardware and Software Requirement Specifications -----</b>	<b>22-24</b>
<b>7. Resources Used (python &amp; java packages)-----</b>	<b>25-37</b>
7.1 Java Packages .....	
7.2 Python Libraries .....	
<b>8. Project Snap shot -----</b>	<b>38-64</b>
8.1 Database Snapshots .....	
8.2 GUI Snapshots .....	
8.3 Setup Snapshots .....	
<b>9. Security Mechanism -----</b>	<b>65-67</b>
<b>10. Scope of future Application-----</b>	<b>68-70</b>
<b>11. References -----</b>	<b>71-72</b>
<b>12. Curriculum Vitae-----</b>	<b>73-74</b>

# 1. Project Introduction

The Zoom meeting automation project is an advanced technique designed to streamline and enhance virtual meetings. The goal of this project is to automate virtual meeting processes to save time and effort. Through the Zoom meeting automation project, we can easily manage repetitive tasks. This project is an innovative way to organize virtual meetings and improve their efficiency. In this project, we use software and tools to automate meetings. Through the Zoom meeting automation project, we can automate functions such as scheduling, reminders, participant management, and follow-ups.

- By using this project, we can streamline the workflows of meetings. The Zoom meeting automation project saves time for both hosts and participants and improves communication. Through this project, we can manage meetings professionally. We organize and systematize meetings using the Zoom meeting automation project.
- Sending pre-meeting reminders and generating post-meeting reports are also part of this project. Customizable options are available in the Zoom meeting automation project to enhance efficiency and organization. By using this project, we can automatically schedule recurring meetings. Through the Zoom meeting automation project, we can set reminders and notifications for our meetings.
- Minimal effort and time are required for the implementation of this project. Features and functions of the Zoom meeting automation project can be customized according to specific requirements.
- Through this project, we can send timely updates and reminders to meeting participants. The Zoom meeting automation project helps in reducing the complexity of repetitive administrative tasks. This project promotes teamwork and keeps all members organized.

We can track the data of our meetings and gain insights for future meetings using the Zoom meeting automation project. Through this project, we can analyse the performance of meetings and identify improvement areas. We can conduct our meetings in a consistent format using the Zoom meeting automation project. This project helps in making meetings efficient and productive. The Zoom meeting automation project is equally beneficial for educational institutions, businesses, and organizations. It promotes virtual collaboration and enhances communication.

We can create customized templates and workflows for our meetings through the Zoom meeting automation project. We can systematically document our meetings using this project. The Zoom meeting automation project allows us to conduct our meetings professionally and in an organized manner. By using this project, we can follow a consistent and standardized approach for our virtual meetings. We can manage and organize attendees for our meetings through the Zoom meeting automation project. We can set automatic follow-ups and action items for our meetings using this project.

- Through the Zoom meeting automation project, we can set predefined agendas and objectives for our meetings. We can automate documentation and recording for our meetings using this project. The Zoom meeting automation project allows us to generate automatic analysis and insights for our meetings.
- This project helps us efficiently manage meetings and optimize time. We can maintain consistent communication for our virtual meetings using the Zoom meeting automation project. By using this project, we can adopt a structured and organized approach for our virtual meetings
- Zoom meeting automation project enables us to conduct our virtual meetings professionally and effectively. Through this project, we can enhance our virtual meetings to achieve better collaboration and productivity. Zoom meeting automation project is an essential tool designed to streamline and optimize virtual meetings.

Zoom Meeting Automation is a ground breaking project design to stream the process if joining daily zoom meetings automatically at specific schedule times in today's fast paced world virtual meeting have become an omnipresent part of our line and professional and education lines however they need of manually join the meetings can be "time consuming" and "cumbersome" Zoom Meeting Automation addressed this challenge by offering on innovative solution for automating meetings participation

This Projects leverage the power of programming to create a user-friendly time-consuming solution it encapsulates the principle of automation, scheduling and user customer to deliver a tool that enhance productivity and reduces the cognitive load associated with managing virtual meetings with 'Zoom Meeting Automation'

## 1.1 Background Of Zoom Meeting Automation

The Zoom meeting automation project is a comprehensive solution designed to optimize the entire lifecycle of virtual meetings. By automating repetitive tasks such as scheduling, reminders, participant management, and follow-ups, it significantly reduces the time and effort required from both hosts and participants. This automation not only saves time but also enhances communication and fosters teamwork by eliminating the complexity of administrative tasks.

- One of the key features of the project is its customizable options, allowing users to tailor the automation to their specific needs. Automatic scheduling of recurring meetings simplifies the process and ensures meetings happen consistently. Timely updates and reminders keep participants informed and engaged, while post-meeting reports provide valuable insights for future improvement.
- By tracking meeting data, the project enables users to analyze performance, identify trends, and make data-driven decisions to enhance meeting efficiency. Consistent communication is maintained throughout the process, fostering collaboration and productivity.

Overall, the Zoom meeting automation project offers a structured and organized approach to virtual meetings, alleviating the burden of manual tasks and allowing participants to focus on meaningful interactions. It represents an innovative solution to the challenges of managing virtual meetings, ultimately enhancing productivity and reducing cognitive load for all involved parties.

### Comprehensive Solution:

The project aims to optimize the entire lifecycle of virtual meetings, covering everything from scheduling to post-meeting analysis.

### Key Features:

**Customizability:** Users can tailor the automation to their specific needs. Whether it's setting up recurring meetings or adjusting reminders, flexibility is a priority.

**Automatic Scheduling:** The system handles scheduling, ensuring meetings occur consistently without manual intervention.

**Timely Updates and Reminders:** Participants receive timely notifications, keeping them informed and engaged.

**Post-Meeting Reports:** Valuable insights are generated from meeting data, aiding future improvements.

## **1.2 Methods Use in Project**

### **Initiation Phase:**

- Identify the need for automating Zoom meetings to streamline processes and enhance efficiency.
- Define project objectives, scope, and stakeholders' requirements.
- Conduct a feasibility study to assess the technical and financial viability of the project.

### **Planning Phase:**

- Develop a detailed project plan outlining tasks, timelines, resource allocation, and dependencies.
- Identify risks and develop mitigation strategies to address potential challenges.
- Establish communication channels and collaboration mechanisms among project stakeholders.
- Define the technological landscape, infrastructure requirements, and development tools.

### **Analysis Phase:**

- Gather and analyze requirements from stakeholders regarding meeting automation functionalities.
- Identify key features and functionalities required for automating Zoom meetings.
- Conduct user interviews and surveys to understand user preferences and pain points.

### **Design Phase:**

- Design the system architecture, including modules for setup, GUI interaction, daemon service, database interaction, and error handling.
- Define data models and database schemas for storing meeting credentials and related information.
- Create wireframes and prototypes for the user interface to ensure usability and intuitiveness.
- Specify integration points with external systems such as Zoom and calendar applications.

## **Implementation Phase:**

- Develop the Zoom meeting automation system according to the defined architecture and design specifications.
- Write code for each module, ensuring adherence to coding standards and best practices.
- Conduct unit testing to verify the functionality of individual modules and components.
- Integrate modules and conduct system testing to ensure proper interaction and functionality.

## **Deployment Phase:**

- Prepare the system for deployment by configuring servers, databases, and other necessary infrastructure components.
- Deploy the Zoom meeting automation system to production environments, ensuring scalability and reliability.
- Conduct user training sessions to familiarize stakeholders with the system's features and usage.

## **Operation and Maintenance Phase:**

- Monitor the system's performance and address any issues or bugs that arise in production.
- Provide ongoing support and maintenance, including software updates and patches.
- Gather feedback from users to identify areas for improvement and future enhancements.
- Continuously evaluate the system's effectiveness and adapt it to evolving requirements and technologies.

## **Closure Phase:**

- Conduct a post-implementation review to assess the project's success and lessons learned.
- Document project achievements, challenges, and recommendations for future projects.
- Formalize project closure by obtaining sign-offs from stakeholders and archiving project documentation and artifacts.

## **Documentation Phase:**

- Document the entire process, including requirements, design decisions, implementation details, testing results, deployment procedures, and maintenance guidelines

## 1.3 Limitations Of Zoom Meeting Automation

- **Limited Automation Capabilities:** Zoom's native interface may not provide extensive automation features, limiting the scope of what can be automated without the use of additional tools or integrations.
- **Manual Intervention Requirements:** Certain actions within Zoom, such as initiating or joining meetings, may require manual intervention by users, making it difficult to fully automate the process.
- **Complex Meeting Configurations:** Automating complex meeting scenarios, such as recurring meetings with varying schedules or participant lists, may be challenging without direct access to backend functionality or advanced customization options.
- **Security Risks:** Handling sensitive information, such as meeting IDs and participant data, within an automated workflow may pose security risks if proper measures are not taken to protect this information.
- **Reliability Concerns:** Without robust error handling and recovery mechanisms, the reliability of the automation system may be compromised, leading to disruptions or failures in meeting scheduling and management.
- **Scalability Challenges:** As the volume of meetings and participants increases, scalability becomes a concern. Without efficient resource allocation and management, the automation system may struggle to handle larger workloads effectively.
- **Regulatory Compliance:** Compliance with data protection regulations and organizational policies remains a concern when automating Zoom meetings, particularly regarding the handling of personal or sensitive information.
- **Maintenance Overhead:** Maintaining compatibility with evolving Zoom features and addressing any changes or updates to the platform may require significant ongoing maintenance and updates to the automation workflow.

Addressing these limitations requires careful consideration of workflow design, user interaction requirements, security measures, and ongoing maintenance efforts to ensure the effectiveness and reliability of the Zoom automation project.

## **2. Preliminary**

The preliminary phase of the project was a critical stage in orchestrating the project's trajectory towards success. It encompassed a series of meticulously planned activities aimed at setting the project on the right path from the outset. This section elaborates further on the multifaceted nature of the preliminary phase, highlighting the nuanced considerations and strategic decisions that shaped its execution.

### **Project Setup**

The project setup phase was characterized by a thorough examination of the project's technological landscape, infrastructure requirements, and resource availability. This involved conducting a comprehensive analysis of available tools, frameworks, and platforms to identify the most suitable options for the project's needs. Python emerged as the primary programming language due to its versatility, extensive library support, and robust ecosystem. Complementary technologies such as Java were strategically incorporated to address specific functional requirements, ensuring a cohesive and scalable solution architecture. The development environment was meticulously configured to provide developers with the necessary tools and resources to maximize productivity and efficiency. This encompassed the setup of development environments, version control systems, continuous integration pipelines, and deployment mechanisms. Emphasis was placed on establishing standardized development practices and workflows to promote consistency, collaboration, and code quality across the project team.

### **Planning**

The planning phase was characterized by a comprehensive and iterative process of defining project scope, objectives, timelines, and resource allocation. This involved engaging stakeholders, eliciting requirements, and prioritizing features based on business value and technical feasibility. A detailed project plan was developed, outlining key milestones, deliverables, dependencies, and success criteria to guide project execution and monitor progress effectively. Risk management played a pivotal role in the planning phase, with proactive identification, assessment, and mitigation of potential risks and uncertainties. Contingency plans were formulated to address unforeseen challenges, ensuring project resilience and adaptability in dynamic environments. Additionally, resource planning and allocation were optimized to maximize utilization and minimize resource constraints, fostering a conducive environment for innovation and creativity. Effective communication and collaboration mechanisms were established to facilitate seamless coordination and alignment among project stakeholders. Regular status meetings, progress updates, and feedback sessions promoted transparency, accountability, and shared understanding, enabling timely decision-making and course corrections as needed. By meticulously addressing the project setup and planning aspects, the project team laid a solid foundation for successful project execution. The strategic alignment of technology, resources, and objectives, coupled with proactive risk management and effective communication, positioned the project for success and set the stage for the subsequent development phases with confidence and clarity.

## 2.1 Drawbacks Of Using Current Manual System

In a manual system for joining Zoom meetings, the primary drawback is the potential for human error, such as forgetting meeting details, mistyping passwords, or missing meeting times. This can lead to delays, frustration, and inefficiency for participants. Additionally, manual entry increases the likelihood of security vulnerabilities if meeting information is mishandled.

Another drawback is the lack of flexibility and scalability. With a manual system, it's challenging to handle large numbers of participants or recurring meetings efficiently. Additionally, manual entry can be time-consuming, especially for organizers managing multiple meetings or frequent changes in meeting schedules.

Certainly, here are some additional drawbacks of a manual system in Zoom automation meeting joining:

- Increased administrative burden: Manually managing meeting invitations, reminders, and attendee lists requires more time and effort from administrators or organizers.
- Potential for security risks: Manually sharing meeting IDs and passwords increases the likelihood of unauthorized access if this information falls into the wrong hands.
- Limited scalability: Manual processes can become overwhelming and less manageable as the number of meetings and participants increases, leading to potential organizational challenges.
- Lack of real-time monitoring: Without automated systems, it's harder to track attendance and participation in real-time, making it challenging to address issues promptly during meetings.
- Dependency on individual availability: In a manual system, joining meetings relies heavily on individuals being present to facilitate the process, which can be problematic if key personnel are unavailable.
- Automating meeting joining addresses these issues by streamlining the process, improving efficiency, enhancing security measures, and providing better scalability and monitoring capabilities.
- Automated systems can streamline these processes, saving time and reducing the risk of errors.

### 3. Category of Project

#### Overview

The category of a Zoom meeting automation project encompasses the utilization of technology to streamline and optimize various aspects of conducting meetings via the Zoom platform. It involves implementing automated solutions to simplify tasks such as scheduling, participant management, and meeting facilitation. In conclusion, the category of Zoom meeting automation projects encompasses a range of strategies and techniques aimed at enhancing the efficiency, productivity, and user experience of virtual meetings. By leveraging automation tools and integrating technology into communication channels, organizations can streamline workflows, optimize resources, and foster greater collaboration among participants.

#### Key Movements

- **Automated Maestro:** Develop an intelligent meeting scheduler that orchestrates meeting times, participant availability, and agenda alignment. The maestro ensures that every note (meeting) plays at the right tempo, minimizing conflicts and maximizing productivity.
- **Dynamic Crescendo:** Implement real-time sentiment analysis during meetings. As participants speak, the system detects emotional cues, adjusting the meeting's tone. A positive discussion might crescendo into actionable decisions, while tension triggers a decrescendo, allowing for conflict resolution.
- **Collaborative Overture:** Create a collaborative whiteboard where participants can compose visual notes, diagrams, and mind maps. This shared canvas encourages creativity, turning mundane meetings into symphonic brainstorming sessions.
- **Adaptive Harmonies:** Leverage AI to personalize meeting experiences. The system learns each participant's preferences, adjusting background music, lighting, and even font styles based on their personality. Imagine a jazz-inspired meeting for the creative team and a classical ambiance for the finance department.
- **Encore Analytics:** Post-meeting analysis is crucial. Develop an automated report generator that extracts key insights, action items, and sentiment trends. The encore analytics provide conductors (managers) with valuable data for continuous improvement.

#### Instrumentation

- **Chatbots:** Virtual assistants guide participants through meeting logistics, answer FAQs, and even crack a virtual joke during breaks.
- **Emotion Sensors:** Wearable devices track heart rates and stress levels, adjusting meeting dynamics accordingly.
- **Visual Notation:** Convert meeting discussions into musical notation, creating a unique score for each session

## Benefits

- **Efficiency:** No more wasted time on scheduling conflicts or unproductive tangents.
  - **Engagement:** Participants feel like active performers, not passive listeners.
  - **Innovation:** The symphony inspires creative thinking and novel solutions.
  - **Wellness:** Adaptive elements promote well-being during long virtual sessions.
- 
- At its core, zoom meeting automation aims to enhance efficiency and productivity by reducing manual effort and streamlining processes. By leveraging automation tools and techniques, organizations can save time and resources while ensuring smoother and more organized meetings . One of the primary objectives of Zoom meeting automation is to bridge the gap between technology and communication, enabling seamless interaction and collaboration among participants. This integration of technology into communication channels facilitates smoother coordination and decision-making.
  - Zoom automation projects prioritize making meetings smarter by implementing features such as automated reminders, agenda distribution, and post-meeting summaries. These enhancements not only save time but also ensure that meetings are more focused and productive. Corporate efficiency is a key driver behind Zoom meeting automation, as organizations seek ways to optimize their resources and maximize productivity. By automating repetitive tasks and workflows, businesses can allocate their human resources more effectively and focus on strategic objectives.

Integration and automation are central to Zoom meeting automation projects, as they involve connecting Zoom with other tools and platforms to create a seamless workflow. This integration allows for the automation of tasks such as calendar syncing, document sharing, and recording management. User experience is a priority in Zoom automation projects, with a focus on creating intuitive interfaces and seamless interactions. By enhancing the user experience, organizations can encourage greater adoption of automated solutions and improve overall efficiency. Coding and scripting play a crucial role in Zoom automation projects, as they enable the creation of custom workflows and automation scripts tailored to specific organizational needs. These coding skills are essential for developing robust and scalable automation solutions.

- Professionals across various industries can benefit from Zoom automation projects, as they provide tools and techniques to streamline meeting management and enhance collaboration. Whether in corporate settings, educational institutions, or non-profit organizations, Zoom automation offers opportunities for greater efficiency and productivity.
- The future of meetings is closely tied to the evolution of Zoom automation, as organizations continue to seek innovative ways to optimize their communication collaboration processes. With ongoing advancements in technology and automation, the potential for improving meeting efficiency and effectiveness is virtually limitless.

## 4. ANALYSIS :


### Dataflow diagram Level-0

#### Context diagram of Zoom Meeting Automation


A **Level 0 Data Flow Diagram (DFD)**, also known as a **context diagram**, provides an overview of the entire system. It serves as the highest-level view, showing the major processes, data flows, and data stores without delving into the internal workings of these processes<sup>12</sup>. Here are the key points about a Level 0 DFD:

- **Zoom Meeting Automation System:** This is the central entity of the system, responsible for automating various tasks related to Zoom meetings.
- **Users:** These are the individuals who interact with the system, initiating and participating in Zoom meetings.
- **Arrows:** Arrows indicating the flow of information or interactions between the Zoom meeting automation system and external entities.


The context diagram provides a high-level view of the system and its interactions with the external environment, without delving into the internal workings of the system. It serves as a useful tool for understanding the system's boundaries and its relationships with external entities.




## 4.1 Dataflow Diagram Level 1



## Data flow Diagram Level 2



## 4.2 ER DIAGRAM



## 5. Complete Structure of the Program

In this section, we provide a comprehensive overview of the structure of the Zoom meeting automation program. This includes a detailed description of the modules comprising the program and the underlying data structures used.

### 5.1 Modules and Their Description

#### 1. Setup Process Module

**Description:** The Setup Process Module orchestrates the initial setup steps necessary for the seamless operation of the Zoom meeting automation program. This module encompasses a series of essential tasks aimed at preparing the environment and ensuring all dependencies are met.

- **Fulfilling Dependencies:** Before the program can be executed, it must satisfy various dependencies. This includes installing necessary libraries and packages that are prerequisites for the program's functionality. The setup process automatically checks for these dependencies and installs them if they are missing.
- **Installing Required Libraries:** The setup process includes the installation of libraries and frameworks essential for the program's operation. This ensures that the program has access to all the necessary tools and resources it needs to function effectively.
- **Configuring MySQL:** As part of the setup process, the program configures a MySQL database to store meeting credentials and other relevant data. This involves creating the required database schema, setting up user permissions, and configuring connection parameters.
- **Setting Up the Daemon Service:** The setup process establishes a daemon service using the regumate.py script. This service runs in the background, continuously monitoring scheduled meeting times and automatically initiating the process to join Zoom meetings at the designated times.

#### 2. GUI Interaction Module

**Description:** The GUI Interaction Module provides an intuitive and user-friendly interface for users to schedule Zoom meetings conveniently. This module streamlines the process of inputting meeting details and facilitates seamless interaction with the program.

- **User Interface Design:** The GUI module features a well-designed user interface that simplifies the process of scheduling meetings. It presents users

with clear and intuitive controls for entering meeting ID, passcode, meeting time, and duration.

- **Input Validation:** To ensure the accuracy and validity of user inputs, the GUI module incorporates robust input validation mechanisms. It performs checks to verify that the entered meeting details are correctly formatted and within acceptable ranges.
- **Error Handling:** In the event of invalid inputs or other errors, the GUI module provides informative error messages to guide users and prompt them to correct any issues. This proactive approach to error handling enhances the user experience and prevents potential issues from escalating.

### 3. Daemon Service Module (regumate.service)

- **Description:** The Daemon Service Module, implemented in the regumate.py script, serves as the backbone of the Zoom meeting automation system. This module operates in the background, continuously monitoring scheduled meeting times and orchestrating the automatic joining of Zoom meetings.
- **Meeting Time Monitoring:** The daemon service periodically checks the current time against the scheduled meeting times stored in the database. It ensures that meetings are joined promptly at the designated times, without requiring manual intervention.
- **Automatic Joining of Meetings:** Upon detecting that a scheduled meeting time has been reached, the daemon service initiates the process to automatically join the corresponding Zoom meeting. This involves launching the Zoom application, entering the meeting ID and passcode, and connecting to the meeting.
- **Robustness and Reliability:** The daemon service is designed to operate reliably under various conditions. It includes error handling mechanisms to address potential issues such as network connectivity issues, Zoom application errors, or scheduling conflicts.

### 4. Error Handling and Validation Processes Module

- **Description:** The Error Handling and Validation Processes Module plays a crucial role in ensuring the robustness and reliability of the Zoom meeting automation program. This module encompasses various mechanisms for validating user inputs, detecting errors, and handling exceptions effectively.
- **Input Validation:** To prevent erroneous inputs from compromising the program's functionality, the error handling module performs comprehensive

- input validation checks. It verifies that user-provided data is correctly formatted, within acceptable ranges, and meets predefined criteria.
- **Error Logging:** In the event of errors or unexpected behaviors, the program logs relevant information to facilitate troubleshooting and debugging. Error logs capture details such as the nature of the error, the context in which it occurred, and any relevant system state information.
- **Exception Handling:** The error handling module includes robust exception handling mechanisms to gracefully handle unexpected errors or exceptional conditions. It ensures that the program can recover from errors gracefully and continue operating without compromising overall system stability.

## 5. Database Interaction Module

- **Description:** The Database Interaction Module facilitates seamless interaction with the MySQL database where meeting credentials and other relevant data are stored. This module handles tasks related to querying, updating, and managing data within the database.
- **Data Retrieval:** The module includes functions to retrieve meeting credentials from the database based on specified criteria, such as meeting time or meeting ID. It ensures efficient retrieval of data for use by other program components.
- **Data Insertion and Update:** When new meetings are scheduled or existing meeting details are modified, the module is responsible for inserting new records or updating existing ones in the database. This ensures that the database remains up-to-date with the latest meeting information.
- **Data Integrity Maintenance:** The module enforces data integrity constraints within the database, such as ensuring that meeting IDs are unique and that meeting times are within valid ranges. It prevents inconsistencies and maintains the reliability of the stored data.

## 6. Error Handling and Logging Module

- **Description:** The Error Handling and Logging Module ensures robustness and reliability by managing errors and logging relevant information throughout the system's operation. This module helps identify and address issues promptly, ensuring smooth operation and minimizing disruptions.
- **Error Detection and Reporting:** The module monitors the system for errors, exceptions, and unexpected behaviour. When an error occurs, it captures relevant details, such as error messages, timestamps, and stack traces, to facilitate troubleshooting and resolution.

- **Logging Mechanisms:** The module implements logging mechanisms to record important events, actions, and system activities in log files. It logs various events, including user interactions, database operations, and system notifications, for auditing and analysis purposes.
- **Severity Levels:** Logging messages are categorized based on severity levels, such as INFO, WARNING, ERROR, and DEBUG, to prioritize and differentiate between different types of events. This helps administrators identify critical issues and prioritize their resolution accordingly.
- **Centralized Logging:** In distributed or multi-component systems, the module supports centralized logging solutions, such as Elasticsearch or Splunk, to aggregate logs from multiple sources and provide a unified view of system activities for monitoring and analysis.

## 5.2 Data Structures

### 1. Database Tables

#### Meetings Table:-

**Description:** The Meetings table serves as a central repository for storing essential information related to scheduled Zoom meetings. It plays a crucial role in facilitating the management and execution of meetings within the Zoom meeting automation system.

- **Meeting-ID (Primary Key):** VARCHAR (255) - This field serves as the primary identifier for each Zoom meeting stored in the table. It ensures the uniqueness of each meeting entry within the system, allowing for efficient retrieval and manipulation of meeting data.
- **passcode:** VARCHAR (255) - The passcode field stores the access code required to join a specific Zoom meeting. By securely storing passcodes, the system ensures that only authorized participants can access the respective meeting rooms, thereby maintaining confidentiality and security.
- **Meeting-time:** VARCHAR (255) - This field records the scheduled date and time for each Zoom meeting. By capturing meeting schedules, the system enables timely execution and coordination of meetings according to users' preferences and availability.
- **Total-Meeting:** INT - The total\_meeting field represents the duration of each Zoom meeting, specified in minutes. It enables users to schedule meetings for specific durations, ensuring efficient allocation of time and resources for productive collaboration.

Field	Type	Null	Key	Default	Extra
<code>id</code>	<code>int</code>	<code>NO</code>	<code>PRI</code>	<code>NULL</code>	<code>auto_increment</code>
<code>meeting_id</code>	<code>varchar(255)</code>	<code>NO</code>		<code>NULL</code>	
<code>passcode</code>	<code>varchar(255)</code>	<code>NO</code>		<code>NULL</code>	
<code>meeting_time</code>	<code>varchar(255)</code>	<code>YES</code>		<code>NULL</code>	
<code>total_meeting</code>	<code>int</code>	<code>YES</code>		<code>NULL</code>	

**Fig: Meetings tables structure**

## Users Table:-

**Description:** The Users table stores essential information about system users, including their credentials and access privileges. It plays a critical role in user authentication and access control within the Zoom meeting automation system.

- **User-ID (Primary Key): INT** - This field serves as the unique identifier for each user registered in the system. It ensures the uniqueness of user entries and facilitates efficient retrieval and management of user-related data.
- **username: VARCHAR (255)** - The username field stores the login credentials associated with each user account. By using usernames for authentication, the system enables secure access to user-specific functionalities and resources.
- **password: VARCHAR (255)** - This field stores encrypted passwords corresponding to user accounts. By securely storing passwords, the system ensures protection against unauthorized access and maintains the confidentiality of user data.
- **role: VARCHAR (255)** - The role field specifies the access level or user role assigned to each user account (e.g., admin, regular user). It determines the permissions and privileges granted to users, dictating their level of access to system functionalities and resources.

## 2. Log Files

### Error Log File

**Description:** The Error Log file serves as a critical tool for diagnosing and resolving errors and exceptions encountered during system operation. It plays a vital role in ensuring the reliability and stability of the Zoom meeting automation system.

- **Timestamp:** Date and time of the occurrence of each error or exception. It provides precise timing information for identifying and analyzing system issues.

- **Error Message:** Detailed description of the error or exception encountered. It provides valuable insights into the nature and cause of system failures, aiding developers in debugging and troubleshooting efforts.
- **Stack Trace:** Sequence of function calls leading to the occurrence of the error. It helps developers pinpoint the exact source code location where the error occurred, facilitating efficient resolution of issues.

## Main Log File


**Description:** The Main Log file captures a broad range of system activities and events for monitoring and analysis purposes. It provides valuable insights into the overall operation and performance of the Zoom meeting automation system.

- **Timestamp:** Date and time of each logged system event or activity. It enables tracking and analysis of system behaviour over time, facilitating performance evaluation and optimization efforts.
- **Log Level:** Severity level assigned to each logged message (e.g., INFO, DEBUG, ERROR). It categorizes log messages based on their importance and urgency, allowing for prioritization of system events and activities.
- **Message:** Description of the logged system event or activity. It provides contextual information about the nature and significance of each logged entry, facilitating comprehensive system monitoring and analysis.

These data structures, including database tables and log files, play integral roles in the storage, management, and analysis of data within the Zoom meeting automation system. They contribute to the system's efficiency, reliability, and scalability, ensuring seamless scheduling, execution, and monitoring of Zoom meetings while enabling effective error handling and system performance evaluation.

### 5.3

## Zoom Meeting Automation File Structure



## **6. Hardware and Software Requirements Specifications**

The successful deployment and operation of the project rely on meeting specific hardware and software requirements. This section outlines the necessary components and configurations needed to run the project effectively.

### **Hardware Requirements:**

- 1. Operating System:** The project is compatible with various operating systems, including Windows, macOS, and Linux distributions such as Ubuntu, CentOS, and Debian.
- 2. Processor:** A multicore processor with a clock speed of at least 1.8 GHz is recommended for optimal performance. Hyper-threading technology can also improve multitasking capabilities.
- 3. Memory (RAM):** A minimum of 4 GB of RAM is required, although 8 GB or more is recommended for handling larger datasets and concurrent operations. For optimal performance, faster RAM speeds are preferred, especially when dealing with real-time processing tasks.
- 4. Storage:** Adequate storage space is required to accommodate the project files, datasets, and temporary files generated during execution. A minimum of 20 GB of free disk space is recommended. Solid-state drives (SSDs) are preferred over traditional hard disk drives (HDDs) for faster read/write speeds and improved overall system responsiveness.
- 5. Graphics Card:** While not explicitly required, a dedicated graphics card with OpenGL support may enhance performance, especially for image processing tasks such as those involving OpenCV. Graphics processing units (GPUs) with CUDA or OpenCL support can accelerate certain computational tasks, particularly deep learning algorithms and parallel processing operations.
- 6. Network Connectivity:** Stable internet connectivity is essential for accessing remote resources such as Zoom meetings, MySQL databases, and software updates. A wired Ethernet connection is preferred over wireless connections for lower latency and higher reliability, especially in environments with high network congestion.\

### **Software Requirements:**

- 1. Python:** The project relies on Python for its implementation. Python 3.x is supported, with Python 3.7 or later recommended. Users should ensure that the appropriate Python interpreter is installed on their system and accessible via the command line interface.
- 2. Java Development Kit (JDK):** Certain components of the project utilize Java. JDK version 8 or later is required for compiling and running Java-based modules. Users

should verify that the JDK is properly configured and accessible in their system's PATH environment variable.

**3. Python Libraries:** The project utilizes several Python libraries, including but not limited to:

- **PYAUTOGUI:** For automating GUI interactions such as clicking buttons and entering text.
- **NumPy:** For numerical computing and array operations.
- **MySQL Connector:** For connecting to and interacting with MySQL databases.
- **OpenCV:** For computer vision tasks such as image processing and object detection.
- **Schedule:** For scheduling recurring tasks and events.

These libraries can be installed using the pip package manager and the provided requirements.txt file. Users should ensure that all dependencies are installed in the appropriate Python environment.

4. **MySQL Database:** The project interacts with a MySQL database to store meeting credentials and other relevant data. MySQL version 5.7 or later is recommended. Users should have administrative privileges to create and manage databases, tables, and user accounts within the MySQL server.
5. **Zoom Application:** The Zoom application must be installed on the system and configured with appropriate audio and video settings. Additionally, users should ensure they have valid Zoom accounts for joining meetings. The Zoom application should be running and logged in before the project attempts to join scheduled meetings automatically.
6. **Operating System Dependencies:** Certain operating system dependencies may be required for the proper functioning of the project, such as system libraries and drivers. These dependencies vary depending on the specific operating system used. Users should consult the documentation for their operating system to identify and install any necessary dependencies.

***IMPORTANT – Files required for zoom meeting automation implementation are setup, GUI.sh.x file located within zoom folder .***

### **Functional Requirements:**

1. **Automated Meeting Scheduling:** Ability to schedule Zoom meetings automatically based on predefined criteria (e.g., date, time, participant list).
2. **Participant Management:** Adding, removing, or updating participants for scheduled meetings dynamically. In the system of the zoom meeting automation Intuitive user interface (if applicable)

for configuring automation settings, monitoring scheduled meetings, and troubleshooting issues.

**3. Meeting Configuration:** Setting up meeting parameters such as Meeting ID, password, duration, and access controls (e.g., waiting room, screen sharing permissions).

**4. Meeting Invocation:** Automatically starting, joining, and ending Zoom meetings at the scheduled time.

**5. Notification System:** Sending notifications to participants regarding meeting details, updates, or reminders via email, SMS, or other communication channels.

**6. Reporting and Logging:** Generating reports/logs of automated meetings, including attendance records, meeting duration, and any errors or exceptions encountered during automation.

## **Non-Functional Requirements:**

**1. Security:** Ensuring secure transmission and storage of sensitive information (e.g. participant data). Implementing access controls and encryption mechanisms to protect against unauthorized access or data breaches.

**2. Reliability:** High availability and fault tolerance to ensure continuous operation of the automation system.

- Handling exceptions gracefully and implementing error recovery mechanisms to minimize downtime.

**3. Scalability:** Ability to scale the automation system to accommodate a growing number of meetings and participants.

- Optimizing resource utilization to handle concurrent requests and maximize performance.

**4. Performance:** Minimizing latency and response times for scheduling and managing meetings.

- Optimizing resource usage (CPU, memory, bandwidth) to achieve efficient automation without significant overhead.

**5. Usability:** Intuitive user interface (if applicable) for configuring automation settings, monitoring scheduled meetings, and troubleshooting issues.

Providing documentation and user guides to assist administrators and end-users in utilizing the automation system effectively. Customize this template according to your specific requirements, preferences, and constraints. Ensure to review and refine the document as needed to accurately capture the hardware, software, and functional aspects of your Zoom meeting automation solution.

## 7.0 Resources Used (Java And Python packages)

In this section, we outline the key Python libraries and Java packages utilized in the development of the project. These resources played a crucial role in implementing various functionalities and achieving project objectives. Below, we detail the specific packages and libraries along with their respective roles, contributions.

**Here is a list of all java packages and python libraries used in this project**

### JAVA PACKAGES

```
java.awt.Graphics;
java.awt.Color;
java.awt.Dimension;
java.awt.Graphics2D;
java.awt.RenderingHints;
java.awt.geom.Area;
java.awt.geom.Rectangle2D;
java.awt.geom.RoundRectangle2D;
javax.swing.JPanel;
java.awt.Shape;
javax.swing.JFrame;
javax.swing.*;
javax.swing.event.DocumentEvent;
javax.swing.event.DocumentListener;
javax.swing.text.MaskFormatter;
javax.swing.table.DefaultTableModel;
java.awt.*;
javax.swing.text.*;
java.awt.event.KeyAdapter;
java.awt.event.KeyEvent;
java.awt.event.ActionEvent;
java.awt.event.ActionListener;
java.awt.event.MouseAdapter;
java.awt.event.MouseEvent;
java.sql.*;
java.sql.Connection;
java.sql.DriverManager;
java.sql.PreparedStatement;
java.sql.SQLException;
java.util.TimeZone;
javax.swing.border.LineBorder;
java.awt.geom.RoundRectangle2D;
javax.swing.border.AbstractBorder;
java.awt.event.FocusAdapter;
java.awt.event.FocusEvent;
java.util.Vector;
javax.swing.table.TableColumnModel;
javax.swing.table.TableColumn;
```

### PYTHON LIBRARIES

```
import pyautogui
import subprocess
import tkinter as tk
from tkinter import messagebox
import time
import mysql.connector
import numpy as np
import getpass
import platform
import os
import logging
import cv2
import shutil
import sys
```

## 7.1 Java Libraries

### ➤ Java AWT (Abstract Window Toolkit)

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** Provides a set of classes for creating and managing graphical user interface (GUD) elements, such as windows, buttons, and text fields.
- **Installation:** Included in the JDK, no separate installation needed.

### ➤ **Java.awt.Graphics**

- **Version:** Part of the Java AWT library.
- **Description:** Graphics class provides methods for drawing shapes, text, and images onto graphical surface.
- **Installation:** Included in the JDK, no separate installation needed.

### ➤ **java.awt.Color**

- **Version:** Part of the Java AWT library.
- **Description:** Color class represents a color using RGB values.
- **Installation:** Included in the JDK, no separate installation needed.

### ➤ **java.awt.Dimension:**

- **Version:** Part of the Java AWT library.
- **Description:** Dimension class represents the size of a component in terms of width and height.
- **Installation:** Included in the JDK, no separate installation needed.

### ➤ **java.awt.Graphics2D**

- **Version:** Part of the Java AWT library.
- **Description:** Graphics2D class extends the Graphics class to provide more sophisticated rendering capabilities.
- **Installation:** Included in the JDK, no separate installation needed.

### ➤ **java.awt.RenderingHints**

- **Version:** Part of the Java AWT library. –
- **Description:** RenderingHints class provides hints to the rendering engine about how to render shapes and text.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.geom.Area**

- **Version:** Part of the Java AWT library.
- **Description:** Area class represents geometric shapes as areas.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.geom.Rectangle2D**

- **Version:** Part of the Java AWT library.
- **Description:** Rectangle2D class represents a rectangle with floating-point coordinates.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.geom.RoundRectangle2D**

- **Version:** Part of the Java AWT library.
- **Description:** RoundRectangle2D class represents a rectangle with rounded corners.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **javax.swing.JPanel**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** JPanel class provides a container for organizing components in a Swing-based GUI application.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.Shape**

- **Version:** Part of the Java AWT library.
- **Description:** Shape interface represents geometric shapes.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **javax.swing.event.DocumentEvent**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** Document Event interface represents changes made to a document, such as text insertion or removal.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **javax.swing.event.DocumentListener**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** DocumentListener interface listens for changes in the contents of a

document.

- **Installation:** Included in the JDK, no separate installation needed.

➤ **javax.swing.text.MaskFormatter**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** MaskFormatter class formats and enforces formatting of textual input, such as phone numbers or postal codes.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **javax.swing.table.DefaultTableModel**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** DefaultTableModel class provides a default implementation of the TableModel interface for storing and manipulating tabular data.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **java.awt(Wild card import):**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** The java.awt package contains classes for creating and managing graphical user interface (GUI) elements, such as windows, buttons, and menus.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **javax.swing.text (Wild card import):**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** The javax.swing.text package contains classes and interfaces for working with text in Swing components, such as text fields and text areas.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **java.awt.event.KeyAdapter**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** KeyAdapter class provides empty implementations of keyboard-related even listener methods, allowing subclasses to override only the methods they need.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **java.awt.event.KeyEvent**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** KeyEvent class represents a keyboard event, such as a key press or release.

- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.event.ActionEvent**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** ActionEvent class represents an action performed by a user, such as clicking a button or selecting a menu item.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.event.ActionListener**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** ActionListener interface listens for action events, typically generated by GUI components like buttons or menu items.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.event.MouseAdapter**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** MouseAdapter class provides empty implementations of mouse-related event listener methods, allowing subclasses to override only the methods they need.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.awt.event.MouseEvent**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** MouseEvent class represents a mouse event, such as a mouse click or mouse movement.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.sql. (JDBC - Java Database Connectivity)**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** Provides Java applications with a standard interface for accessing relational databases.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.sql.Connection**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** Connection interface represents a connection to a database, allowing for communication and interaction with the database.

- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.sql.DriverManager**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** DriverManager class manages a list of database drivers, allowing applications to establish connections to databases.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.sql.PreparedStatement**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** PreparedStatement interface represents a precompiled SQL statement, allowing for efficient execution of parameterized SQL queries.
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **java.sql.SQLException**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** SQLException class represents errors or warnings generated by the JDBC API during database access.
- **Installation:** Included in the JDK, no separate installation needed

## ➤ **java.util.TimeZone**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** TimeZone class represents a time zone offset from Greenwich Mean Time (GMT).
- **Installation:** Included in the JDK, no separate installation needed.

## ➤ **javax.swing.border.LineBorder**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** LineBorder class provides a simple border with a specified color and width.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **java.awt.geom.RoundRectangle**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** RoundRectangle2D class represents a rectangle with rounded corners.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **javax.swing.border.AbstractBorder**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** AbstractBorder class provides a base class for creating custom borders for Swing components.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **java.awt.event.FocusAdapter**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** FocusAdapter class provides empty implementations of focus-related event listener methods, allowing subclasses to override only the methods they need.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **java.awt.event.FocusEvent**

- **Version:** Part of Java SE Development Kit (JDK) versions.
- **Description:** FocusEvent class represents a focus change event, such as when a component gains or loses focus.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **java.util.Vector**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** Vector class implements a dynamic array, allowing for the storage of elements that can grow or shrink in size.
- **Installation:** Included in the JDK, no separate installation needed.

➤ **javax.swing.table.TableColumnModel**

- **Version:** Included in Java SE Development Kit (JDK) versions.
- **Description:** TableColumnModel interface represents the model for a table's columns, allowing for the management and customization of column properties.
- **Installation:** Included in the JDK, no separate installation needed.

## 7.2 Python libraries

### 1. PYAUTOGUI

**Version:** 4.5.3

**Description:** To import the `pyautogui` module, which allows you to programmatically control the mouse and keyboard to automate interactions with the GUI, PYAUTOGUI lets your Python scripts control the mouse and keyboard to automate interactions with other applications. The API is designed to be simple. PyAutoGUI works on Windows, macOS, and Linux, and runs on Python 2 and 3.

use the following code:

```
```python Import pyautogui ```
```

PYAUTOGUI has several features:

1. Moving the mouse and clicking in the windows of other applications.
2. Sending keystrokes to applications (for example, to fill out forms).
3. Take screenshots, and given an image
4. Locate an application's window, and move, resize, maximize, minimize, or close it

### 2. OS

**Version:** 4.5.3

**Description:** OpenCV (Open-Source Computer Vision Library) is an open-source computer vision and machine learning software library. The OS module in Python provides a way of using operating system dependent functionality. The OS module allows you to interact with the operating system, such as manipulating file paths, directories, environment variables, and executing system commands.

**Installation:**

For Python 3: pip install OpenCV-python

### 3. SUBPROCESS

**Version:** Standard library (no separate version)

**Description:** Importing the `subprocess` module allows you to spawn new processes, connect to their input/output/error pipes, and obtain their return codes. This can be useful for running system commands or executing other programs from within your Python script

## 4. TKINTER

**Version:** Standard library (no separate version)

**Description:** Importing `tkinter` allows you to use the tkinter module in Python for creating GUI applications. With tkinter, you can create various graphical user interface (GUI) elements such as windows, buttons, labels, entry fields, and more. You can also arrange these elements in different layouts and respond to user interactions.

**Installation:** This is a standard Python library and does not require separate installation.

## 5. LOGGING

**Version:** 2.2.9

**Description:** Importing the logging module allows you to incorporate logging capabilities into your Python code for debugging and error tracking. Here's a simple example of how to import the logging module:

```
```python Import logging ```
```

After importing the logging module, you can use its functions and classes to log messages at various levels (e.g., debug, info, warning, error, critical) throughout your code.

## 6. SYS

**Version:** 1.21.5

**Description:** Importing the `sys` module provides access to some variables used or maintained by the Python interpreter and to functions that interact strongly with the interpreter. Here's how you can import it:

```
```python Import sys ```
```

The `sys` module provides information about constants, functions, and methods of the Python interpreter. It also provides access to command-line arguments via `sys.argv`, among other things.

## 7. SHUTIL

**Version:** 4.5.3

**Description:** Importing the `shutil` module allows you to perform high-level file operations, such as copying, moving, and deleting files and directories.

Here's how to import it:

```
```python Import shutil ```
```

With the `shutil` module, you can perform tasks like copying files and directories (shutil.copy()), moving files and directories (shutil.move()), and deleting files (shutil.rmtree()).

## 8. GETPASS

**Version:** 3.12.2 python

**Description:** Importing the `getpass` module allows you to get a password from the user without displaying it on the screen.

Here's how to import it:

```
```python Import getpass ```
```

The `getpass` module provides a portable way to handle password prompts securely. It typically uses the underlying terminal or console's features to safely prompt the user for a password without echoing it back to the screen

## 9. IMPORT PLATFORM

**Version:** lib-platform 1.12.10

**Description:** Importing the `platform` module allows you to access information about the platform or operating system on which Python is running.

Here's how to import it:

```
```python Import platform ```
```

With the `platform` module, you can retrieve information such as the system's architecture (platform.architecture()), the operating system name (platform.system()), the Python version (platform.python\_version()), and many other platform-specific details.

## 10. IMPORT TIME

**Version:** python documentation 3.12.2

**Description:** To import the `time` module, which provides various time-related functions, use the following code:

```
```python Import time ```
```

The `time` module allows you to work with time values, such as getting the current time, pausing execution for a specified duration, and converting between different time representations.

## 11. IMPORT CV2

**Version:** Python 3.4 above

**Description:** To import the `cv2` module, which provides computer vision functionalities including image and video processing,  
use the following code:

```
```python Import cv2 ```
```

OpenCV (cv2) is a popular library for computer vision tasks such as image/video manipulation, object detection, face recognition, and more. With OpenCV, you can perform various operations on images and videos, such as reading, writing, resizing, filtering, and applying transformations.

## 12. NUMPY

**Version:** 1.24.4

**Description:** To import the `NumPy` module, which provides support for large, multi-dimensional arrays and matrices, along with a collection of mathematical functions to operate on these arrays,  
use the following code:

```
```python Import NumPy as np ```
```

`NumPy` is a fundamental package for numerical computing in Python. It provides efficient implementations of array operations, linear algebra routines, Fourier transforms, random number generation, and more. By importing it as `np`, you can access its functions and classes using the shorter alias `np`.

## 13. IMPORT MYSQL CONNECTOR

**Version:** 8.0

**Description:** To import the `mysql.connector` module, which provides an interface for connecting to a MySQL database from Python,  
use the following code:

```
```python Import mysql.connector ```
```

With `mysql.connector`, you can establish connections to MySQL databases, execute SQL queries, fetch results, and manage transactions. It's a widely-used library for interacting with MySQL databases in Python applications.

## 14. IMPORT DATE-TIME

**Version:** 4.5.3


**Description:** To import the `datetime` module, which provides classes for manipulating dates and times in Python,  
use the following code:

```
```python Import datetime ```
```

With the `datetime` module, you can create, manipulate, and format dates and times, calculate time differences, work with time zones, and perform various other operations related to dates and times in Python

## 8. PROJECT SNAP SHOTS

In this section, we provide visual snapshots of key aspects of the project, accompanied by detailed descriptions explaining the features and functionalities depicted in each snapshot.



### 8.1 DATABASE SNAPSHOTS :

The database snapshot provides a glimpse into the underlying data structure and organization within the system. This snapshot showcases the various tables and relationships present in the database schema, highlighting the essential components that facilitate data storage and retrieval.

#### ► Structure of Meetings Table:

The Meetings table serves as a crucial component of the database schema, storing essential information about scheduled Zoom meetings. The table structure is designed to accommodate various attributes necessary for meeting management and tracking. Below is the structure of the Meetings table:

Field	Type	Null	Key	Default	Extra
<code>id</code>	<code>int</code>	<code>NO</code>	<code>PRI</code>	<code>NULL</code>	<code>auto_increment</code>
<code>meeting_id</code>	<code>varchar(255)</code>	<code>NO</code>		<code>NULL</code>	
<code>passcode</code>	<code>varchar(255)</code>	<code>NO</code>		<code>NULL</code>	
<code>meeting_time</code>	<code>varchar(255)</code>	<code>YES</code>		<code>NULL</code>	
<code>total_meeting</code>	<code>int</code>	<code>YES</code>		<code>NULL</code>	

Fig 1.1 – Structure of table “meetings”

## ► Sample Data in Meetings Table:

Below is a sample of data entries in the Meetings table, illustrating various scenarios and use cases within the system:

id	meeting_id	passcode	meeting_time	total_meeting
1	12345678901	regumate	12:00	30
2	98765432109	REGUMATE	16:30	60
3	32165498755	vsics	07:26	45

**Fig 1.2 – Sample Data in Table “meetings”**

Each entry represents a unique Zoom meeting scheduled within the system, with details such as meeting ID, passcode, scheduled time, and total meeting duration. The sample data provides a glimpse into the functionality of the system and demonstrates how meeting information is structured and stored in the database.

► In addition to the table structure, the Meetings table may include indexes and constraints to optimize performance and ensure data integrity:

- **Primary Key Constraint:** The meeting\_id field may be designated as the primary key, ensuring unique identification of each meeting entry and facilitating fast retrieval of meeting records.
- **Foreign Key Constraints:** If the system incorporates relationships with other tables (e.g., Users table), foreign key constraints may be applied to maintain referential integrity and enforce data consistency.
- **Indexing:** Indexes may be created on frequently queried fields such as meeting\_time to improve query performance, especially for large datasets. Indexes help accelerate data retrieval by creating efficient access paths to specific records.

By implementing appropriate indexes and constraints, the database ensures reliability, consistency, and efficiency in managing Zoom meeting data within the system.

## 8.2 GUI SNAPSHOT :


The GUI snapshot offers users a visual representation of the application's user interface, providing a comprehensive overview of the interactive elements and functionalities available within the system. It serves as a window into the user experience, highlighting the intuitive design and user-friendly features that enhance usability and engagement.

By showcasing the graphical elements and layout of the interface, the snapshot offers users insights into how they can interact with the application and navigate its various features seamlessly. From the main interface to specific modules such as meeting scheduling, upcoming meetings, and settings, users can gain a deeper understanding of the application's capabilities and functionalities.

Furthermore, the GUI snapshot goes beyond mere aesthetics, emphasizing the practicality and functionality of the interface. Each element is purposefully designed to streamline user interactions and optimize productivity, ensuring that users can accomplish their tasks efficiently and effectively.

Overall, the GUI snapshot serves as a visual guide for users, enabling them to explore the application's interface and discover its rich array of features and functionalities. It enhances user comprehension and engagement, ultimately contributing to a more satisfying and rewarding user experience.

### › FULL SCREEN GUI INTERFACE :



**Fig 1.3 – MAIN DASHBOARD SNAPSHOT**

- It is our main Dashboard of GUI where user would interact to fill zoom meeting credentials .

› **PANEL 2 INPUT GUI :**

The screenshot shows a user interface for scheduling a Zoom meeting. It features a dark teal background with rounded corners. At the top, there is a large, light teal rectangular area containing four input fields:

- Meeting ID:** An input field with a placeholder '1'.
- Passcode:** An input field with a placeholder '123456' and a small square icon to its right.
- Meeting Time (24hr format):** An input field with a placeholder '14:30'.
- Total Meeting Duration :** An input field with a placeholder 'In minutes'.

Below these fields are two buttons: a white 'Reset' button on the left and a white 'Submit' button on the right, both with black text. At the bottom center of the teal area is a blue link labeled 'View Upcoming Scheduled Meetings'.

**Fig 1.4 – PANEL 2 OF INPUT FIELDS**

- It is our panel 2 which would take credential from the user.


› **Handling Empty Fields in Database Entries :**

Handling empty fields in database entries is crucial to ensuring data integrity and system functionality. When certain fields are left empty during data entry or update processes, it can lead to errors, inconsistencies, and incomplete records within the database. Therefore, it's essential for the system to handle these scenarios effectively to maintain data quality and reliability.

In the context of the project, several snapshots depict various scenarios where essential fields, such as Meeting ID, Passcode, Meeting Time, and Total Meeting Duration, are left empty. These snapshots serve as visual representations of potential errors or issues that users may encounter during the scheduling of Zoom meetings. So Now i am adding some snapshots to show how it works ...

- **Empty Meeting ID Field:**


- **Description:** This snapshot illustrates the scenario where the Meeting ID field is left empty during the meeting scheduling process.
- **Importance:** The Meeting ID serves as a unique identifier for each scheduled Zoom meeting. Leaving this field empty can lead to errors in meeting identification and tracking.
- **System Response:** The system should prompt the user to enter a valid Meeting ID before proceeding with the scheduling process. An error message may be displayed, indicating that the Meeting ID field is required.



**Fig 1.5 – MEETING ID IS REQUIRED ERROR**

- **Empty Passcode Field:**


- **Description:** This snapshot depicts the situation where the Passcode field is left blank when scheduling a Zoom meeting.
- **Importance:** The Passcode is essential for securing access to the meeting room. Omitting the passcode can compromise meeting security and expose the meeting to unauthorized access.
- **System Response:** The system should validate the Passcode field and prompt the user to provide a passcode for the meeting. An error message should be displayed if the field is left empty, indicating that a passcode is required for meeting security.



**Fig 1.6 – PASSCODE FIELD IS REQUIRED ERROR**

- **Empty Meeting Time Field:**


- **Description:** This snapshot showcases the scenario where the Meeting Time field is not specified during meeting scheduling.
- **Importance:** The Meeting Time indicates the scheduled date and time for the Zoom meeting. Without this information, the system cannot accurately schedule and manage meetings.
- **System Response:** The system should require users to input the meeting time before proceeding. An error message should be displayed if the field is left empty, prompting the user to enter a valid meeting time.



**Fig 1.7 – MEETING TIME IS REQUIRED ERROR**

## • **Empty Total Meeting Duration Field:**

- **Description:** This snapshot illustrates the situation where the Total Meeting Duration field is left unspecified.
- **Importance:** The Total Meeting Duration defines the length of the scheduled Zoom meeting. Without this information, the system cannot accurately determine the meeting's duration and schedule conflicts.
- **System Response:** The system should validate the Total Meeting Duration field and prompt the user to input the meeting duration. An error message should be displayed if the field is left empty, indicating that the meeting duration is required for scheduling.



**Fig 1.8 – TOTAL MEETING TIME IS REQUIRED ERROR**

The snapshots highlighting empty field errors in the database entries underscore the critical importance of data completeness and accuracy in the system. These scenarios serve as reminders of the potential pitfalls and challenges associated with incomplete or erroneous data entry.

In conclusion, effective handling of empty field errors is paramount to maintaining data integrity, system reliability, and user satisfaction. By implementing robust validation mechanisms, error handling procedures, and user-friendly prompts, the system can mitigate the risk of data inconsistencies and ensure seamless operation.

## › Tooltips for Empty Text Fields on Hovering Feature:

In this section, we offer a detailed overview of the tooltip feature integrated into the Graphical User Interface (GUI) of the application. This feature serves as a helpful aid to users by providing real-time prompts and guidance when required information is missing from input fields. By examining the snapshots provided below, users gain insight into how the tooltip mechanism functions in different scenarios, effectively enhancing the user experience and streamlining the data entry process.

Let's dive deeper into the purpose and functionality of each snapshot:

- **On Hovering Meeting ID Text Field:**

**\* Description:**

This snapshot illustrates the scenario where the Meeting ID field is left blank. In such instances, hovering over the empty field triggers the display of a tooltip message, prompting the user to input the required meeting ID. This proactive approach helps prevent oversight and ensures that essential information is provided before proceeding with scheduling a meeting.

The screenshot shows a dark-themed meeting scheduler interface. At the top, there are four input fields with labels: 'Meeting ID:', 'Passcode:', 'Meeting Time (24hr format):', and 'Total Meeting Duration :'. The 'Meeting ID:' field is empty and has a blue border, indicating it is the current target for the tooltip. Below the input fields are two buttons: 'Reset' on the left and 'Submit' on the right. In the center, there is a link labeled 'View Upcoming Scheduled Meetings'. A tooltip message, 'Enter Meet ID', is displayed above the 'Meeting ID:' field, positioned directly above the input box. The entire form is enclosed in a rounded rectangular border.

**Fig 1.9 – ON HOVERING MEETING ID TEXTFIELD**

- **On Hovering Passcode Text Field:**

**\*Description:**

Here, we observe the tooltip feature in action when the Passcode field is left unfilled. Upon hovering over the empty field, a tooltip message emerges, directing the user to enter the meeting passcode. This prompt serves as a gentle reminder and aids in completing the necessary fields accurately, thereby minimizing errors and enhancing data integrity.

The screenshot shows a dark-themed web application for scheduling a meeting. At the top, there are four input fields with labels: 'Meeting ID:' (empty), 'Passcode:' (empty), 'Meeting Time (24hr format):' (empty), and 'Total Meeting Duration :' (empty). Below these fields are two buttons: 'Reset' and 'Submit'. A link 'View Upcoming Scheduled Meetings' is located at the bottom. The 'Passcode:' field is highlighted with a yellow border, and a tooltip 'Enter Passcode' is displayed above it. The entire form is enclosed in a rounded rectangular container with a light blue border.

**Fig 2.0 – ON HOVERING PASSCODE TEXTFIELD**

- **On Hovering Meeting Time Text Field:**

**\*Description:**

In this snapshot, we encounter a scenario where the Meeting Time field is devoid of input. Upon hovering over the empty field, a tooltip message appears, guiding the user to specify the meeting time. By providing timely reminders, the tooltip feature ensures that all relevant details are included, facilitating efficient meeting scheduling and coordination.

A screenshot of a web-based meeting setup form. The form fields include 'Meeting ID' (text input), 'Passcode' (text input with a small square icon), 'Meeting Time (24hr format)' (text input with a yellow border and a tooltip message 'Enter meeting time in 24-hour format (e.g., 13:30)'), and 'Total Meeting Duration' (text input with a yellow border). Below the form are two buttons: 'Reset' and 'Submit'. At the bottom is a link 'View Upcoming Scheduled Meetings'.

**Fig 2.1 – ON HOVERING MEETING TIME TEXTFIELD**

• **On Hovering Total Meeting Duration Text Field:**

**\*Description:**

Lastly, we examine the tooltip functionality when the Total Meeting Duration field is left empty. Hovering over the unfilled field prompts the display of a tooltip message, prompting the user to indicate the duration of the meeting. This proactive assistance aids users in accurately inputting meeting details, thereby enhancing productivity and reducing the likelihood of oversight.

A screenshot of a web-based meeting setup form. The form fields include 'Meeting ID' (text input), 'Passcode' (text input with a small square icon), 'Meeting Time (24hr format)' (text input), and 'Total Meeting Duration' (text input with a yellow border and a tooltip message 'Enter Meet Duration in minutes'). Below the form are two buttons: 'Reset' and 'Submit'. At the bottom is a link 'View Upcoming Scheduled Meetings'.

**Fig 2.2 – ON HOVERING TOTAL MEETING DURATION TEXTFIELD**

## › Passcode Field with Password Visibility Toggle :

In this section, we explore the integration of a password visibility toggle feature within the Graphical User Interface (GUI) of the application. This feature empowers users with the ability to toggle between displaying the passcode in plain text or concealing it behind asterisks for enhanced privacy and security. By examining the snapshots provided below, users gain insight into how the password visibility toggle operates and its impact on the user experience.

### • Passcode Field with Hidden Password (BEFORE):

The screenshot shows a dark-themed user interface for scheduling a meeting. At the top, there's a header bar with the text "Meeting ID: 12345678901". Below the header, there are four input fields: "Meeting ID:" with the value "12345678901", "Passcode:" with the value "....." followed by a visibility toggle switch (a small square), "Meeting Time (24hr format):" with a blank input field, and "Total Meeting Duration :" with a blank input field. At the bottom left is a "Reset" button, and at the bottom right is a "Submit" button. Below the "Submit" button is a link "View Upcoming Scheduled Me". In the bottom right corner of the screen, there is a dark button labeled "Meeting Registration".

**Fig 2.3 – BEFORE ‘ON’ OF CHECKING BOX**

### \* Description:

This snapshot depicts the initial state of the Passcode field, with the password hidden behind asterisks. By default, the passcode is obscured to protect sensitive information and maintain confidentiality. Users have the option to reveal the passcode in plain text by interacting with the password visibility toggle.

- **Passcode Field with Visible Password (AFTER):**

The screenshot shows a user interface for setting up a meeting. It includes fields for Meeting ID (12345678901), Passcode (regumate with a checked checkbox next to it), Meeting Time (24hr format: 14:30), and Total Meeting Duration (1 hour). Below the form are two buttons: Reset and Submit, and a link to View Upcoming Scheduled Meetings.

Meeting ID:	12345678901
Passcode:	regumate <input checked="" type="checkbox"/>
Meeting Time (24hr format):	14:30
Total Meeting Duration :	1 hour

**Reset**      **Submit**

[View Upcoming Scheduled Meetings](#)

**Fig 2.4 – AFTER ‘ON’ OF CHECKING BOX**

**\* Description :**


Upon clicking the password visibility toggle checkbox, the passcode is revealed in plain text format, as illustrated in this snapshot. This feature enables users to verify the accuracy of their input and facilitates ease of entry, particularly when entering complex or lengthy passcodes. By providing flexibility in password visibility, the GUI accommodates diverse user preferences and enhances usability.

- Through these snapshots, users gain a comprehensive understanding of how the password visibility toggle feature augments the functionality of the GUI, providing users with control over their passcode visibility while ensuring convenience and security in data entry.

## › Meeting Time Field Restrictions (Exceeded Duration and Minutes) :

Meeting time inputs are subject to specific constraints to ensure accurate scheduling and prevent unrealistic values. This section highlights two common scenarios where the meeting time field encounters input errors due to exceeded duration and minutes.

### • Meeting Time Field with Exceeded Duration:




**Fig 2.5 – ON INVALID “HOUR” FORMAT OF MEETING TIME**

### \* Description:

This snapshot illustrates a situation where the user attempts to input a meeting duration exceeding the maximum limit of 24 hours. The GUI promptly detects the invalid input during the key event

and triggers an error message prompt. This prompt serves as real-time feedback, notifying the user of the time restriction policy. By alerting users to revise their input accordingly, the GUI ensures adherence to system constraints, thereby promoting data integrity and accurate scheduling.

- **Meeting Time Field with Exceeded Minutes:**




**Fig 2.6 – ON INVALID “MINUTES” FORMAT OF MEETING TIME**

\* **Description:**

In this snapshot, the user enters minutes exceeding the maximum limit of 60. The GUI promptly detects the invalid input and displays an error message prompt, emphasizing the minute limit policy. By providing immediate feedback, the GUI guides users to correct their input and comply with system requirements. This proactive approach enhances user experience by preventing input errors and ensuring data accuracy in meeting time scheduling.

## › Successful Data Saving in Database with Dialogue Box

Upon successfully saving data in the database, the system triggers a dialogue box confirmation to notify the user of the successful operation. This snapshot demonstrates the seamless integration of database functionality with user interaction, ensuring transparency and feedback throughout the data-saving process.



**Fig 2.7 – SUCCESSFULLY DATA SAVING IN DATABASE**

### \* Description :

In this snapshot, a dialogue box confirmation appears on the GUI interface, informing the user that the data has been successfully saved in the database. The message "Data Saved Successfully!" serves as a reassuring indicator of the completion of the database operation. By providing immediate feedback, the system enhances user experience and instills confidence in the reliability of the data-saving process.

- In conclusion, the successful data saving in the database with a dialogue box confirmation represents a pivotal aspect of the system's functionality. By seamlessly integrating database operations with user interaction, the system ensures transparency, reliability, and user empowerment. The presence of a dialogue box confirmation serves as a feedback mechanism, providing users with immediate reassurance of their actions' successful outcome. This feedback fosters user trust and confidence in the system's reliability and enhances the overall user experience.

## › Reset Button Functionality :

The reset button feature enhances the usability and convenience of the graphical user interface (GUI) by providing users with a quick and efficient method to reset all input fields to their default or null values. This functionality is particularly useful in scenarios where users need to clear previously entered data or start afresh without reloading the entire page.

- **Before Reset :**

Before clicking the reset button, the GUI displays various input fields containing user-entered data, checkboxes with selected options, and other interactive elements reflecting user actions. This snapshot captures the GUI in its current state, showing the data and selections made by the user up to that point.

A screenshot of a meeting setup form. The form has a dark teal background with rounded corners. It contains four input fields: 'Meeting ID:' with value '12345678901', 'Passcode:' with value 'regumate' and checked checkbox, 'Meeting Time (24hr format):' with value '12:00', and 'Total Meeting Duration:' with value '20'. Below the form are three buttons: 'Reset', 'Submit', and a link 'View Upcoming Scheduled Meetings'.

Meeting ID:	12345678901
Passcode:	regumate <input checked="" type="checkbox"/>
Meeting Time (24hr format):	12:00
Total Meeting Duration :	20

**Reset**      **Submit**

[View Upcoming Scheduled Meetings](#)

**Fig 2.8 – BEFORE CLICKING ON RESET BUTTON**

- **After Reset :**

Upon clicking the reset button, the GUI triggers a reset action that clears the contents of all input fields, including text fields and checkboxes, effectively reverting them to their initial state. After the reset operation, all input fields are empty, checkboxes are unchecked, and any previously selected options or entered data are removed.

The screenshot shows a user interface for setting up a meeting. On the left, there are four input fields with labels: 'Meeting ID:', 'Passcode:', 'Meeting Time (24hr format):', and 'Total Meeting Duration :'. Below these fields are two buttons: 'Reset' on the left and 'Submit' on the right. A link 'View Upcoming Scheduled Meetings' is located at the bottom center. On the right side of the interface, there is a vertical stack of four input fields, each with a small square icon to its right. The entire right section is enclosed in a yellow border.

**Fig 2.9 – AFTER CLICKING ON RESET BUTTON**

- **Benefits of the Reset Button Functionality :**

- **Enhanced User Control :** The reset button provides users with a sense of control over their interactions with the GUI, allowing them to easily undo any changes or corrections.
- **Improved Data Accuracy :** By enabling users to reset input fields to their default values, the functionality helps maintain data accuracy and integrity, reducing the risk of errors or inaccuracies in the system.
- **Streamlined User Experience :** The availability of the reset button streamlines the data entry process, enabling users to make quick adjustments or start afresh without the need to reload the entire page or navigate back and forth.
- **Error Correction :** In the event of user errors or accidental data entry, the reset button offers a convenient way to rectify mistakes and ensure that only valid and accurate information is submitted.
- **User-Friendly Design :** Incorporating the reset button aligns with principles of user-centered design, enhancing the overall usability and accessibility of the GUI and contributing to a positive user experience.

- **Conclusion :**


**Overall, the reset button functionality plays a crucial role in facilitating user interactions with the GUI, empowering users to manage their data input effectively and ensuring a seamless and intuitive user experience.**

## › View Upcoming Scheduled Meetings Hyperlink :

The "View Upcoming Scheduled Meetings" hyperlink serves as a gateway for users to access their scheduled meetings conveniently within the GUI. This section explores the functionality and user experience associated with this interactive feature.

### • Before Clicking :


Before clicking on the "View Upcoming Scheduled Meetings" hyperlink, the GUI displays the existing interface with various elements, including input fields, buttons, and other interactive components. The hyperlink appears as highlighted text, indicating its presence and potential functionality to the user.



**Fig 3.0 – BEFORE CLICKING ON HYPERLINK**

### • After Clicking :

Upon clicking on the "View Upcoming Scheduled Meetings" hyperlink, the GUI triggers an event that navigates to a new panel or window dedicated to displaying upcoming scheduled meetings. This new panel provides a comprehensive overview of all scheduled meetings retrieved from the database, presenting relevant details such as meeting ID, date, time, and other pertinent information as shown in this snapshot below.



**Fig 3.1 – AFTER CLICKING ON HYPERLINK**

- **Interactive Functionality :**

The scheduled meetings panel may include interactive features to enhance user experience and facilitate efficient management of meeting schedules. For example, users may have the option to:

- Click on individual meeting entries to view detailed information or modify settings.
- Sort meetings based on criteria such as date, time, or duration for easier navigation.
- Filter meetings by specific criteria to focus on relevant information, such as meetings scheduled for a particular date or time range.

- **Benefits and User Experience :**

The inclusion of the "View Upcoming Scheduled Meetings" hyperlink enriches the user experience by providing convenient access to vital meeting information directly within the GUI. Users can quickly review their upcoming schedule without the need to switch to external tools or applications, streamlining their workflow and promoting productivity.

- **Conclusion :**

The "View Upcoming Scheduled Meetings" hyperlink exemplifies the user-centric design of the GUI, prioritizing accessibility and efficiency in meeting management. By seamlessly integrating this feature, the GUI empowers users to stay organized and informed, ultimately contributing to a more effective and enjoyable user experience.

## › DELETION OF SCHEDULED MEETING FUNCTIONALITY :

When implementing the deletion functionality for scheduled meetings, several considerations must be taken into account to ensure a seamless user experience and data integrity. Below, we outline the key aspects of this functionality:

- **Confirmation Dialog Box** : Before proceeding with the deletion of a scheduled meeting, the system presents a confirmation dialog box to the user. This dialog box serves as a safety measure to prevent accidental deletions. It typically includes options for the user to confirm or cancel the deletion action.
- **User Confirmation** : Upon seeing the confirmation dialog box, the user has the opportunity to confirm or cancel the deletion action. This ensures that the user has full control over the deletion process and can proceed with confidence.
- **Feedback Mechanism** : After the deletion process is initiated, the system provides immediate feedback to the user to indicate the outcome of the deletion. This feedback may include a success message confirming the successful removal of the meeting from the schedule.
- **Error Handling** : In the event of any errors or issues during the deletion process, the system should handle them gracefully and provide informative error messages to the user. This helps users understand the nature of the problem and take appropriate actions.
- **Data Integrity** : Throughout the deletion process, the system must maintain data integrity to ensure that no unintended consequences occur. This involves verifying that the correct meeting entry is being deleted and that any associated data or references are updated accordingly.

By carefully considering these aspects, the deletion functionality can be implemented effectively, providing users with a reliable and intuitive way to manage their scheduled meetings.

### • **Before Clicking Delete Button :**

Before the user clicks the "Delete" button next to a particular meeting entry, the system displays a list of upcoming scheduled meetings in the view panel. Each meeting entry is accompanied by an option to delete it from the schedule.


Serial no.	Meeting ID	Meeting Time	Total Meeting Duration	Passcode
1	12345678901	12:00	30	regumate
2	32165498755	07:26	45	vsics
3	12345678901	12:00	20	regumate

**Delete**   **Refresh**

**Fig 3.2 – BEFORE CLICKING ON DELETE BUTTON**

- **Upon Clicking Delete Button :**

When the user clicks the "Delete" button next to a specific meeting entry, the system initiates the deletion process for that particular meeting. This action prompts the system to present a confirmation dialogue box to the user, seeking confirmation before proceeding with the deletion.



**Fig 3.3 – UPON CLICKING ON DELETE BUTTON**

- **After Deletion :**

Once the user confirms the deletion action, the system executes the deletion process, removing the selected meeting entry from the schedule. The user interface updates dynamically to reflect the deletion, with the selected meeting entry no longer appearing in the list of upcoming scheduled meetings. Users receive immediate visual feedback indicating the successful removal of the meeting from the schedule.

The screenshot shows a dark-themed user interface for a meeting scheduler. At the top, there is a header bar with several icons. Below the header is a table listing scheduled meetings. The table has columns for Serial no., Meeting ID, Meeting Time, Total Meeting Duration, and Passcode. Two rows of data are visible:

Serial no.	Meeting ID	Meeting Time	Total Meeting Duration	Passcode
1	12345678901	12:00	30	regumate
2	12345678901	12:00	20	regumate

At the bottom of the screen, there are two buttons: "Delete" and "Refresh".

**Fig 3.4 – AFTER DELETION OF MEETING SCHEDULED AT 7:26**


## **8.3 SETUP SNAPSHOTS :**

### **› SETUP FILE FUNCTIONALITIES :**

The Setup file serves as a crucial component for initializing the necessary dependencies and resources required to use the Regumate software seamlessly. It offers several key functionalities to streamline the setup process, ensuring a smooth user experience. Below are the four main features of the Setup file, each accompanied by a detailed description and corresponding snapshots.

- **Setup File GUI :**


The Regumate Setup file features a user-friendly Graphical User Interface (GUI) designed to streamline the setup process and facilitate intuitive interaction for users. The GUI provides an intuitive interface for accessing and executing various setup functionalities seamlessly. Below is an overview of the graphical elements and functionalities incorporated within the Regumate Setup GUI:



### **Fig 3.5 – SETUP FILE GUI INTERFACE**

#### **• Install Requirements Button :**

- **Description :** A clickable button labeled "Install Requirements" allows users to initiate the installation of all necessary libraries and dependencies essential for running the Regumate software. This feature ensures that the user's system meets all prerequisites for utilizing Regumate effectively. It would take required python libraries from requirements.txt file.



### **Fig 3.6 – INSTALL REQUIREMENTS BUTTON**

#### **• Install MySQL Button :**

- **Description :** The "Install MySQL" button enables users to install MySQL or MariaDB, depending on the operating system requirements. By clicking this button, users can seamlessly set up the database management system required for storing and managing Zoom meeting data within the Regumate software. If the user does not have already installed MySQL in the system then user can download and install it using this button and if MySQL or MariaDB is already installed on the system then it would show message of "MySQL or MariaDB is already installed" in Terminal.

The terminal window shows the following output:

```

root@ALEX:/home/alex/Desktop/zoom# ./setup
unattended-upgrades process killed successfully.
Hit:1 https://swupdate.openvpn.net/community/openvpn3/repos jammy InRelease
Hit:2 http://security.ubuntu.com/ubuntu jammy-security InRelease
Hit:3 https://dl.google.com/linux/chrome/deb stable InRelease
Hit:4 https://ppa.launchpadcontent.net/deadsnakes/ppa/ubuntu jammy InRelease
Hit:5 http://in.archive.ubuntu.com/ubuntu jammy InRelease
Hit:6 http://in.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:7 http://in.archive.ubuntu.com/ubuntu jammy-backports InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
51 packages can be upgraded. Run 'apt list --upgradable' to see them.
N: Skipping acquire of configured file 'main/binary-i386/Packages' as repository 'https://swupdate.openvpn.net/community/openvpn3/repos jammy InRelease' doesn't support architecture 'i386'
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
mysql-server is already the newest version (8.0.36-0ubuntu0.22.04.1).
0 upgraded, 0 newly installed, 0 to remove and 51 not upgraded.
MySQL or MariaDB installed successfully

```

The Regumate Setup dialog box is visible in the background, containing the following text:


Regumate Setup

Enter MySQL root password:

**Fig 3.7 – INSTALL MySQL BUTTON**

- **Setup Database Button :**


- **Description:** With the "Setup Database" button, users can initialize the Regumate database and create the necessary tables for storing meeting information. This functionality streamlines the database setup process, ensuring that users can seamlessly utilize the Regumate software without any manual configuration. On clicking on this button would lead to create a common user in any system named as '**reguuser**' and password '**regupass**' of MySQL or MariaDB so that username and password could change dynamically and does not vary across different systems.



**Fig 3.8 – SETUP DATABASE BUTTON**

- **Start Service Button :**

- **Description:** The "Start Service" button initiates the Regumate.service, enabling the automated execution of background tasks essential for the software's functionality. By clicking this button, users ensure that Regumate operates efficiently, performing tasks such as joining Zoom meetings automatically and monitoring scheduled meetings in real-time. On clicking on this button it would copy the “Regumate.service” in path /etc/systemd/system/ so that it would run regumate.service file which has working of running regumate.py file always on background so that regumate.py can match the meeting time from the database and real time always and at the same time of both it would automatically join zoom meeting successfully.



### **Fig 3.9 – START SERVICE BUTTON**

The Setup GUI offers a visually appealing and user-friendly interface, empowering users to configure their system for optimal usage of the Regumate software with ease and convenience. By providing intuitive access to essential setup functionalities, the GUI enhances the overall user experience and simplifies the setup process for users of all levels of expertise.

## 9. Security Mechanism

Zoom offers several security mechanisms for automated meetings to ensure the safety and privacy of participants. At its core, zoom meeting automation aims to enhance efficiency and productivity by reducing manual effort and streamlining processes. By leveraging automation tools and techniques, organizations can save time and resources while ensuring smoother and more organized meetings. These include:

### **End-to-End Encryption (E2EE):**

- Zoom provides the option for end-to-end encryption, ensuring that communication between participants is secure and private. E2EE encrypts data at the sender's end and decrypts it only at the receiver's end, preventing unauthorized interception. Highlight the importance of E2EE in safeguarding sensitive information during virtual meetings.

### **Waiting Rooms:**

- The Waiting Room feature acts as a virtual holding area for meeting participants. When enabled, attendees join the waiting room before being admitted to the actual meeting. Discuss how Waiting Rooms allow hosts to verify participants' identities and control who enters the meeting. It prevents uninvited guests from joining and ensures a secure environment.

### **Customization of Waiting Rooms:**

- Customize the Waiting Room experience by adding a personalized title, logo, and description. This branding reassures participants that they are in the right place. Explain how this customization enhances the user experience while maintaining security.

### **Host Presence and Control:**

- Emphasize the importance of the host's active presence during the meeting. The host can monitor participants, manage disruptions, and take immediate action if necessary. Describe how hosts can view and admit participants from the waiting room, ensuring that only authorized individuals join the meeting.

### **Meeting IDs and Passwords:**

- Each Zoom meeting has a unique Meeting ID and password. These credentials act as additional layers of security. Discuss the significance of strong passwords and the need to keep them confidential to prevent unauthorized access.

### **Educating Participants:**

- Organizations should educate participants about security best practices. Encourage them to use secure passwords, avoid sharing Meeting IDs publicly, and report any suspicious activity. Highlight the role of user awareness in maintaining a secure meeting environment.

### **Regular Updates and Patches:**

- Zoom continuously improves its security features through updates and patches. Organizations should stay informed about the latest enhancements and apply them promptly. Mention the importance of keeping the Zoom application up to date.

### **Monitoring and Reporting:**

- Zoom provides tools for monitoring meeting activity, including participant behavior and usage patterns. Explain how hosts can review meeting reports, identify anomalies, and take corrective actions.

### **Encryption:**

- Zoom meetings are encrypted, providing secure communication channels to protect data from interception.

### **Participant Controls:**

- Hosts can manage participant privileges, such as muting participants, disabling video, or removing disruptive attendees.

### **End-to-End Encryption:**

- For increased security, Zoom offers end-to-end encryption for all meetings, ensuring that only participants can access the content.

### **Meeting Lock:**

- Once all expected participants have joined, hosts can lock the meeting to prevent unauthorized entry.

### **Encrypted Recordings:**

- If you're recording automated meetings, Zoom provides encryption for the recorded content, ensuring that the recorded data remains secure.

### **Access Control:**

- Hosts can restrict access to meetings based on specific criteria, such as domain restrictions or requiring attendees to have a Zoom account.

### **Attendee Attention Tracking:**

- Hosts can enable the attention tracking feature to monitor participant engagement during automated meetings, helping to identify any potential security concerns.

### **Reporting and Logging:**

- Zoom offers detailed reporting and logging features, allowing hosts to review meeting activity and identify any security incidents or breaches.

### **Compliance and Certifications:**

- Zoom adheres to industry-standard security practices and holds certifications such as SOC 2 and ISO 27001, providing assurance of its commitment to security and compliance.

### **Regular Updates and Patches:**

- Zoom continuously releases updates and patches to address security vulnerabilities and improve the overall security posture of the platform.

### **Security Awareness and Training:**

- Zoom provides resources and training materials to help users understand best practices for securing meetings and protecting sensitive information.

## **10. Scope of Project: - Future Application's**

The scope of future application for a Zoom automation project, particularly in the realm of meeting attendance, spans a wide array of potential scenarios and contexts where such automation could be beneficially implemented.

The term "**scope of future application**" typically refers to the potential range or extent to which a particular technology, product, concept, or idea could be applied in the future. It involves considering the various possible uses, contexts, and industries where the technology or concept could be implemented or utilized.

Certainly! Let's delve deeper into the scope of future application for a Zoom automation project focused on meeting attendance.

### **1. Virtual Meetings and Webinars:**

- The most immediate and obvious application is within the realm of virtual meetings and webinars. Automated attendance tracking can streamline the process for both organizers and participants.
- Features could include automatic check-in, real-time attendance updates, and notifications for latecomers.

### **2. Corporate and Educational Settings:**

- In corporate environments, automated attendance can enhance efficiency during team meetings, training sessions, and project updates.
- In educational institutions, it can simplify attendance management for classes, workshops, and seminars.

### **3. Event Management:**

- Beyond regular meetings, consider conferences, workshops, and large-scale events. Automation can handle attendee registration, session tracking, and post-event reporting.
- For hybrid events (combining in-person and virtual attendance), automated systems can seamlessly manage both.

### **4. Healthcare and Telemedicine:**

- In telehealth and telemedicine, automated attendance can ensure accurate patient records and billing.
- It can also assist in managing virtual medical conferences and continuing education for healthcare professionals.

### **5. Government and Civic Engagements:**

- For town hall meetings, public hearings, and government sessions, automated attendance can facilitate citizen participation.
- It can also help track attendance during legislative sessions and committee meetings.

### **6. Research and Academic Conferences:**

- In research conferences, automated attendance can assist organizers in tracking paper presentations, poster sessions, and workshops.

- It simplifies the process for attendees, allowing them to focus on content rather than manual sign-ins.

## **7. Security and Access Control:**

- Automated attendance systems can integrate with access control mechanisms. For instance, granting entry to authorized individuals based on their attendance status.
- This applies to physical spaces (e.g., office buildings) and virtual platforms (e.g., secure webinars).

## **8. Customizable Rules and Alerts:**

- Automation allows for flexibility. Organizers can set rules for attendance (e.g., minimum duration) and receive alerts for anomalies (e.g., sudden drop in participants).
- Customization ensures adaptability across different scenarios.

## **9. Integration with Other Tools:**

- Consider integrating attendance data with other tools like CRM systems, project management platforms, or learning management systems.
- This enables seamless data flow and enhances overall efficiency.

## **10. Privacy and Compliance Considerations:**

- While automating attendance, ensure compliance with data privacy regulations (e.g., GDPR).
- Protect sensitive information and provide transparency to participants.

## **Multiple Applications of Zoom Meeting Automation**

1. Imagine a future where joining online meetings seamlessly becomes the norm across various domains, including corporate environments, educational institutions, healthcare facilities, and social gatherings. In the corporate world, for instance, this automation could significantly streamline the process of joining scheduled meetings, thereby saving valuable time and enhancing overall productivity for employees. It would eradicate the need for individuals to manually navigate through calendars and meeting links, ensuring that they effortlessly enter virtual meeting rooms at the appointed times.
2. In educational settings, the implications of such automation are equally profound. With the shift towards remote learning, ensuring consistent attendance in virtual classrooms has become increasingly crucial. Zoom automation could play a pivotal role in simplifying the logistical challenges associated with online education, ensuring that both students and instructors can effortlessly join and participate in scheduled classes without any technical hindrances.
3. Moreover, in healthcare settings where efficient communication is paramount for delivering quality patient care, automated meeting attendance could offer significant advantages. Imagine a scenario where doctors, nurses, and other medical

professionals can seamlessly join virtual meetings or telemedicine sessions, enabling them to collaborate effectively regardless of their physical locations. This could lead to quicker decision-making, improved coordination among healthcare teams, and ultimately better outcomes for patients.

4. Even in more informal settings, such as virtual social gatherings or family video calls, Zoom automation could enhance the user experience by simplifying the process of joining meetings. By eliminating the need for manual intervention and minimizing technical hurdles, individuals can focus more on connecting with others and participating in meaningful interactions.

Looking ahead, as remote collaboration tools like Zoom continue to evolve and gain widespread adoption, the scope of future application for automation projects in this domain appears boundless. With advancements in artificial intelligence and machine learning, we can anticipate even more sophisticated automation solutions that cater to diverse needs and scenarios. As a result, the integration of automation into our daily lives, particularly in the realm of online communication and collaboration, is poised to become increasingly pervasive and transformative.

## 11. References

### 1)-Zoom Java SDK:

For Java-based projects, Zoom provides an SDK tailored for Java development, enabling integration with Zoom's features and functionalities.

*Link: <https://developers.zoom.us/docs/meeting-sdk/android/overview/>*

### 2)- OAuth 2.0 Documentation:

If your project involves user authentication and authorization, OAuth 2.0 is commonly used with Zoom for secure access to user data.

*Link: [OAuth 2.0 Documentation](#)*

### 3)- Daemon Service Documentation:

Daemon Service system is a system and service manager for Linux operating systems. It includes documentation on creating and managing services using. service files.

*Link: <https://systemd.io/linux>*

### 4)- Python Documentation:

Official documentation for the Python programming language, providing syntax, libraries, and best practices.

*Link: <https://docs.python.org/3/>*

### 5)-Java Documentation:

Official documentation for the Java programming language, providing syntax, libraries, and best practices.

*Link: <https://docs.oracle.com/en/java/>*

### 6)-Swing Documentation:

Swing is a GUI widget toolkit for Java, providing a set of components for building desktop applications. The official documentation includes tutorials, guides, and references for working with Swing components.

*Link: <https://docs.oracle.com/javase/tutorial/uiswing/>*

## **7)-Git Version Control:**

If you're collaborating on the project or maintaining it over time, using version control with Git is essential. Refer to Git documentation for usage instructions.

*Link: <https://git-scm.com/doc>*

## **8) MarkdownGuide:**

Markdown is often used for writing documentation. This guide provides syntax and tips for formatting documentation efficiently.

*Link: <https://www.markdownguide.org/>*

## **9)-Software Development Lifecycle (SDLC) Documentation:**

Depending on your project management approach, understanding SDLC documentation practices can be beneficial for planning, development, testing, and deployment phases.

*Link: <https://www.sdleforms.com/UnderstandingSDLC.html>*

## **10)-Python Package Index (PyPI):**

The official repository for Python packages. You can find and install Python packages using tools like pip.

*Link: <https://pypi.org/>*

# AKASH AWASTHI

+91 9265025380

128/663 Y-Block kidwai Nagar ,Kanpur, Uttar Pradesh, India –208011

[akashawasthi2022@gmail.com](mailto:akashawasthi2022@gmail.com),

## Summary

Dedicated and motivated Bachelor of Computer Application graduate with a passion for technology and innovation. Proficient in Java , Python ,HTML and CSS with experties in web technologies. Passionate about utilizing technology to enhence processes and foster organizational growth.

## Education

- **Bachelor of computer application**  
Chhatrapati Shahu Ji Maharaj University, Kanpur  
2024

## Skills

- **Technical Skills:** Java , Python, HTML, Linux, SQL
- **Soft Skills:** Communication

## Certifications

- **Cyber Security and Ethical Hacking ( March 2022 )**
- **Python and Machine learning ( September 2022 )**
- **Web Penetration Testing and Security ( October 2022 )**
- **Java ( July 2023 )**
- **Ethical Hacking ( August 2022 )**

## Projects

- **Regumate (Zoom Meeting Automation)**  
*Description:* Developed a Java-based graphical user interface (GUI) using JFrame to facilitate scheduling and managing Zoom meetings seamlessly.
  - Utilized Python for automating the launch of the Zoom application, ensuring a streamlined meeting setup.
  - Dynamically populated meeting details from the MySQL database into the Zoom interface, reducing manual data entry and potential errors.
  - Automated the joining of scheduled meetings at designated times, enhancing efficiency and user experience.

- **Technologies Used :** Java, Python and MySQL Database

## Languages

- Java

## Interests

- **Playing Cricket:** Enthusiastic about playing cricket, fostering teamwork and discipline while enjoying physical activity and competition.
- **Travel and Exploration:** Love exploring new places through travel, embracing diverse cultures and experiences to broaden perspectives and foster personal growth.
- **Technology Exploration:** Constantly exploring new technologies and keeping up-to-date with the latest advancements in the tech industry.