

**ITEA2 Project** Call 6 11025 2012 - 2015


Work Package 3: "Modeling"

## openETCS Design Specification

#### **Software Component Design and Internal Interface Specification**

Peter Mahlmann, Bernd Hekele, Baseliyos Jacob, Peyman Farhangi, Stefan Karg, Valerio D'Angelo, Uwe Steinke, Christian Stahl, Jakob Gärtner, Jos Holtzer, Jan Welvaarts, Vincent Nuhaan, Thorsten Schulz, Benjamin Beichler, Marielle Petit-Doche, Matthias Güdemann, Veronique Gontier, Christian Giraud, Fausto Cochetti, Alexander Stante and David Mentre

June 2015



#### Funded by:















This page is intentionally left blank

Work Package 3: "Modeling"

OETCS/WP3/D3.5.2

June 2015

## openETCS Design Specification

### **Software Component Design and Internal Interface Specification**

#### Document approbation

Lead author:	Technical assessor:	Quality assessor:	Project lead:
location / date	location / date	location / date	location / date
signature	signature	signature	signature
Peter Mahlmann	Jan Welte	Izaskun de la Torre	Klaus-Rüdiger Hase
(DB Netz AG)	(Technische Universität	(SQS)	(DB Netz)
	Braunschweig)		

Peter Mahlmann, Bernd Hekele, Baseliyos Jacob, Peyman Farhangi, Stefan Karg, Valerio D´Angelo

DB Netz AG

Uwe Steinke

Siemens AG

Christian Stahl

TWT GmbH

Jakob Gärtner

LEA Railergy

Jos Holtzer, Jan Welvaarts, Vincent Nuhaan

Nederlandss Spoorwegen

Thorsten Schulz, Benjamin Beichler

University of Rostock

Marielle Petit-Doche, Matthias Güdemann

Systerel

Veronique Gontier

All4Tec

Christian Giraud, Fausto Cochetti

Alstom

Alexander Stante

Fraunhofer ESK

**David Mentre** 

**MERCE** 

Architecture and Design Specification

Prepared for openETCS@ITEA2 Project

**Abstract:** This document describes the architecture and design specification of the openETCS onboard unit (OBU) model. The functional scope of the openETCS OBU model is to cover the functionality required for running on the ETCS level 2 Utrecht Amsterdam track. The OBU model is developed iteratively and the system model is documented in D3.5.x and the functional model is documented in D3.5.x, where x denotes the iteration.

Disclaimer: This work is licensed under the "openETCS Open License Terms" (oOLT) dual Licensing: European Union Public Licence (EUPL v.1.1+) AND Creative Commons Attribution-ShareAlike 3.0 – (cc by-sa 3.0)

THE WORK IS PROVIDED UNDER OPENETCS OPEN LICENSE TERMS (OOLT) WHICH IS A DUAL LICENSE AGREEMENT INCLUDING THE TERMS OF THE EUROPEAN UNION PUBLIC LICENSE (VERSION 1.1 OR ANY LATER VERSION) AND THE TERMS OF THE CREATIVE COMMONS PUBLIC LICENSE ("CCPL"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS OLT LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

http://creativecommons.org/licenses/by-sa/3.0/
http://joinup.ec.europa.eu/software/page/eupl/licence-eupl

## **Modification History**

Version	Sections	Modification / Description	Author	Date
1.0	all	Initial document	Peter Mahlmann	30.06.2015

$T_{\sim}$	h	_Af	Co	nt	<u>an</u>	to
ıα	U	ΟI	-	111	CH	LO

Modification History	ication History	i
----------------------	-----------------	---

OETCS/WP3/D3.5.2	vi

# Important note on the documentation of this iteration of the openETCS OBU model

Please note that the architecture and design document of this iteration of the openETCS OBU model, i.e. D3.5.2 system model and D3.6.2 functional model, has been skipped. The reason for this is that after an initial review of the document it had been decided to completely restructure the architecture and design document to make it more appropriate for the needs of verification and validation needs. Due to this restructuring the documentation could not be finished before the next iteration (D3.5.3 system model and D3.6.3 functional model) was about to be completed. Thus, to not waste scarce resources it has been decided to focus on the documentation of D3.5.3 and D3.6.3 and we refer to these documents.