

Progress Report on Drasil: A Framework for Scientific Knowledge Capture and Artifact Generation

Daniel Szymczak

Computing and Software Department, McMaster
University
Hamilton, Ontario
szymczdm@mcmaster.ca

Jacques Carette

Computing and Software Department, McMaster
University
Hamilton, Ontario
cchette@mcmaster.ca

Spencer Smith

Computing and Software Department, McMaster
University
Hamilton, Ontario
smiths@mcmaster.ca

Steven Palmer

Computing and Software Department, McMaster
University
Hamilton, Ontario
palmes4@mcmaster.ca

ABSTRACT

[FIX THIS – DO NOT SUBMIT –DS]

Give me an A! A! Give me a B! B! Give me a STRACT! STRACT! What's that spell? Who cares? I'm just filling in a bit of space to make this look more like a real abstract, but I don't want to use lorem ipsum for some reason. Also, I just realized this will end up in version control so someone could find it one day, but meh, that's okay with me.

I think this is long enough to constitute a "minimum" abstract length, although I'm sure the real one will be far longer. It'll probably be more boring too. What a shame.

[FIX THIS – DO NOT SUBMIT –DS]

CCS CONCEPTS

• **Mathematics of computing** → *Mathematical software*; • **Software and its engineering** → *Software development techniques*; *Automatic programming*;

KEYWORDS

scientific computing, software quality, software engineering, document driven design, code generation

ACM Reference format:

Daniel Szymczak, Spencer Smith, Jacques Carette, and Steven Palmer. 2017. Progress Report on Drasil: A Framework for Scientific Knowledge Capture and Artifact Generation. In *Proceedings of 2017 International Workshop on Software Engineering for High Performance Computing in Computational and Data-Enabled Science and Engineering, Denver, Colorado, USA, November 2017 (SE-CSE_SE-CoDeSE)*, 6 pages.
<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

SE-CSE_SE-CoDeSE, November 2017, Denver, Colorado, USA

© 2017 Copyright held by the owner/author(s).

ACM ISBN 978-x-xxxx-xxxx-x/YY/MM.

<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

1 INTRODUCTION

Every developer should strive towards creating the highest possible quality software. As scientists, we should be leading the community in this regard as it is our duty to ensure the reusability, reproducibility, and replicability of our work.

Our team is focused on improving the quality of Scientific Computing Software (SCS). We have chosen large, multi-year, multi-developer projects where the end users do much of the development as our target scope. For these projects, we pay particular attention to improving the qualities of reusability, reproducibility, and certifiability. Improving these software qualities is especially important where correctness can have an impact on safety, for example: nuclear safety analysis or medical imaging.

Often considered too high a cost in terms of time and effort for SCS developers, particularly when dealing with rapid changes in development, improved documentation is an important aspect of improving overall software quality. Carver [1] observed that scientists do not view rigid, process-heavy approaches, favourably. SCS developers tend to dislike producing documentation and often consider reports for each stage of software development as counterproductive [5, p. 373].

Well-maintained documentation provides numerous advantages including:

- Improved software qualities
 - Verifiability
 - Reusability
 - Reproducibility
 - etc.
- From Parnas [3]:
 - Easier reuse of old designs
 - Better communication about requirements
 - More useful design reviews
 - etc.

Previous work by Smith & Koothoor [7] found 27 errors in an existing software project when creating new documentation. Developers have become aware of these advantages of documentation [6].

However, documenting software is typically felt to be:

- Too long
- Too difficult to maintain




Figure 1: Drasil chunk hierarchy

- Not amenable to change
- Too tied to the waterfall process
- Counterproductive when reporting on each stage of development [5]

The Solution?

Drasil – a framework, utilizing a knowledge-based approach to software development, proposed in a position paper [8]. The goal of the approach is to capture scientific and documentation knowledge in a reusable way, then generate the source code and other software artifacts (documentation, build files, tests, etc).

Work on Drasil has continued steadily since the position paper, as described below. We begin with a brief overview of the design of the Drasil framework in Section 2, then describe its development process to date in Section 3. Following that, we show an example of Drasil in action (Section 4) and the results we have seen to date (Section 5). Finally, we lay out some of the work that still needs to be done (Section 6) before concluding.

2 DESIGN OF DRASIL

Drasil’s design is based around three main components:

- (1) Knowledge capture mechanisms (*Chunks*)
- (2) Artifact generation language(s) (*Recipes*)
- (3) Knowledge-base (*Data.Drasil*)

Chunks are the primary knowledge-capture mechanism. There are many flavours of chunk (as shown in Figure 1). The most basic chunk is simply a piece of data with an id. From there, all other chunks can be created. For example, a *Quantity* is a *NamedIdea* (a chunk containing an id, as well as a term which represents the idea and a potential abbreviation for that term) which also has a *Space* (integer, boolean, vector, etc.), and symbol representation/units (if applicable).

We can think of chunks as our building blocks of knowledge; they are the ingredients to be used in our *Recipes*. Our language of

```
mkSRS :: DocDesc
mkSRS = [ RefSec (RefProg intro
  [ TUnits ,
    tsymb [ TSPurpose , SymbOrder ] ,
    TAandA ] ) ]
  ...
```

Figure 2: The reference material section for an SRS written in Drasil’s Document Language




Figure 3: Data.Drasil knowledge domains

recipes is a Domain-Specific Language (DSL) embedded in Haskell which is used to define what we would like to generate, and in what order. A small snippet of recipe language code for our Software Requirements Specification (SRS) can be seen in Figure 2. This code is used to generate the *Reference Materials* section of our SRS, which contains an introduction followed by the table of units, table of symbols, and table of abbreviations and acronyms subsections.

The document generation language is highly abstracted, but allows for a fairly high degree of customization. Drasil also contains a code-generation language integrating GOOL [?] – a Generic Object-Oriented Language – which can generate code in a number of different target languages including Python, Lua, and C++. We will discuss code generation in more depth later on.

Finally, there is the knowledge-base for Drasil (located in Data.Drasil). We are creating a database of reusable scientific knowledge that can be applied across a number of different applications across multiple domains. As the Drasil framework grows, we hope to continue to expand this database into an ontology of scientific information for a number of disciplines. See Figure 3 for an example of some of the domains in which we have started to capture knowledge.

3 DEVELOPMENT PROCESS FOR DRASIL

Drasil is being developed using a practical, example-driven process. There are currently five different examples being developed concurrently within (and driving the development of) Drasil:

- Chipmunk2D Game Engine
- Solar Water Heating System Incorporating Phase Change Material (PCM)
- Solar Water Heating System (No PCM)

Refname	DD:sdf.tol
Label	J_{tol}
Units	
Equation	$J_{tol} = \log \left(\log \left(\frac{1}{1-P_{tol}} \right) \frac{\left(\frac{a}{1000} \frac{b}{1000} \right)^{m-1}}{k \left(\frac{E \times 1000}{1000} \left(\frac{a}{1000} \right)^2 \right)^m * LDF} \right)$
Description	<p>J_{tol} is the stress distribution factor (Function) based on Pbtol P_{tol} is the tolerable probability of breakage a is the plate length (long dimension) b is the plate width (short dimension) m is the surface flaw parameter k is the surface flaw parameter E is the modulus of elasticity of glass h is the actual thickness LDF is the load duration factor</p>

Figure 4: J_{tol} from GlassBR Requirements

- Slope Stability Analysis
- Glass Breakage Analysis

These examples overlap with those found in [6].

Our practical design approach allows us the flexibility to prototype without over-designing. As a new feature becomes necessary to continue the implementation of a given example, only then do we design, test, implement, and re-test it. We occasionally implement features we may need in the future, but only in those instances when it is obvious that we are taking the right approach.

The current incarnation of the Drasil framework can be found on GitHub at <https://github.com/JacquesCarette/literate-scientific-software>. We utilize peer-review of code throughout development to correct missteps early on, and keep an up-to-date issue tracker for any bugs, feature requests, or other “to-do” tasks.

Progressive development of Drasil is achieved by not only looking for new features that must be implemented, but also through a cyclic approach towards improvement. This approach relies on finding new (extractable) patterns in the framework through refactoring, de-embedding and extracting knowledge from the example materials, and reducing knowledge duplication by capturing it in a highly reusable way.

4 A PRACTICAL EXAMPLE (GLASSBR)

GlassBR is a piece of software used in Civil Engineering to predict whether or not a slab of glass will be able to withstand a given blast without breaking. It has two classes of input: glass geometry and blast type. Each of these input classes has a number of fields (glass type, dimensions, TNT equivalent factor, standoff distance, etc.) used as input to the simulation. Also, a tolerable probability of breakage is given by the user.

The output of GlassBR is whether or not the glass slab is considered safe. This is based on a probability that is calculated through interpolation being compared to the tolerable probability.

To understand the Drasil implementation, we will follow one specific piece of knowledge through from requirements to code. We intend to show how this knowledge is captured and used in Drasil to produce our software artifacts (documentation and code).

Let us start by taking a look at a data definition for the tolerable stress distribution factor (J_{tol}) from GlassBR. Figure 4 shows the

Drasil-generated TeX version of the data definition for J_{tol} , however we can also generate the documents in HTML. This figure is part of the requirements for the GlassBR software, and as such, we will eventually need code (like that in Figure 5) that can be used to calculate J_{tol} . We can generate this code as well! Not only that, but thanks to the incorporation of GOOL we can also generate Java, Lua, etc.

The source knowledge for generating both the documentation and the code has been captured using chunks as shown in Figure 6. The value of J_{tol} is calculated from the expression `tolStrDisFac_eq`, which is part of the `tolStrDisFac` chunk.

Notice there is actually an error in the code and documentation. We should not be dividing by 1000 in a number of places. Luckily, with one quick change to `tolStrDisFac_eq` (shown in Figure 7), we have corrected the error in our knowledge-base. Thus, after re-running the generator, our code and documentation has now been fixed and remains consistent.

We have similarly captured all of the knowledge pertaining to GlassBR in chunks. This knowledge can be assembled and extracted in different ways to produce a multitude of views, i.e. our artifacts, including the SRS. For a sense of what we can generate from this knowledge, see the table of contents for the currently generated GlassBR SRS (Figure 8). Again, our documents can be generated in TeX and/or HTML for more flexibility. Both contain automated internal references.

Another thing to note in our SRS is that the traceability information between definitions, assumptions, theories, and instance models is automatically generated, including the traceability graph shown in Figure 9.

5 QUALITY IMPROVEMENTS

Throughout Drasil’s development lifecycle, we have already noticed a number of non-trivial quality improvements to the software examples being re-developed. These improvements come in a wide range of areas, but for the sake of brevity we will focus on certifiability, reusability, and reproducibility.

5.1 Certifiability

Certifying (or re-certifying) software can be a lengthy and expensive process where a single error can cause the software to fail the certification process. Consider the following equation from our solar water heating example which states that energy must be conserved:

$$E_W = \int_0^t h_C A_C (T_C - T_W(t)) dt - \int_0^t h_P A_P (T_W(t) - T_P(t)) dt$$

This is trivial for a human to check, and writing code to check it during the software execution is also very simple. However, it is still time-consuming and should it ever need to change, it would require developers to make a number of modifications to many artifacts in the future.

Thanks to Drasil’s knowledge-capture mechanisms, we can capture the above equation in one place, thus any changes can be made very quickly. Not only that, but sanity checks (such as ensuring

```
def calc_j_tol(inparams):
    j_tol = math.log((math.log(1.0/(1.0 - inparams.pb_tol))) * (((inparams.a / 1000.0) *
        (inparams.b / 1000.0)) ** (inparams.m - 1.0)) / ((inparams.k * (((inparams.E * 1000.0) *
        ((inparams.h / 1000.0) ** 2.0)) ** inparams.m)) * inparams.ldf)))
    return j_tol
```

Figure 5: Python code to Calculate J_{tol}

```
stressDistFac = makeVC "stressDistFac" (nounPhraseSP $ "stress distribution" ++ " factor (Function)" ) cJ

sdf_tol = makeVC "sdf_tol" (nounPhraseSP $ "stress distribution" ++ " factor (Function) based on Pbtol")
    (sub (stressDistFac ^.. symbol) (Atomic "tol"))

tolStrDisFac_eq :: Expr
tolStrDisFac_eq = log (log ((1) / ((1) - (C pb_tol)))) * ((Grouping (((C plate_len) / (1000)) *
    ((C plate_width) / (1000)))) :^ ((C sflawParamM) - (1)) / ((C sflawParamK) *
    (Grouping (Grouping ((C mod_elas) * (1000)) * (square (Grouping ((C act_thick) / (1000)))))) :^
    (C sflawParamM) * (C loadDF))))

tolStrDisFac :: QDefinition
tolStrDisFac = mkDataDef sdf_tol tolStrDisFac_eq
```

Figure 6: Drasil (Haskell) code for J_{tol} Knowledge

```
tolStrDisFac_eq :: Expr
tolStrDisFac_eq = log (log ((1) / ((1) - (C pb_tol)))) * ((Grouping ((C plate_len) * (C plate_width))) :^
    ((C sflawParamM) - (1)) / ((C sflawParamK) * (Grouping ((C mod_elas) * (square (C act_thick)))) :^
    (C sflawParamM) * (C loadDF))))
```

Figure 7: Modified Drasil (Haskell) code for J_{tol}

Table 1: Constraints on Quantities – Used To Verify Inputs

Var	Constraints	Typical Value	Uncertainty
L	$L > 0$	1.5 m	10%
ρP	$\rho P > 0$	1007 kg/m ³	10%

constraints on inputs) can also be captured and reused (see Table 1). Capturing that information also delivers a wider array of advantages, including:

- Generate guards against invalid input automatically
- Generate certain test cases automatically
- Generate views suitable for inspection

We can also see that it is extremely easy to trace changes and verify that they are correct, thanks to our one-source, generative approach. We can produce documents similar to those commonly found in literate programming where we display the equations and code implementations (example: the J_{tol} equation and the python code used to calculate it) side-by-side, allowing a human to quickly verify the code is correct.

We have also touched on one of the greatest advantages which was implied earlier: *If there is an error somewhere, it is wrong everywhere*. This may seem like a disadvantage, but ensuring every artifact contains the same errors means there is a much greater

chance of those errors being spotted. In our experience, many examples of software include code that does not match the design (due to hacks, last-minute changes, etc.), and an error which could hamper certification efforts can fly under the radar.

For (re-)certification purposes, we want to be able to find any and all errors, trace them to their source, and fix them quickly. Drasil has shown great promise in that respect.

5.2 Reusability

Reusability is a core tenet of ours for Drasil’s development. This can be seen most obviously in the knowledge-capture mechanisms we have created.

Consider the following software artifacts typically found in a rational, design process for software development [4]:

- Software Requirements Specification (SRS)
- Module Interface Guide (MIS)
- Source Code
- Test cases

Within these artifacts, there is a lot of duplication of specific knowledge related to the software being designed. Knowledge from the SRS will appear, possibly transformed, throughout each of the other artifacts. We seek to de-embed specific knowledge from within any specific artifact to easily reuse it throughout them all. This knowledge includes, but is not limited to:

1	Reference Material	3
1.1	Table of Units	3
1.2	Table of Symbols	3
1.3	Abbreviations and Acronyms	4
2	Introduction	5
2.1	Purpose of Document	5
2.2	Scope of Requirements	5
2.3	Characteristics of Intended Reader	6
2.4	Organization of Document	6
3	Stakeholders	6
3.1	The Client	6
3.2	The Customer	6
4	General System Description	6
4.1	User Characteristics	7
4.2	System Constraints	7
5	Scope of the Project	7
5.1	Product Use Case Table	7
5.2	Individual Product Use Cases	7
6	Specific System Description	8
6.1	Problem Description	8
6.1.1	Terminology and Definitions	8
6.1.2	Physical System Description	10
6.1.3	Goal Statements	10
6.2	Solution Characteristics Specification	10
6.2.1	Assumptions	10
6.2.2	Theoretical Models	12
6.2.3	General Definitions	13
6.2.4	Data Definitions	13
6.2.5	Instance Models	17
6.2.6	Data Constraints	18
7	Requirements	19
7.1	Functional Requirements	19
7.2	Non-Functional Requirements	21
8	Likely Changes	21

Figure 8: Table of Contents for Generated SRS for GlassBR




Figure 9: Traceability Graph

- Scientific Knowledge
- Models
- Units
- Symbols
- Descriptions
- Traceability information

[TODO: Something about Drasil being awesome at capturing info. –DS]

Reusing knowledge across artifacts in one software project is already incredibly useful, however, we have taken it a step further. Drasil allows us to reuse between projects. We can reuse a family of

related models, or reuse pieces of knowledge from a given domain as necessary. Consider the vast number of software that rely on interpolation, or must ensure conservation of thermal energy. We can capture this knowledge once and reuse it through all of these projects.

We have already begun using knowledge across projects with great results. Our two implementations of the solar water heating systems have a vast amount of overlap in the requisite knowledge, except for the phase change material, which is not present in one of the examples.

5.3 Reproducibility

Typically when we refer to reproducibility the emphasis is on reproducing code execution. There are many problems attaining reproducibility at that level [2] as there are often undocumented:

- Assumptions
- Modifications
- Hacks

This does not mean that it is impossible to reproduce the execution of some given code, however, what if that code is wrong? Should it not be easier to independently replicate the work of others without relying on the code they've written?

We want to replicate not only the execution of the code, but the whole of the software from theory to implementation. Given the appropriate theoretical knowledge, assumptions, equations, etc. we should be able to take this high-level knowledge and reproduce an implementation which will return consistent results. Drasil allows us to do exactly this; we can capture the high-level science knowledge and use it to reproduce a piece of software. We can also package our projects in a Drasil-ready format, such that the software can be generated on-the-fly by any who wish to replicate the results or double-check the science.

Drasil can also potentially check for completeness and consistency, ensuring the little things that are tedious (if trivial) to manually verify. For example: every symbol should be defined and used and should not change throughout the artifacts (inter- and intra-artifact consistency). This may seem minor, but one of our case studies, which had been reviewed by humans on numerous occasions, introduced a new symbol for an existing concept in an equation derivation which was never defined and did not appear in the table of symbols. When implementing the project in Drasil, however, this error was made obvious almost immediately.

Overall, Drasil lends itself incredibly well to ensuring reproducibility in a much larger sense than we normally consider. It allows us to focus on the science, building our projects from the fundamental knowledge instead of relying on a lone developer's code.

6 FUTURE WORK

Drasil has come a long way in the last year, yet there is still much to be done. With the current code-generation mechanisms being fairly naive, we have begun work on a language of design which allows us to apply design decisions to the theory knowledge to produce more flexible code. This language allows us to classify design and implementation choices in a reusable manner and will allow us

to progress with the generation of design documents, which are currently difficult to produce in Drasil.

Another large feature that will be a necessity in the long-run, but has thus far been relegated to the back-burner, is a much more user-friendly syntax, or even a tool to aid in the creation of Drasil documents. Currently, Drasil is fairly arcane to use, even with our inclusion of more documentation. Yet, with each iteration of the language we introduce new, simplifying abstractions, which have already made it easier to use. However, we are aware of the gap that needs to be closed before it will be ready for our target users.

We are also continuing work on:

- Generating new types of software artifacts
- Implementing much larger examples

Thanks to our practical-approach to Drasil's design, there will likely be many other minor features to add and changes to make that are not yet entirely clear to us.

7 CONCLUDING REMARKS

While Drasil is still a work-in-progress, it shows great promise as a tool to aid SCS developers. The ability to capture scientific knowledge, document it, and transform it into usable code from a single, fully-traceable source should not be underestimated.

We have already seen non-trivial improvements to existing software during its re-implementation in our current working-copy of Drasil. The case studies are now easier to verify, maintain, reuse, and replicate than they were before. There is also far less ambiguity on where certain concepts originated, as everything is captured in one source.

Not only will scientists be able to create higher quality software; they will be able to replicate and reuse each other's work in a far more robust manner than we have currently seen in practice. We hope Drasil will solve many of the reproducibility problems mentioned by Ionescu and Jansson [2].

Software (re-)certification will also become a far less daunting task in a future with Drasil. With full traceability of information and the ability to generate new document views on-the-fly, we will be able to streamline the process.

While developing in Drasil does come with a fairly high up-front investment, we believe the long-term maintainability along with the streamlining of verification/certification and other previously mentioned advantages will be well worth the cost.

ACKNOWLEDGMENTS

The assistance of McMaster University's Dr. Manuel Campidelli, Dr. Wael and Dr. Michael Tait with the GlassBR example is greatly appreciated.

REFERENCES

- [1] Jeffrey C. Carver, Richard P. Kendall, Susan E. Squires, and Douglass E. Post. 2007. Software Development Environments for Scientific and Engineering Software: A Series of Case Studies. In *ICSE '07: Proceedings of the 29th International Conference on Software Engineering*. IEEE Computer Society, Washington, DC, USA, 550–559. <https://doi.org/10.1109/ICSE.2007.77>
- [2] Cezar Ionescu and Patrik Jansson. 2012. Dependently-Typed Programming in Scientific Computing — Examples from Economic Modelling. In *Revised Selected Papers of the 24th International Symposium on Implementation and Application of Functional Languages (Lecture Notes in Computer Science)*, Vol. 8241. Springer International Publishing, 140–156. https://doi.org/10.1007/978-3-642-41582-1_9
- [3] David Lorge Parnas. 2010. Precise Documentation: The Key to Better Software. In *The Future of Software Engineering*. 125–148. https://doi.org/10.1007/978-3-642-15187-3_8
- [4] David L. Parnas and P.C. Clements. February 1986. A Rational Design Process: How and Why to Fake it. *IEEE Transactions on Software Engineering* 12, 2 (February 1986), 251–257.
- [5] Patrick J. Roache. 1998. *Verification and Validation in Computational Science and Engineering*. Hermosa Publishers, Albuquerque, New Mexico.
- [6] W. Spencer Smith, Thulasi Jegatheesan, and Diane F. Kelly. 2016. Advantages, Disadvantages and Misunderstandings About Document Driven Design for Scientific Software. In *Proceedings of the Fourth International Workshop on Software Engineering for High Performance Computing in Computational Science and Engineering (SE-HPCCE)*. 8 pp.
- [7] W. Spencer Smith and Nirmitha Koothoor. 2016. A Document-Driven Method for Certifying Scientific Computing Software for Use in Nuclear Safety Analysis. *Nuclear Engineering and Technology* 48, 2 (April 2016), 404–418. <https://doi.org/10.1016/j.net.2015.11.008>
- [8] Daniel Szymczak, W. Spencer Smith, and Jacques Carette. 2016. Position Paper: A Knowledge-Based Approach to Scientific Software Development. In *Proceedings of SE4Science'16 in conjunction with the International Conference on Software Engineering (ICSE)*. In conjunction with ICSE 2016, Austin, Texas, United States. 4 pp.