

OptionMatrix

for version 1.4.4, 19 December 2023



Anthony Bradford

This manual is for OptionMatrix (version 1.4.4, 19 December 2023), which is a Financial Derivatives Calculator supporting GTK+, Curses and the Command Line.

Copyright © 2013 Anthony Bradford.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, with no Front-Cover Texts, and with no Back-Cover Texts. A copy of the license is included in the section entitled “GNU Free Documentation License”.

Table of Contents

1	Overview	1
2	Invoking the OptionMatrix Programs.....	2
2.1	Usage Options	2
2.2	Examples	3
3	Graphical Application optionmatrix	4
3.1	Main Screen	4
3.2	Input Controls	4
3.2.1	Price, Interest Rate and Standard Deviation	4
3.2.2	Time	5
3.2.3	Calendar Picker	5
3.2.4	Strike Controls	6
3.3	Date Engine	7
3.3.1	Date Engine Properties	7
3.3.2	Month Adjuster	8
3.3.3	Option Cycles	8
3.3.4	Display Formats	9
	Month to Strikes	9
	Months to Strike	9
	Months Across	9
	3 Call / 3 Put Columns	10
3.4	Greeks	10
3.5	Spreads	10
3.6	Models	12
3.6.1	Changing Models	12
3.6.2	Model Categorization	13
3.7	Cash Flow Editor	14
3.8	Re-calculations	14
3.9	Cumulative Normal Distribution	15
3.10	Precision	15
3.11	Exporting	16
4	Curses optionmatrix_console.....	17
4.1	Running	17
4.2	Welcome Screen	17
4.3	Model Selection	17
4.4	Format Selection	18
4.5	Inputs	19
4.6	Pricing Screen	19

5	Models supported	21
5.1	BSM	21
5.2	American Options	21
5.3	Single Asset Options	21
5.4	Two Asset Options	22
5.5	Jump Diffusion	22
5.6	Trees & Finite Differences	22
5.7	Monte Carlo	23
5.8	Discrete Dividend	23
5.9	Currency	23
5.10	Futures	24
5.11	Interest Rate Derivatives	24
5.12	Asian	24
5.13	Implied Volatility	24
5.14	Bonds	24
5.15	Term structures	25
5.16	Misc	25
5.17	Pre-BSM	25
6	Downloading and Installation	26
6.1	Installers	26
6.2	Unix / Linux Autotools Package	26
7	Documentation	27
8	Reporting bugs	28
Appendix A	GNU Free Documentation License	
	29
	Concept index	37

1 Overview

The OptionMatrix programs are financial derivative calculators distributed by <http://sourceforge.net/projects/optionmatrix>. These calculators are real-time multi-model option chain pricers with analytics and interactive controls. `optionmatrix` is the GTK+ graphical user interface version and `optionmatrix_console` is the Curses version (Unix/Linux console, DOS).

Both programs feature: greeks, decimal date to real-date translations, real-date to decimal date translations, real-time time bleeding, configurable option expiration date engines, calendars, strike control systems, tickers and over 170 option models. `optionmatrix` also supports: spreads, bonds, term structures, cash flow editing, source code viewing and text exporting.

The OptionMatrix programs use financial model libraries. Models are included from QuantLib, Bjørn Augestad (Metaoptions), Anthony Bradford, [Bernt Arne Øedegaard](#) (Financial Numerical Recipes in C++) and Seth Pinsky. The code base can be easily extended to include new models.

The OptionMatrix programs are implemented in C++ and use Autotools for packaging. OptionMatrix can be compiled with GTK+ 3 or GTK+ 2. See [Chapter 6 \[Downloading and Installation\]](#), [page 26](#), for source code and installers. These programs are protected by the GNU General Public License, users are free (in perpetuity) to share and change them.

OptionMatrix was written by [Anthony Bradford](#).

2 Invoking the OptionMatrix Programs

2.1 Usage Options

The options for running the OptionMatrix programs are:

```
optionmatrix option ...
```

```
optionmatrix_console option ...
```

With no options, `optionmatrix` launches the GTK+ (GUI) version of OptionMatrix and `optionmatrix_console` launches the Curses (console, DOS) version.

`optionmatrix` and `optionmatrix_console` support the following options:

```
--help
-h          Print an informative help message on standard output and exit.

--version
-v          Print the version number and licensing information of OptionMatrix on stan-
            dard output and exit.

--list
-l          List the names of all financial models to standard output and exit.

--source
-s          List source code file names of models not accessible by the application to stan-
            dard output and exit. If a model's source code is accessible the optionmatrix
            program can display source code from the running application.

--debug
-d          Force creation of debug log file optionmatrix.log

--price
-p          Iterate through and test all models to standard output and exit.

--quiet
-q          Iterate through and test all models in quiet mode and exit.

--model
-m          Time test a specific model number to standard output and exit. 200000 execu-
            tions of model are made and timed by default.

--iterate number
-i number   Set number of executions a model will be time tested for (default 200000)

--Directory
-D          Set model source code directory. The GTK+ version of the application can
            display source code.

--datadir
-x          Override the datadir variable used for the path to icons / images.
```

The option `--debug` (`-d`) is the only option used by both `optionmatrix` and `optionmatrix_console` applications. The options `--Directory` (`-D`) and `--datadir` (`-x`) are exclusive to `optionmatrix`. The remaining command line options do not launch an interactive application and only create standard output and exit.

2.2 Examples

Try typing ‘optionmatrix --version’

```
optionmatrix 1.4.4
```

```
Copyright (C) 2013 Anthony Bradford.
License GPLv3+: GNU GPL version 3 or later
<http://gnu.org/licenses/gpl.html>.
This is free software; see the source for copying conditions.
There is NO warranty; not even for MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE.
```

Written by Anthony Bradford.

Run and time model zero, Black-Scholes, at the default number of iterations (200000)

```
‘optionmatrix --model 0 ’
Model #: 0 Black-Scholes

200000 Calls calculated   Time 1.517541s
CPU time: 0.600000s

200000 Puts calculated   Time 1.416533s
CPU time: 0.560000s
```

Run and time model zero, Black-Scholes, at 1 million iterations

```
‘optionmatrix --iterate 1000000 --model 0’
Model #: 0 Black-Scholes

1000000 Calls calculated   Time 7.890567s
CPU time: 2.870000s

1000000 Puts calculated   Time 7.357173s
CPU time: 2.780000s
```

Run the Curses version of OptionMatrix

```
‘optionmatrix_console’
```

Run the GTK+ (GUI) version of OptionMatrix

```
‘optionmatrix’
```

Run the GTK+ (GUI) version of OptionMatrix and define the model source code location.


```
‘optionmatrix --Directory src/c++/optionmatrix/optionmatrix-1.4.4’
```

3 Graphical Application optionmatrix

3.1 Main Screen

Running `optionmatrix` with no arguments or just the `--debug`, `-d` options will invoke the OptionMatrix GTK+ Graphical Application. The `--debug` or `-d` options will cause `optionmatrix` to create the debug log, `optionmatrix.log`, in the users home directory or the current working directory of execution. This log file will be populated with diagnostic information while the program is executing.


The initial screen will appear. The default model is Black-Scholes. The option chain on display is being re-calculated every second. Price changes are the result of time bleeding between the current time and the expiration time.



3.2 Input Controls

3.2.1 Price, Interest Rate and Standard Deviation

Price, interest rate, and standard deviation can be configured via spin buttons.



3.2.2 Time


Time can be entered by the “Time to Expiration” or the “Days to Expiration” spin buttons.



“Time to Expiration” displays time to expiration in years. “Days to Expiration” displays expiration time in days.

Input to either spin button updates both. An exact expiration date and time is calculated from the input, the option chain in the calculator’s grid display will be update to the new expiration date. Date calculations are adjusted for leap day of leap years.


Both spin button’s time value decreases every second as the expiration date approaches. This real-time updating can be toggled with the checkbox “RealTime”.




3.2.3 Calendar Picker

A specific calendar date can be selected with the Calendar Picker.

Calendar date selections will update both the “Time to Expiration” and the “Days to Expirations” spin buttons. Pressing the “Calendar” push button will invoke the Calendar Picker popup.



The popup features year, month and day calendar selections.



Select an expiration date and dismiss the popup. The popup does not feature a “OK” or “Cancel” button. The option chain in the calculator’s grid display will be set to the new expiration date.

3.2.4 Strike Controls

A drop down box “Strikes” changes the strike increments or allows custom strike mode.

Use Date Engine					
Strikes		5			
Price	Strike	Call	Put	C	
00.00000000	65	35.80792693	0.00048519	0	

Selections include: 5, 1, .5, .1, .01, .001 and CUST

Strikes		
Price	Call	
35.80790		511
30.87420		717
25.96072		627
21.12119		269
16.47507		991

A scale button “Strike Adjuster” allows scrolling of strikes being displayed in the selected strike increments.


Strikes	5	Strike Adjuster
---------	---	-----------------

Selection of drop down item “CUST” allows entering of any strike in the Strike input box.

Strikes	CUST	Strike	100.00000000
---------	------	--------	--------------

3.3 Date Engine

Selecting the checkbox “Use Date Engine” will invoke the Date Engine.




The Date Engine will map option expirations to a default of 3rd Friday+1 @11:59AM going into the future. This is the standard expiration for U.S. Exchange Traded Options. The Date Engine is configurable and can make any re-occurring date used by the options industry.

The option chain's pricing will be updated as time decreases between the current time and the expirations.


Price	Expr Date	Strike	Call	Put	Days to Expr	Years to Expr	Call Delta	Put Delta	Gamma	Vega	Call Th
100.00000000	Aug18 2012	65	35.13542215	0.00000000	15.22481481	0.04171182	1.00000000	-0.00000000	0.00000000	0.00000000	-3.24
100.00000000	Aug18 2012	70	30.14583924	0.00000000	15.22481481	0.04171182	1.00000000	-0.00000000	0.00000000	0.00000000	-3.49
100.00000000	Aug18 2012	75	25.15625634	0.00000001	15.22481481	0.04171182	0.99999999	-0.00000001	0.00000001	0.00000001	-3.74
100.00000000	Aug18 2012	80	20.16667827	0.00000485	15.22481481	0.04171182	0.99999543	-0.00000457	0.00000415	0.00043314	-3.99
100.00000000	Aug18 2012	85	15.17788680	0.00079629	15.22481481	0.04171182	0.99942161	-0.00057839	0.00039822	0.04152653	-4.36
100.00000000	Sep22 2012	65	35.44567408	0.00000172	50.22481481	0.13760223	0.99999906	-0.00000094	0.00000050	0.00017308	-3.22
100.00000000	Sep22 2012	70	30.48003301	0.00007817	50.22481481	0.13760223	0.99996354	-0.00003646	0.00001648	0.00566967	-3.48
100.00000000	Sep22 2012	75	25.51585289	0.00161555	50.22481481	0.13760223	0.99936497	-0.00063503	0.00023902	0.08222279	-3.79
100.00000000	Sep22 2012	80	20.56610364	0.01758381	50.22481481	0.13760223	0.99424393	-0.00575607	0.00176718	0.60791900	-4.49
100.00000000	Sep22 2012	85	15.69641968	0.11361736	50.22481481	0.13760223	0.96946798	-0.03053202	0.00744478	2.56104654	-6.38
100.00000000	Oct20 2012	65	35.69295160	0.00014786	78.22481481	0.21431456	0.99994614	-0.00005386	0.00001909	0.01023011	-3.22
100.00000000	Oct20 2012	70	30.74805321	0.00195686	78.22481481	0.21431456	0.99938589	-0.00061411	0.00018569	0.09948828	-3.51
100.00000000	Oct20 2012	75	25.81500040	0.01561146	78.22481481	0.21431456	0.99580728	-0.00419272	0.00106765	0.57203453	-4.02
100.00000000	Oct20 2012	80	20.93527899	0.08259746	78.22481481	0.21431456	0.98116871	-0.01883129	0.00397491	2.12970020	-5.10
100.00000000	Oct20 2012	85	16.21890145	0.31292732	78.22481481	0.21431456	0.93998949	-0.06001051	0.01029412	5.51544887	-7.10
100.00000000	Nov17 2012	65	35.94034825	0.00135920	106.22481481	0.29102689	0.99962336	-0.00037664	0.00010132	0.07371544	-3.23
100.00000000	Nov17 2012	70	31.02118559	0.00996662	106.22481481	0.29102689	0.99759849	-0.00240151	0.00055489	0.40371855	-3.61
100.00000000	Nov17 2012	75	26.13375092	0.05030202	106.22481481	0.29102689	0.98951166	-0.01048834	0.00206009	1.49885235	-4.28
100.00000000	Nov17 2012	80	21.34316062	0.18748180	106.22481481	0.29102689	0.96636532	-0.03363468	0.00554502	4.03437302	-5.49
100.00000000	Nov17 2012	85	16.77377934	0.54587058	106.22481481	0.29102689	0.91626144	-0.08373856	0.01140919	8.30095290	-7.30

3.3.1 Date Engine Properties

The Date Engine Properties popup is used to configure the Date Engine. It can be invoked by pressing the Date Engine Properties push button.




The default expiration setting of 3rd Friday+1 @11:59AM can be changed.




3.3.2 Month Adjuster

A scale button named “Month Adjuster” can adjust the Date Engine’s months forward.




3.3.3 Option Cycles

The Date Engine supports option cycles. See drop down with label “Cycle”.



The Cycle drop down includes: All, Jan, Feb, Mar and LEAPS.




The default setting is “All” which displays all months.

3.3.4 Display Formats

The Date Engine supports many display formats for the option chain.

In the grouping of radio buttons labeled “Display Formats” each radio button changes the option chains display format.



The display formats are: Month to Strikes, Months to Strike, Months Across and “3 Call / 3 Put Columns”.

Month to Strikes

“Month to Strikes” features sets of the same expiration month mapped to incrementing strikes.

Price	Expr Date	Strike	Call	Put	Days to Expr	Years to Expr	Call Delta	Put Delta	Gamma
100.00000000	Aug18 2012	65	35.01665844	0.00000000	1.87111111	0.00512633	1.00000000	0.00000000	0.00000000
100.00000000	Aug18 2012	70	30.01793986	0.00000000	1.87111111	0.00512633	1.00000000	0.00000000	0.00000000
100.00000000	Aug18 2012	75	25.01922128	0.00000000	1.87111111	0.00512633	1.00000000	0.00000000	0.00000000
100.00000000	Aug18 2012	80	20.02050270	0.00000000	1.87111111	0.00512633	1.00000000	0.00000000	0.00000000

Months to Strike

“Months to Strike” features sets of incrementing expiration months mapped to the same strike.

Price	Expr Date	Strike	Call	Put	Days to Expr	Years to Expr	Call Delta	Put Delta	Gamma
100.00000000	Aug18 2012	65	35.01665298	0.00000000	1.87049769	0.00512465	1.00000000	0.00000000	0.00000000
100.00000000	Sep22 2012	65	35.32747129	0.00000002	36.87049769	0.10101506	0.99999998	-0.00000002	0.00000001
100.00000000	Oct20 2012	65	35.57508290	0.00002774	64.87049769	0.17772739	0.99998801	-0.00001199	0.00000505
100.00000000	Nov17 2012	65	35.82224167	0.00055044	92.87049769	0.25443972	0.99982816	-0.00017184	0.00005214

Months Across

“Months Across” features sets of calls, puts, incrementing strikes and incrementing expiration month columns. The calls have the letter ‘c’ before the price while puts have the letter ‘p’ before the price.

Price	Strike	Aug18 2012	Sep22 2012	Oct20 2012	Nov17 2012	Dec22 2012
100.00000000	65	c 35.01664907	c 35.32746739	c 35.57507901	c 35.82223779	c 36.13271165
100.00000000	70	c 30.01792977	c 30.35266071	c 30.61986611	c 30.89001484	c 31.23790745
100.00000000	75	c 25.01921046	c 25.37803648	c 25.67011056	c 25.97919388	c 26.39316531
100.00000000	80	c 20.02049116	c 20.40726037	c 20.75336629	c 21.14485533	c 21.67498580

3 Call / 3 Put Columns

“3 Call / 3 Put Columns” features incrementing strikes with 3 Call Columns and 3 Put Columns.

Price	Strike	Call Aug18 2012	Call Sep22 2012	Call Oct20 2012	Put Aug18 2012	Put Sep22 2012	Put Oct20 2012
100.00000000	65	35.01664453	35.32746288	35.57507452	0.00000000	0.00000002	0.00002773
100.00000000	70	30.01792488	30.35265585	30.61986124	0.00000000	0.00000354	0.00058009
100.00000000	75	25.01920523	25.37803125	25.67010512	0.00000000	0.00018949	0.00658960
100.00000000	80	20.02048558	20.40725451	20.75335955	0.00000000	0.00422330	0.04560966


3.4 Greeks

Option analytics of Call Delta, Put Delta, Gamma, Vega, Call Theta, Put Theta, Call Rho, Put Rho are calculated. They can be seen on the row at the top of the option chain.

Call Delta	Put Delta	Gamma	Vega	Call Theta	Put Theta	Call Rho	Put Rho
0.99984631	-0.00015369	0.00004738	0.02960995	-3.22364990	-0.01401491	16.04135833	-0.00396278

3.5 Spreads

Selection of the checkbox “Spreads” will invoke the Spread Mode.



Spread Mode allows the individual leg information for a spread to be controlled.

OptionMatrix: Calendar Dated, Model Source: Anthony Bradford

File Models Prefs Help

Model: Black-Scholes CND: PolyApprox6 Precision: 8

Price: 100.00000000 Interest Rate: 0.05000000 Standard Deviation: 0.25000000

☒ Use Date Engine Expirations set to 3rd Fri + 1 @ 11:59:00 Date Engine Properties Cycle: All

☒ Spreads Calendar Spreads Display Formats: ☒ ☐ ☐ ☐ ☐ Format: Month to Strikes

Strikes: 5 Strike Adj Leg1 Month Adj Leg1: Fri Aug 03 2012 06:36:24

Strike Adj Leg2 Month Adj Leg2

Price	Expr Date	Strike	Call	Put	Expr Date	Strike	Call	Put	Spread C-C	Spread P-P	Spread C-P
100.00000000	Aug18 2012	65	35.13541516	0.00000000	Sep22 2012	65	35.44566712	0.00000172	-0.31025196	-0.00000172	35.13541344
100.00000000	Aug18 2012	70	30.14583171	0.00000000	Sep22 2012	70	30.48002551	0.00007815	-0.33419380	-0.00007815	30.14575356
100.00000000	Aug18 2012	75	25.15624827	0.00000001	Sep22 2012	75	25.51584471	0.00161540	-0.35959644	-0.00161539	25.15463287
100.00000000	Aug18 2012	80	20.16666966	0.00000485	Sep22 2012	80	20.56609395	0.01758269	-0.39942429	-0.01757784	20.14908698
100.00000000	Aug18 2012	85	15.17787739	0.00079603	Sep22 2012	85	15.69640590	0.11361269	-0.51852851	-0.11281666	15.06426470
100.00000000	Sep22 2012	65	35.44566712	0.00000172	Oct20 2012	65	35.69294466	0.00014784	-0.24727754	-0.00014613	35.44551927
100.00000000	Sep22 2012	70	30.48002551	0.00007815	Oct20 2012	70	30.74804562	0.00195675	-0.26802011	-0.00187859	30.47806876
100.00000000	Sep22 2012	75	25.51584471	0.00161540	Oct20 2012	75	25.81499173	0.01561079	-0.29914702	-0.01399539	25.50023391
100.00000000	Sep22 2012	80	20.56609395	0.01758269	Oct20 2012	80	20.93526799	0.08259499	-0.36917405	-0.06501231	20.48349895
100.00000000	Sep22 2012	85	15.69640590	0.11361269	Oct20 2012	85	16.21888612	0.31292106	-0.52248022	-0.19930837	15.38348484
100.00000000	Oct20 2012	65	35.69294466	0.00014784	Nov17 2012	65	35.94034128	0.00135914	-0.24739662	-0.00121130	35.69158552
100.00000000	Oct20 2012	70	30.74804562	0.00195675	Nov17 2012	70	31.02117781	0.00996627	-0.27313219	-0.00800953	30.73807935
100.00000000	Oct20 2012	75	25.81499173	0.01561079	Nov17 2012	75	26.13374168	0.05030075	-0.31874995	-0.03468996	25.76469098
100.00000000	Oct20 2012	80	20.93526799	0.08259499	Nov17 2012	80	21.34314877	0.18747844	-0.40788078	-0.10488345	20.74778955
100.00000000	Oct20 2012	85	16.21888612	0.31292106	Nov17 2012	85	16.77376358	0.54586386	-0.55487746	-0.23294280	15.67302227
100.00000000	Nov17 2012	65	35.94034128	0.00135914	Dec22 2012	65	36.25222006	0.00683118	-0.31187878	-0.00547204	35.93351010
100.00000000	Nov17 2012	70	31.02117781	0.00996627	Dec22 2012	70	31.37429694	0.03310891	-0.35311913	-0.02314264	30.98806890
100.00000000	Nov17 2012	75	26.13374168	0.05030075	Dec22 2012	75	26.55796338	0.12097620	-0.42422169	-0.07067545	26.01276548
100.00000000	Nov17 2012	80	21.34314877	0.18747844	Dec22 2012	80	21.88414247	0.35135615	-0.54099370	-0.16387771	20.99179262
100.00000000	Nov17 2012	85	16.77376358	0.54586386	Dec22 2012	85	17.47459806	0.84601260	-0.70083448	-0.30014874	15.92775098

Scale buttons “Strike Adj Leg1” and “Month Adj Leg1” can be used to adjust strikes and months for Leg 1. Scale buttons “Strike Adj Leg2” and “Month Adj Leg2” can be used to adjust strikes and months for Leg 2.

3rd Fri + 1 @ 11:59:00 Date Engine Properties Cycle: All

ads Display Formats: ☒ ☐ ☐ ☐ ☐ Format: Month to Strikes

Strike Adj Leg1 Month Adj Leg1: Wed Aug 03 2012 06:36:24

Strike Adj Leg2 Month Adj Leg2

Expr Date	Strike	Call	Put	Spread C-C	Spread P-P	Spread C-P
-----------	--------	------	-----	------------	------------	------------

Spreads are displayed on a per row basis.

☒ Spreads Calendar Spreads Display Formats: ☒ ☐ ☐ ☐ ☐ Format: Month to Strikes

Strikes: 5 Strike Adj Leg1 Month Adj Leg1: Wed Aug 22 2012 23:04:55

Strike Adj Leg2 Month Adj Leg2

Price	Expr Date	Strike	Call	Put	Expr Date	Strike	Call	Put	Spread C-C	Spread P-P	Spread C-P
100.00000000	Sep22 2012	65	35.27134182	0.00000000	Oct20 2012	65	35.51915038	0.00000979	-0.24780856	-0.00000979	35.27133204
100.00000000	Sep22 2012	70	30.29221461	0.00000034	Oct20 2012	70	30.55934780	0.00027332	-0.26713319	-0.00027298	30.29194129

The first set of column references to “Expr Date, Strike, Call, Put” is considered Leg 1. Use scale controls “Strike Adj Leg1” and “Month Adj Leg1” to adjust.

Price	Expr Date	Strike	Call	Put
100.00000000	Sep22 2012	65	35.27135712	0.00000000


The second set of column references to “Expr Date, Strike, Call, Put” is considered Leg 2. Use scale controls “Strike Adj Leg2” and “Month Adj Leg2” to adjust.

Price	Expr Date	Strike	Call	Put	Expr Date	Strike	Call	Put
100.00000000	Sep22 2012	65	35.27135024	0.00000000	Oct20 2012	65	35.51915877	0.00000979

Four spreads are computed “Spread C-C” (Leg 1 Call minus Leg 2 Call), “Spread P-P” (Leg 1 Put minus Leg 2 Put), “Spread C-P” (Leg 1 Call minus Leg 2 Put) and “Spread P-C” (Leg 1 Put minus Leg 2 Call).

Adj Leg2			
Spread C-C	Spread P-P	Spread C-P	Spread P-C
-0.24778653	-0.00001107	35.27741828	-35.52521588
-0.26713335	-0.00029823	30.29847184	-30.56590342

Spread views are automatically labeled Vertical Spread, Calendar Spread or Vertical Calendar Spread.




Vertical Spread indicates strike differences between Leg 1 and Leg 2 (expiration dates are the same). Calendar Spread indicates expiration date differences between Leg 1 and Leg 2 (Strikes are the same). Vertical Calendar Spread indicates strike and calendar date expiration differences between the legs.

3.6 Models

Over 170+ option models are featured in the OptionMatrix Calculator. Model numbers may vary between systems due to library and linker options.


3.6.1 Changing Models

The current pricing model can be changed with the “Model” drop down. The models are listed as categorized folders in the drop down.




3.6.2 Model Categorization

The model drop down box categorization can be controlled via the menu item “Models”. Options include: Models → List by Category, Models → List by Author and Models → List.



Models → List by Author, changes the categorization in the “Models” drop down to be based on author of the model.




Models → List, creates no categorized folders. The “Models” drop down box becomes a list of all models.

Models → List by Category, is the default.


3.7 Cash Flow Editor

Some models have multiple dividends or coupons. optionmatrix provides a cash flow editor to add / remove these cash streams. The cash stream is ordered by time. If the “RealTime” checkbox is enabled the dividend or coupons time will bleed.




3.8 Re-calculations

Selection of Menu item Prefs → Settings will invoke the “Settings Popup”.




The setting “Sleep Delay” controls the time in between option chain re-calculations in seconds. The default setting is 1.




3.9 Cumulative Normal Distribution

The method of calculating the cumulative normal distribution is controlled with drop down named “CND”.




Methods include: PolyApprox6, PolyApprox4, Rational1.0*E-7, Rational2.5*E-4, Hart Equation, Romberg’s Method, **Simpson’s Rule** and **Trapezoidal Rule**.



PolyApprox6 is the default.

3.10 Precision


Decimal place precision can be adjusted with the spin button “Precision”.



Precision is defaulted to eight decimal places to show real-time time bleeding.

3.11 Exporting

Two menu export options are available.



File → Text Export, exports the current option chain to a text window.

File → Source View, exports the current option models C/C++ source code to a text window.

4 Curses `optionmatrix_console`

4.1 Running

Running `optionmatrix_console` with no arguments or just the `--debug`, `-d` options will invoke the OptionMatrix Curses Application. The Curses Application is a text application with no graphical user interface. The `--debug` or `-d` options will cause `optionmatrix_console` to create the debug log, `optionmatrix.log`, in the users home directory or the current working directory of execution. This log file will be populated with diagnostic information while the program is executing.

The Curses Application typically runs from a UNIX like console or DOS prompt, it can be associated with a start menu or desktop icon. The Curses Application responds to keyboard events. See [Chapter 3 \[Graphical Application `optionmatrix`\], page 4](#), for `optionmatrix` with a graphical user interface.

4.2 Welcome Screen

A welcome screen will appear with author, version, license, e-mail and website information. Press any key to continue to model selection screen.



4.3 Model Selection

Choose a model on the Model Selection screen by typing in its number and pressing **RET**. The arrow down and arrow up keys can be used to scroll and view more models. The listing of models exceeds the screen size.

```
Select financial model or press enter: 1 Arrow Down For More Models
--->1=Black-Scholes      22=SuperShare 2      43=FloatingXLookBack
    2=Merton-73          23=VasicekBondPrice  44=FloatingXLookBack 2
    3=Black-76           24=VasicekBondOption 45=FixedXLookback
    4=AmericanCRR        25=TimeSwitchOption  46=OptionsOnTheMaxMin
    5=AmericanEqui       26=ForEquOptInDomCur 47=StandardBarrier
    6=EuropeanCRR        27=Quanto             48=DoubleBarrier
    7=EuropeanEqui       28=EquityLinkedFXO    49=SoftBarrier
    8=Black-Scholes 2    29=SpreadApproximation 50=BinaryBarrier
    9=Generalized BS     30=MertonJumpDiff     51=DiscreteAdjBarrier
   10=Merton-73b        31=Bisection           52=ConvertibleBond
   11=French             32=NewtonRaphson       53=CRRBinomial
   12=Carry              33=BAWbisection        54=3D-Binomial
   13=AmericanBAW       34=BSbisection         55=TrinomialTree
   14=BSAmerican        35=AmerExchangeOpt     56=LookBarrier
   15=Black-76b         36=EurExchangeOpt     57=PartialTimeBarrier
   16=AssetOrNothing    37=MiltersenSwartz    58=RollGeskeWhaley 2
   17=Executive         38=PartialTimeTwoAsset 59=ExtremeSpread
   18=GarmanKohlHagen   39=TakeOverFXOption   60=ExtremeSpread 2
   19=CashOrNothing     40=TwoAssetBarrier     61=PartialFixedLB
   20=GapOption         41=TwoAssetCashOrNothin 62=PartialFloatLB
   21=SuperShare        42=TwoAssetCorrelation 63=PartialFloatLB 2
```

Once a model is selected the Format Selection screen will appear.

4.4 Format Selection


The Format Selection screen displays the model's name, models source, display formats and miscellaneous selections. Key selection of 1 - 9 will select a display format for the option's chain.

```
Model = Black-Scholes Source = Anthony Bradford
Select a screen/date style format:
1 - Custom stike, greeks, tickers (decimal/date entry dated)
2 - Matrix strikes, tickers (decimal/date entry dated)
3 - Strike to months matrix (calendar dated)
4 - Strike to months matrix w/ days to expr (calendar dated)
5 - Strikes to month matrix (calendar dated)
6 - Strikes to month matrix w/ days to expr (calendar dated)
7 - Months across column style (calendar dated)
8 - Custom strike matrix (calendar dated)
9 - Three Column style (calendar dated)

Or select:
a - AdvProperties (use to adjust calendar expirations) ESC - Back 1 screen
c - Options calendar (use to confirm expirations) l - GNU License
C - Futures calendar (use to confirm expirations) h - Help
m - Cycle financial models (or use TAB, arrow keys) q - Quit
d - Options Demo f - Futures Demo

Feel free to resize the terminal screen larger. Program scales to size.
█
```


Formats are categorized as “(decimal date/date entry dated)” or “(calendar dated)”. See column on the right of the screen.



The “(decimal date/date entry dated)” formats allow the user to enter the time to expiration as a decimal date (Example: .5 years away) or enter an explicit date (Example: 1/20/14 - read: Jan 20 2014). The “(calendar dated)” formats set option expirations using a date engine which has a default setting of 3rd Friday+1 @11:59AM going into the future. The Date Engine can be configured to match most industry used option expirations. Selection of any key **1 - 9** to proceed to the Inputs Screen.

4.5 Inputs

The Input Screen is customized on a per model basis. The user will be prompted for specific inputs for the selected model.



The Pricing Screen will follow.

4.6 Pricing Screen

The option model will begin pricing. The updating pricing changes are the result of time bleeding between the current time and the expiration times. Inputs can be adjusted while the model is pricing. Try typing: *S, s, X, x, R, r, V, v* or the arrow keys.

```

S=100.00 R=0.0500 V=0.250 F=6 K=5 W=0 Tue Aug 07 2012 07:38:30
Expirations 3rd Fri+1 11:59:00 OCycle:All
M=Black-Scholes I=PolyAppox6 H=Help A=AdvProperties

      Call
stock Strike Aug18 12 Sep22 12 Oct20 12 Aug18 12 Sep22 12 Oct20 12
-----
100.000 85 15.130174 15.626599 16.140502 0.000085 0.090573 0.281125
100.000 90 10.147645 10.987414 11.753959 0.009904 0.419858 0.844031
100.000 95 5.380888 6.945334 7.971835 0.235495 1.346246 2.011355
100.000 100 1.821710 3.859496 4.994801 1.668664 3.228878 3.983770
100.000 105 0.319690 1.859531 2.879372 5.158992 6.197382 6.817789
100.000 110 0.026296 0.773128 1.526580 9.857946 10.079447 10.414445
100.000 115 0.001009 0.278053 0.746126 14.825006 14.552841 14.583440
100.000 120 0.000019 0.087107 0.337601 19.816364 19.330365 19.124363
100.000 125 0.000000 0.023993 0.142151 24.808693 24.235720 23.878362
100.000 130 0.000000 0.005872 0.056013 29.801040 29.186068 28.741673
100.000 135 0.000000 0.001290 0.020773 34.793388 34.149956 33.655881
100.000 140 0.000000 0.000257 0.007291 39.785736 39.117392 38.591848
100.000 145 0.000000 0.000047 0.002435 44.778084 44.085650 43.536440
100.000 150 0.000000 0.000008 0.000777 49.770431 49.054080 48.484231

h-help Type TAB or +-.123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ@ for effects q-quit

```

At the money, in the money options are highlighted by default.

Pressing the TAB key will switch to another display format screen. Type ESC to go back to the Model Selection Screen. Type **h** or **?** for help. Type **q** or **Q** to quit.

5 Models supported

The OptionMatrix programs support the following models:

5.1 BSM

- Black-Scholes
- Merton-73
- Generalized Black-Scholes
- French
- Carry
- Warrants Black-Scholes
- Warrants Black-Scholes Dividend

5.2 American Options

- American Barone-Adesi Whaley
- Black-Scholes American
- American Perpetual
- American Put Approx Johnson
- American Put Approx Geske-Johnson
- Barone-Adesi Whaley
- Bjerksund Stensland

5.3 Single Asset Options

- Executive
- Time Switch Option
- Extendible Writer
- Forward Start Option
- Standard Barrier
- Double Barrier
- Soft Barrier
- Binary Barrier
- Discrete Adjusted Barrier
- Look Barrier
- Partial Time Barrier
- Asset-or-Nothing
- Cash-or-Nothing
- Gap Option
- Super Share
- Simple Chooser

- Complex Chooser
- Floating Strike Lookback
- Fixed Strike Lookback
- Partial Fixed Lookback
- Partial Float Lookback
- European Lookback
- Extreme Spread
- Calls on Options
- Puts on Options

5.4 Two Asset Options

- Spread Approximation
- Two Asset Cash or Nothing
- Two Asset Correlation
- Options on The Max Min
- Partial Time Two Asset
- Two Asset Barrier
- American Exchange Option
- European Exchange Option
- Exchange Exchange Option

5.5 Jump Diffusion

- Merton Jump Diffusion

5.6 Trees & Finite Differences

- Heston
- American Cox Ross Rubinstein
- American Equi
- European Cox Ross Rubinstein
- European Equi
- Cox Ross Rubinstein Binomial
- 3D-Binomial
- American Binomial
- American Binomial Dividend
- European Binomial
- European Binomial 1 Period
- European Binomial M Period
- Generic Binomial
- Bermudian Binomial

- American Finite Difference Explicit
- European Finite Difference Explicit
- American Finite Difference Implicit
- European Finite Difference Implicit
- **Trinomial Tree**
- **American Trinomial**
- Heston Semi-Analytic
- Binomial Jarrow-Rudd
- Additive Equiprobabilities
- Trigeorgis
- Tian
- Leisen-Reimer
- Joshi
- Bates Semi-Analytic
- Integral
- Finite Differences Bermudan

5.7 Monte Carlo

- Simulate European Option
- Simulate European Generic Option
- Simulate European Option Generic with Control Variate
- Simulate European Option Generic with Antihetic Variate
- Simulate Price Path
- Simulate Price Path Control Variate
- MC (Crude)
- QMC (Sobol)
- MC (Longstaff Schwartz)

5.8 Discrete Dividend

- **Roll-Geske-Whaley**
- Black-Scholes Dividends
- American Proport Dividends Binomial
- Black-Scholes Coupon Bond

5.9 Currency

- **Quanto**
- **Garman-KohlHagen**
- Foreign Equity Option Struck in Domestic Currency
- Equity Linked Foreign Exchange Option

- Takeover Foreign Exchange Option
- Currency American Binomial
- Currency European

5.10 Futures

- Black-76
- Miltersen Schwartz
- Futures Option American Binomial
- Futures
- Futures Dividend

5.11 Interest Rate Derivatives

- Swap Option

5.12 Asian

- Turnbull Wakeman Asian
- Levy Asian
- Geometric Average Rate
- Asian Geometric Average

5.13 Implied Volatility

- Bisection
- Newton Raphson
- Barone-Adesi Whaley Bisection
- Black-Scholes Bisection
- Implied Volatility Black-Scholes Newton
- Implied Bisections

5.14 Bonds

- Vasicek Bond Price
- Vasicek Bond Option
- Convertible Bond
- Bond Zero Black
- Bond Zero Vasicek
- Bond American Binomial
- Bond Call Rendleman Bartter
- Bond Flat
- Bond with Term Structure
- Bond with Principal

5.15 Term structures

- **Term Structure Flat**
- Term Structure Cir
- Term Structure Vasicek
- Term Structure Nelson Siegel
- Term Structure Svensson
- Term Structure Cubic Spline
- Term Structure Interpolated

5.16 Misc

- PV / IRR
- Log Normal Random

5.17 Pre-BSM

- **Bachelier-1900**
- Bachelier Modified
- Sprenkle-64
- Boness-64
- Samuelson-65

6 Downloading and Installation

6.1 Installers

Windows and Mac OS X installers can be found at
<http://sourceforge.net/projects/optionmatrix>

6.2 Unix / Linux Autotools Package

OptionMatrix source code can be downloaded from
<http://sourceforge.net/projects/optionmatrix>

Type the following on the console in the directory of the download to install.

```
tar xfz optionmatrix-1.4.4.tar.gz
cd optionmatrix-1.4.4
./configure
make
sudo make install
```

7 Documentation

PDF and EPUB documentation can be found at
<http://sourceforge.net/projects/optionmatrix>

HTML documentation can be found at
<https://anthonybradford.github.io/optionmatrix/index.html>

8 Reporting bugs

To report bugs, suggest enhancements or otherwise discuss optionmatrix, please send electronic mail to [Anthony Bradford](#).

For bug reports, please include enough information for the maintainers to reproduce the problem. Generally speaking, that means:

- The version numbers of optionmatrix (which you can find by running ‘`optionmatrix --version`’) and any other program(s) or manual(s) involved.
- Hardware and operating system names and versions.
- The contents of any input files necessary to reproduce the bug.
- The expected behavior and/or output.
- A description of the problem and samples of any erroneous output.
- Options you gave to `configure` other than specifying installation directories.
- Anything else that you think would be helpful.

When in doubt whether something is needed or not, include it. It’s better to include too much than to leave out something important.

Patches are welcome; if possible, please make them with ‘`diff -c`’. Please follow the existing coding style.

Appendix A GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

<http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document *free* in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or non-commercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The “Document”, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as “you”. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A “Modified Version” of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A “Secondary Section” is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document’s overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The “Invariant Sections” are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released

under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The “Cover Texts” are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A “Transparent” copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not “Transparent” is called “Opaque”.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The “Title Page” means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, “Title Page” means the text near the most prominent appearance of the work’s title, preceding the beginning of the body of the text.

The “publisher” means any person or entity that distributes copies of the Document to the public.

A section “Entitled XYZ” means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as “Acknowledgements”, “Dedications”, “Endorsements”, or “History”.) To “Preserve the Title” of such a section when you modify the Document means that it remains a section “Entitled XYZ” according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any,

- be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
 - C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
 - D. Preserve all the copyright notices of the Document.
 - E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
 - F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
 - G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
 - H. Include an unaltered copy of this License.
 - I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
 - J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
 - K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
 - L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
 - M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
 - N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
 - O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their

titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements."

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an “aggregate” if the copyright resulting from the compilation is not used to limit the legal rights of the compilation’s users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document’s Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled “Acknowledgements”, “Dedications”, or “History”, the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License “or any later version” applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy’s public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

“Massive Multiauthor Collaboration Site” (or “MMC Site”) means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A “Massive Multiauthor Collaboration” (or “MMC”) contained in the site means any set of copyrightable works thus published on the MMC site.

“CC-BY-SA” means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

“Incorporate” means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is “eligible for relicensing” if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (C)  year  your name.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts. A copy of the license is included in the section entitled ‘‘GNU
Free Documentation License’’.
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the “with...Texts.” line with this:

```
with the Invariant Sections being list their titles, with
the Front-Cover Texts being list, and with the Back-Cover Texts
being list.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

Concept index

-

--datadir.....	2
--debug.....	2
--Directory.....	2
--help.....	2
--iterate number.....	2
--list.....	2
--model number.....	2
--price.....	2
--quiet.....	2
--source.....	2
--version.....	2
-d.....	2
-D.....	2
-h.....	2
-i number.....	2
-l.....	2
-m number.....	2
-p.....	2
-q.....	2
-s.....	2
-v.....	2
.....	
.tar.gz.....	26

3

3 Call / 3 Put Columns.....	10
-----------------------------	----

A

American options.....	21
Analytics for options.....	10
Anthony Bradford.....	1, 3
Asian.....	24
At the money curses.....	19
authors.....	1
Autotools.....	1
Autotools package.....	26

B

Bernt Arne Øedegaard.....	1
Bjørn Augestad.....	1
Black-Scholes.....	3, 4
bond.....	24
BSM.....	21
Bug reporting.....	28

C

C++.....	1, 16
calendar.....	5
Calendar date curses.....	19
Calendar picker.....	5
Calendar spread.....	12
Call time to calculate.....	3
Cash flow editor.....	14
Checklist for bug reports.....	28
Coupon editor.....	14
Cumulative normal distribution.....	15
currency.....	23
curses.....	2, 17
Custom strike.....	6

D

Date engine.....	7
Date engine curses.....	19
Date engine properties.....	7
Days to expiration.....	5
Decimal date curses.....	19
Decimal precision.....	15
delta.....	10
Discrete dividend.....	23
Display formats.....	9
Display formats curses.....	18
Dividend editor.....	14

E

EPUB.....	27
Exchange traded options.....	7
expiration.....	7
Expiration curses.....	19
Expiration date.....	5
export.....	16

F

Financial Numerical Recipes in C++.....	1
Format selection curses.....	18
futures.....	24

G

gamma.....	10
GNU General Public License.....	1
greeks.....	10
GTK+.....	4

H

Hart equation.....	15
--------------------	----

help 2

I

Implied volatility 24
 In the money curses 19
 Interest rate 4
 Interest rate derivatives 24
 invoking 2

J

Jump diffusion 22

L

Leap year 5
 LEAPS 8
 leg 1 11
 leg 2 11
 Linux 26
 Listing models 2

M

Macintosh 26
 make 26
 Metaoptions 1
 Model categories 13
 Model drop down 12
 Model selection curses 17
 Models listing 2
 Models supported 21
 Monte Carlo 23
 Month adjuster 8
 Month adjuster legs 11
 Month to strikes 9
 Months across 9
 Months in option cycles 8
 Months to strike 9

O

Option analytics 10
 Option chain 4, 9
 Option chain format curses 18
 Option cycles 8
 optionmatrix.log 4, 17
 OS X 26
 overview 1

P

Patches, contributing 28
 PDF 27
 polyapprox 15
 Pre-BSM 25
 Precision decimal 15
 price 4

problems 28
 Put time to calculate 3

Q

QuantLib 1

R

rational1.0*E-7 15
 rational2.5*E-4 15
 real-time 5
 Reporting bugs 28
 rho 10
 Romberg's method 15

S

Seth Pinsky 1
 Simpson's rule 15
 Single asset options 21
 Sleep delay 14
 Source code 2, 16, 26
 Spread mode 10
 spreads 12
 Standard deviation 4
 Strike adjuster 6
 Strike custom 6
 Strike increments 6

T

tar 26
 Term structure 25
 Text export 16
 theta 10
 Time bleeding 4
 Time bleeding curses 19
 Time to calculate put / call 3
 Time to expiration 5
 Trapezoidal rule 15
 Trees & finite differences 22
 Two asset options 22

U

UNIX 17, 26
 usage 2

V

vega 10
 Vertical spread 12
 volatility 4

W

Welcome screen curses 17
 Windows installers 26