



**TECHNISCHE  
UNIVERSITÄT  
DRESDEN**

---

Fakultät Informatik Institut für Software- und Multimediatechnik, Professur für Softwaretechnologie

---

Master Thesis

# User-Driven Constraint Modelling for Entity Models at Runtime

Anton Skripin

Born on: 10.03.1998 in Novouralsk, Russia

04.11.2023

Supervisor

**Dr.-Ing. Sebastian Götz**

Supervising professor

**Prof. Dr. rer. nat. habil. Uwe Aßmann**

### Statement of authorship

I hereby certify that I have authored this document entitled *User-Driven Constraint Modelling for Entity Models at Runtime* independently and without undue assistance from third parties. No other than the resources and references indicated in this document have been used. I have marked both literal and accordingly adopted quotations as such. There were no additional persons involved in the intellectual preparation of the present document. I am aware that violations of this declaration may lead to subsequent withdrawal of the academic degree.

Dresden, 04.11.2023

Anton Skripin

## **Abstract**

Here should go my abstract

# Contents

Abstract	3
1 Introduction	5
1.1 Motivation . . . . .	5
1.2 Objective . . . . .	6
1.3 Contribution and research questions . . . . .	6
1.4 Thesis structure . . . . .	6

# 1 Introduction

## 1.1 Motivation

The formalized notion of a model emerged from the model theory. According to the model theory and omitting all complexity, a world consists of objects. In turn, objects are endowed with properties. A model represents an original whose properties are described as mapping to the image in a model. [CK90] It is worth noting that not every model is an abstraction of a real object but can be an abstraction of another model. An intuitive example of such a sequenced model is a map application, the domain model of which cannot be a direct model of our planet. Furthermore, as stated by [Hel+16], depending on the purpose of a model it serves, it can be either descriptive or prescriptive. The former means abstracting a real object. Hence, an origin stems from an actual entity. The latter ones comprise the specification of a real entity to be constructed. Deviation from a prescriptive model specification indicates an error. Thus, in such models, an origin originates from the specification of the created entity.

Modern software systems are non-trivial and consist of numerous artifacts. Thus, requirements are collected from involved stakeholders and reflected in design and system architecture. The source code then manifests all the stages before. Finally, the documentation for a system is created either manually or automatically to maintain the origin of software knowledge among involved parties. One vital concept to grasp, however, is that nowadays, a final software product is much more than just a program code. All system artifacts are necessary to produce and support a system during its software lifecycle. If the final software lacks at least one of the elements mentioned earlier, it cannot be regarded as software but just as some purpose-specific script.

Nevertheless, what overarching role do models play during the development of software? First, regardless of the design paradigm for the development of software systems, a model is a link between a client and a developer that serves as an intermediate component every involved party can understand. Secondly, models cooperatively with documentation help keep a system's essence during its evolution.

Every model has its unique purpose. Thus, an object-oriented data model [Day90] must bridge a semantic gap between the real world and relational tables. On the other hand, relational models [Cod07] are highly used in database management to help experts characterize and handle data stored in a database. Being one of the most common and adopted modeling languages, UML (Unified Modeling Language) [Rum05] lies at the base of Model Driven Architecture. [Sol+00]

## **1.2 Objective**

## **1.3 Contribution and research questions**

## **1.4 Thesis structure**

## List of Figures

# Bibliography

- [CK90] Chen Chung Chang and H Jerome Keisler. *Model theory*. Elsevier, 1990.
- [Cod07] Edgar F Codd. "Relational database: A practical foundation for productivity". In: *ACM Turing award lectures*. 2007, p. 1981.
- [Day90] Umeshwar Dayal. "Queries and views in an object-oriented data model". In: *Proceedings of the Second International Workshop on Database Programming Languages*. 1990, pp. 80–102.
- [Hel+16] Rogardt Haldal et al. "Descriptive vs prescriptive models in industry". In: *Proceedings of the acm/ieee 19th international conference on model driven engineering languages and systems*. 2016, pp. 216–226.
- [Rum05] James Rumbaugh. *The unified modeling language reference manual*. Pearson Education India, 2005.
- [Sol+00] Richard Soley et al. "Model driven architecture". In: *OMG white paper 308.308* (2000), p. 5.