Day 09

Snowballs, Traits, and Furious Santa

The elves trudged into the North Pole office, their little faces as frosty as leftover cocoa. The holiday crunch was bad enough, but Blitzen's latest antics had turned it into a nightmare. As the self-appointed "Tech Lead," Blitzen wouldn't stop yapping about optimizing Rust code that didn't need optimizing. Meanwhile, the real issues in Santa's GitHub repo—the gift filtering bug and the broken nice-kid calculator—were piling up like unwrapped presents on December 24th.

The elves slumped into their desks, morale at absolute zero. That's when Santa stomped into the room, red-faced and gripping his enormous candy cane staff. His expression said it all: Unhinged Santa Mode Activated.

"WHAT IN THE NAME OF PRANCER'S LEFT HOOF IS GOING ON HERE?!" Santa bellowed. "Blitzen, what"s this I hear about you trying to write your own grep?!"

Blitzen froze, mid-boast about his hand-rolled, regexpowered masterpiece. "Uh, well, I thought—"

"You thought? You thought I needed a worse grep when the sleigh's landing system is malfunctioning?!" Santa's eyes blazed like LEDs on overclock. "Do you know where we landed yesterday?! Florida. FLORIDA, BLITZEN! You ever tried explaining a snow-laden sleigh to a guy in flip-flops?!"

Santa turned to the rest of the elves. "Everyone, listen up. Blitzen... you're FIRED!"

The room gasped. Even the code compiler on the corner workstation seemed to pause in shock. Blitzen's antlers drooped.

"Well, not fired," Santa clarified, stroking his beard.

"But you're off tech lead. Effective immediately, you're on..." he smirked, "Candy Cane API maintenance. Enjoy your new repo."

The elves stifled giggles as Blitzen sulked away. Santa clapped his hands, bringing their attention back to the matter at hand.

"Now, here's the real problem, folks. The sleigh's landing system needs snow data, but look at what I got instead." He waved a crinkled printout. "Snow weights! In kilograms and pounds! I don't know what any of this means! What I need is actionable snow data—

converted into snowballs."

The elves exchanged worried glances.

"I want you to implement the From<T> trait to convert these." Santa jabbed at the paper. "We've got SnowKg(pub f32) and SnowLb(pub f32), but I need them in a usable format: Snowball(pub i64)! And make it snappy! Christmas Eve doesn't debug itself!"

Your Mission

- Implement the From<T> trait for the SnowKg and SnowLb types to convert them into Snowball type.
- The Snowball type should contain the number of snowballs that can be made from the given weight.
- The results should be rounded down or up to the nearest whole number.
- Make sure you use the SNOWBALL_WEIGHT_LB constants to calculate the number of snowballs.

Hints

• Inside the impl From<T> for Snowball block, calculate the number of snowballs from the input type. e.g.

```
fn from(weight: SnowKg) -> Self {
   let value = "calculate the number of snowballs from weight";
   SnowBall(value)
}
```

- Use round() to round the result to the nearest whole number. e.g. value.round().
- Convert the result to an integer using as i64.