



Silesian
University
of Technology

FINAL PROJECT

Thesis title in English

First Names SURNAME

Student identification number: **<your student id>**

Programme: Control, Electronic, and Information Engineering

Specialisation: ...

SUPERVISOR

<title first name surname>

DEPARTMENT <put department name>

Faculty of Automatic Control, Electronics and Computer Science

CONSULTANT

<title first name surname>

Gliwice 2022

Thesis title

Thesis title in English

Abstract

(Thesis abstract – to be copied into an appropriate field during an electronic submission – in English.)

Keywords

(2-5 keywords, separated with commas)

Tytuł pracy

Thesis title in Polish

Streszczenie

(Thesis abstract – to be copied into an appropriate field during an electronic submission – in Polish.)

Słowa kluczowe

(2-5 keywords, separated by commas, in Polish)

Contents

1	Introduction	1
2	[Problem analysis]	3
3	Requirements and tools	5
4	External specification	7
5	Internal specification	9
6	Verification and validation	11
7	Conclusions	13
	References	15
	Index of abbreviations and symbols	19
	Listings	21
	List of additional files in electronic submission (if applicable)	23
	List of figures	25
	List of tables	27

Chapter 1

Introduction

- introduction into the problem domain
- settling of the problem in the domain
- objective of the thesis
- scope of the thesis
- short description of chapters
- clear description of contribution of the thesis's author – in case of more authors table with enumeration of contribution of authors

Chapter 2

[Problem analysis]

- problem analysis
- state of the art, problem statement
- literature research (all sources in the thesis have to be referenced [2, 1, 3, 4])
- description of existing solutions (also scientific ones, if the problem is scientifically researched), algorithms, location of the thesis in the scientific domain

Mathematical formulae

$$y = \frac{\partial x}{\partial t} \tag{2.1}$$

and single math symbols x and y are typeset in the mathematical mode.

Chapter 3

Requirements and tools

- functional and nonfunctional requirements
- use cases (UML diagrams)
- description of tools
- methodology of design and implementation

Chapter 4

External specification

- hardware and software requirements
- installation procedure
- activation procedure
- types of users
- user manual
- system administration
- security issues
- example of usage
- working scenarios (with screenshots or output files)




Figure 4.1: Figure caption (below the figure).

Chapter 5

Internal specification

- concept of the system
- system architecture
- description of data structures (and data bases)
- components, modules, libraries, resume of important classes (if used)
- resume of important algorithms (if used)
- details of implementation of selected parts
- applied design patterns
- UML diagrams

Use special environments for inline code, eg **int a;** (package **listings**). Longer parts of code put in the figure environment, eg. code in Fig. 5.1. Very long listings—move to an appendix.

```
1 class test : public basic
2 {
3     public:
4         test (int a);
5         friend std::ostream operator<<(std::ostream & s,
6                                         const test & t);
7     protected:
8         int _a;
9
10 };
```

Figure 5.1: Pseudocode in listings.

Chapter 6

Verification and validation

- testing paradigm (eg V model)
- test cases, testing scope (full / partial)
- detected and fixed bugs
- results of experiments (optional)

Table 6.1: A caption of a table is **above** it.

ζ	method						
	alg. 1	alg. 2	alg. 3			alg. 4, $\gamma = 2$	
			$\alpha = 1.5$	$\alpha = 2$	$\alpha = 3$	$\beta = 0.1$	$\beta = -0.1$
0	8.3250	1.45305	7.5791	14.8517	20.0028	1.16396	1.1365
5	0.6111	2.27126	6.9952	13.8560	18.6064	1.18659	1.1630
10	11.6126	2.69218	6.2520	12.5202	16.8278	1.23180	1.2045
15	0.5665	2.95046	5.7753	11.4588	15.4837	1.25131	1.2614
20	15.8728	3.07225	5.3071	10.3935	13.8738	1.25307	1.2217
25	0.9791	3.19034	5.4575	9.9533	13.0721	1.27104	1.2640
30	2.0228	3.27474	5.7461	9.7164	12.2637	1.33404	1.3209
35	13.4210	3.36086	6.6735	10.0442	12.0270	1.35385	1.3059
40	13.2226	3.36420	7.7248	10.4495	12.0379	1.34919	1.2768
45	12.8445	3.47436	8.5539	10.8552	12.2773	1.42303	1.4362
50	12.9245	3.58228	9.2702	11.2183	12.3990	1.40922	1.3724

Chapter 7

Conclusions

- achieved results with regard to objectives of the thesis and requirements
- path of further development (eg functional extension ...)
- encountered difficulties and problems

Bibliography

- [1] Name Surname and Name Surname. *Title of a book*. Hong Kong: Publisher, 2017. ISBN: 83-204-3229-9-434.
- [2] Name Surname and Name Surname. ‘Title of an article in a journal’. In: *Journal Title* 157.8 (2016), pp. 1092–1113.
- [3] Name Surname, Name Surname and N. Surname. ‘Title of a conference article’. In: *Conference title*. 2006, pp. 5346–5349.
- [4] Name Surname, Name Surname and N. Surname. *Title of a web page*. 2021. URL: <http://somewhere/on/the/internet.html> (visited on 30/09/2021).

Appendices

Index of abbreviations and symbols

DNA deoxyribonucleic acid

MVC model–view–controller

N cardinality of data set

μ membership function of a fuzzy set

\mathbb{E} set of edges of a graph

\mathcal{L} Laplace transformation

Listings

(Put long listings here.)

```
1 if (_nClusters < 1)
2     throw std::string ("unknown number of clusters");
3 if (_nIterations < 1 and _epsilon < 0)
4     throw std::string ("You should set a maximal number of
        iteration or minimal difference — epsilon.");
5 if (_nIterations > 0 and _epsilon > 0)
6     throw std::string ("Both number of iterations and minimal
        epsilon set — you should set either number of iterations
        or minimal epsilon.");
```

List of additional files in electronic submission (if applicable)

Additional files uploaded to the system include:

- source code of the application,
- test data,
- a video file showing how software or hardware developed for thesis is used,
- etc.

List of Figures

4.1	Figure caption (below the figure).	7
5.1	Pseudocode in <code>listings</code>	10

List of Tables

6.1	A caption of a table is above it.	12
-----	--	----