Hindi Tweets Sentiment Analysis Using Transfer Learning

Pre Ph.D. DISSERTATION

by

Anubhav Mehra

DEPARTMENT OF COMPUTER SCIENCE S.S.J. UNIVERSITY ALMORA ALMORA - 263601(INDIA) JULY, 2021

ACKNOWLEDGMENT

It is a genuine pleasure to express my deep sense of gratitude to my mentor and my Ph.D. supervisor Dr. Manoj Singh Bisht. His advice and approach have helped me to a very great extent to accomplish this task.

I would also like to extend my gratitude to the Department of Computer Science, S.S.J University, Almora and all its faculty members who have been of great help during the course of this project.

Finally I would like to thanks my head Dr. Ashish Mehta, Department of Computer Science, DSB Campus Nainital for his immense help and providing me with time to complete my dissertation work.

DECLARATION

I declare that this written submission represents my ideas in my own words and where others' ideas or words have been included, I have adequately cited and referenced the original sources. I also declare that I have adhered to all the principles of academic honesty and integrity and have not misrepresented or fabricated or falsified any idea/data/fact/source in my submission. I understand that any violation of the above will be cause of disciplinary action by the University and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been taken when needed.

Anubhav Mehra July 28, 2021

ABSTRACT

Sentiment analysis is a **natural language processing** technique to find if the sentiment of the text is positive, neutral or negative. Traditionally, to train a model for sentiment analysis require very dense neural networks to train on very huge datasets. But, here we have used a technique called **Transfer Learning** that stores a model which has learned some knowledge, that we can leverage in solving some other tasks based on the knowledge of the previous model. Here we are using a language model called **BERT(Bidirectional Encoder Representations from Transformers)**. BERT is a pertained model which learns using the learning techniques developed by Google. The BERT multilingual base model that we are using is pertained on the top 104 languages including Hindi. We then leverage the power of this model for the Sentiment analysis of the Hindi texts dataset that we've got. This allows us to achieve moderately high accuracy scores using a comparatively small dataset.

Keywords: Sentiment Analysis, Emotion AI, Natural Language Processing, Transfer Learning, BERT, Multilingual Natural Language Processing, Hindi Sentiment Analysis.

Contents

1	Introduction		1
	1.1	Transfer Learning	1
	1.2	Sentiment Analysis	2
	1.3	Purpose	4
	1.4	Dissertation Structure	4
2	Revi	iew of Literature	5
	2.1	Concept of Transfer Learning	5
		2.1.1 General Idea	5
		2.1.2 Definition of Transfer Learning	6
	2.2	Sentiment Analysis using Transfer Learning	7
		2.2.1 Language Model Pre-Training	7
		2.2.2 BERT Model	8
	23	Related Work	Q

1 Introduction

1.1 Transfer Learning

Transfer Learning is a Machine Learning method where a model that is trained for a certain task is utilized as the starting point for solving some other task i.e., to train a second model from the knowledge learned from the first model as well as the dataset. It is a very popular approach in natural language processing domain to solve problems such as getting the context of the text.




Figure 1: Differentiation between Traditional and Transfer Learning Methodology.

The inspiration for transfer learning comes from us - humans, ourselves - where in, we have an inherent ability to not learn everything from scratch. We transfer and leverage our knowledge from what we have learn in the past for tackling a wide variety of tasks.[1]

Deciding when to use Transfer Learning

As with any technique at our disposal we must have a very clear reason on using transfer learning. First and foremost, we must realize that we can't use transfer learning in every situation. This is because for transfer learning to work we must have a model trained on a similar task. As with the problem concerned in our dissertation here, we have a language model available which is trained in recognizing linguistic structure of various languages. Now, we can leverage the power of this model to train a new model for our

1 INTRODUCTION

context analysis problem. If this is the case, you will realize that transfer learning is a very decent technique to use for acquiring better results and that too in very short amount of time than traditional methods. Now, with this out of the way you may want to use transfer learning if you have following conditions:

- You have a smaller dataset
- You are constrained on time

Applications of Transfer Learning

There are various applications of Transfer Learning in variety of domains. In **Image Recognition**, transfer learning can be used to perform various imaging tasks. For e.g., a model trained to identify face can be used for facial recognition. Transfer Learning can also be used in **Speech Recognition** tasks. For e.g., a model trained in a particular language for speech recognition can be used to train a model for speech authentication. But our key domain of interest where we are most interested in using this technique is **Natural Language Processing**. Transfer learning can be used to solve various tasks in NLP. For e.g., a model trained in recognizing the linguistic structure of a language can be used to train a model to predict next word based on the series of words it gets in the previous sentences.

1.2 Sentiment Analysis

One such task in NLP is **Sentiment Analysis**. Sentiment Analysis or emotion AI, is the process in natural language processing of subjective emotional analysis of the text. Primarily sentiment analysis finds if the emotional tone of a piece of writing is *positive*, *neutral or negative*. **Table 1** lists some examples of what a sentiment analysis categorization may look like.

Table 1: Sentiment Analysis Categorization.

Text	Category
That restaurant has a great food	Positive
He is my brother's colleague	Neutral
Bollywood movies are not entertaining	Negative

As we can see it is easily understood by a human brain what sentiments these pieces of

1 INTRODUCTION

writing represent. But, for a computer this is a very challenging problem. It is a challenging problem because the way humans communicate using natural languages is extremely varied depending upon *subjectivity*, *use of irony*, and the *context* of the phrase. Not all verbs, nouns and pronouns can be treated equally when analyzing the emotional tone of the text. The tone of our phrases depends on how we are using them, when we are using them and for what we are using them. For e.g., the phrase *absolutely everything*, can be an answer to a question like *What are you so happy about?* or can equally be an answer to a completely opposite question *What are you so sad about?*. Thus, the emotional tone of the phrase can have completely separate meaning depending upon the various parameters. In the example above, the context of the phrase can alter the emotional meaning of the phrase completely.

Applications of Sentiment Analysis

Listed below are some applications of Sentiment Analysis:

- Social Media Monitoring: Sentiment analysis is very useful tool to find out what is a general sentiment of people in social media towards a product, person, situation, trend or any such topic of interest.
- **Feedback Analysis:** Sentiment analysis can also be used to find the whether the reception of new policies or workings of a company or of a government is positive or negative. This helps a company or government to evaluate their policies and performance using a well-defined metric.
- Market Research: Sentiment analysis can also be used to find what topics are viewed in positive and negative light in current landscape. This information can then be used to design or steer a companies marketing campaign to align with those sentiments.




Figure 2: Application of Sentiment Analysis.

INTRODUCTION

1.3 Purpose

The purpose of this project is to showcase the use of Transfer Learning in developing a model for Sentiment Analysis of Social Media Posts(tweets in this case) posted in Hindi Language. Thus, calculating the accuracy of the model trained on a relatively small dataset and quick training time compared to those that would have been required if we would've followed a Traditional ML route. Hence, contributing in the field of Machine Learning and Data Science for any future project work in technology development.

1.4 Dissertation Structure

Chapter 2: This chapter discusses the literature review of this project. It discusses the concepts of this project, related an similar works done.

Chapter 3: This section describes the steps of the method followed to complete the project, which includes data sourcing, data preprocessing, model selection, model implementation, accuracy score calculation.

Chapter 4: This section describes the result and analysis of the project.

Chapter 5: The conclusion of the project is given in this section.

Chapter 6: This section contains the bibliography for this dissertation.

2 Review of Literature

This section details various concepts behind this project, their workings and also similar types of works that have been done.

2.1 Concept of Transfer Learning

2.1.1 General Idea


While, we have new and better techniques of developing deep neural networks that are astoundingly great at predicting outputs for particular features set. We still have a problem at hand. What our models still frightfully lack is the ability to generalize to conditions that are different from the ones encountered during training. When is this necessary? Every time you apply your model not to a carefully constructed dataset but to the real world. The real world is messy and contains an infinite number of novel scenarios, many of which your model has not encountered during training and for which it is in turn ill-prepared to make predictions.

So to make a generalizing model the dataset required that would enable the model to learn the working in the real world would be astoundingly huge. Collecting such dataset may be difficult, expensive and can also be downright impossible in many cases. So for a solution we turns our head towards transfer learning.

Humans are generally very good at transfer learning. We use our knowledge at one task to solve a related task all the time. For example, if you have any experience programming with Java, C/C++ or any other programming languages, you're already familiar with concepts like loops, recursion, objects and etc (Figure 3, a). If you then try to pick up a new programming language like python, you don't need to learn these concepts again, you just need to learn the corresponding syntax. Or to take another example, if you have played table tennis a lot it will help you learn tennis faster as the strategies in these games are similar (Figure 3, b).



a) Transferring Learned knowledge from Java to Python.



b) Transferring Learned knowledge Table Tennis to Tennis.

Figure 3: Transferring the learned knowledge in humans.

In Transfer Learning as compared to Traditional Learning where models are trained in complete isolation, we use the knowledge gained by a model in solving a task of similar domain to train our desired model to solve some other task.

2.1.2 Definition of Transfer Learning

Following is the definition of Transfer Learning in terms of domain and tasks.

A domain D consists of: a feature space X and a marginal probability distribution P(X), where $X = \{x1, ..., xn\} \in X$. Give a specific domain, $D = \{X, P(X)\}$, a task consists of two components: a label space Y and an objective function $f: X \to Y$. The function f is used to predict the corresponding label f(x) of a new instance x. This task, denoted by $T = \{Y, f(x)\}$, is learned from the training data consists of pairs $\{x_i, y_i\}$, where $x_i \in X$ and $y_i \in Y$.

Give a source dome D_S and learning Task T_S , a target domain D_T and learning task T_T , where $D_S \neq D_T$, or $T_S \neq T_T$, transfer learning aims to help improve the learning of the target predictive function $f_T(\bullet)$ in D_T using the knowledge D_S and D_T .

2.2 Sentiment Analysis using Transfer Learning

The current landscape of sentiment analysis most sentiment analysis methods are classified from two perspectives. One is according to the granularity of text analysis, which is divided into three aspects: document level, statement level and aspect level. The other is according to the principle of method, it is mainly divided into three types: rule-based, machine learning, and deep learning. However, with the increasing volume of information, the collected data that need to be analyzed are huge, chaotic and irregular. This has brought more difficulties for sentiment analysis as large data labeling and high cost of computing. Although the traditional sentiment analysis methods have some advantages, they are more limited due to massive data requirements in practical applications. Therefore, researchers have combined sentiment analysis and transfer learning.

2.2.1 Language Model Pre-Training

The intuition behind pre-trained language models is to create a black box which understands the language and can then be asked to do any specific task in that language. The language model is first fed a large amount of unannotated data (for example, the complete Wikipedia dump). This lets the model learn the usage of various words and how the language is written in general. The model is now transferred to an NLP task where it is fed another smaller task-specific dataset, which is used to fine tune and create the final model capable of performing the aforementioned task.




Figure 4: Language Model Pre-Training Workflow

Language model pre-training are extremely effective for improving many natural language processing task. As the *ULMfit* fine-tuning approach of Language-Model pre-training has showed.

2.2.2 BERT Model

BERT, which stands for Bidirectional Encoder Representations from Transformers is designed to pre-train deep bidirectional representations from unlabeled text by jointly condition on both left and right context in all layers. As a result, the pre-trained BERT model can be fine-tuned with just one additional output layer to create state-of-the-art models for a wide range of NLP tasks.

BERT is conceptually simple and empirically powerful. It obtains new state-of-the-art results on eleven natural language processing tasks, including pushing GLUE score to 80.5%, MultiNLI accuracy to 86.7%, SQuAD v1.1 question answering test F1 to 93.2 and SQuAD v2.0 Test F1 to 83.1.

2.3 Related Work

IIT Bombay did some research on developing strategies for Sentiment Analysis in Hindi. In the paper they considered three approaches. The first to construct a classifier model for Hindi using a training corpus in Hindi. The second approach is to train a model on annotated English corpus and translate a Hindi document to English in order to use this model. The third approach involves using a majority-based classifier for Hindi SentiWordNet. The results of the research show that the first approach outperforms the others.

In the paper titled BHAAV - A Text Corpus for emotion analysis from Hindi Stories, authors indtroduce the first and largest Hindi text corpus named BHAAV. The corpus consists of 20,304 sentences collected from 230 different short stores spanning across 18 genres. Each sentence has been annotated into one of the five emotion categories { anger, joy, suspense, sad, and neutral}. The paper also discuss challenges in the annotation of low resource language such as Hindi, and discuss the proposed corpus along with its possible uses. My first try for this project was to source this corpus for training our model, but since we couldn't get permission for the dataset I decided to use the approach of BERT Model.

References

[1] D. D. Sarkar. (Dec. 13, 2018). "Deep transfer learning for natural language processing — text classification with universal...," Medium, [Online]. Available: https://towardsdatascience.com/deep-transfer-learning-for-natural-language-processing-text-classification-with-universal-1a2c69e5baa9 (visited on 07/25/2021).