

# L<sup>A</sup>T<sub>E</sub>X Linux Containers - Virtualization for Cloud Era

ASHOK VUPPADA<sup>1</sup>

<sup>1</sup>School of Informatics and Computing, Bloomington, IN 47408, U.S.A.

\*Corresponding authors: ashokmadhu66@gmail.com

paper-1, March 7, 2017

In today's world, cloud is seen as a delivery model for a growing number of enterprises as the benefits of agility and efficiencies are better understood and available. The concept of virtualization is one of the building blocks for cloud infrastructure and services offering. The traditional VM works with hardware emulation causing inefficient resource and storage management. New technology 'Linux containers' built with the concept of 'Operating system Virtualization' aims at efficient resource management and customization. © 2017 <https://creativecommons.org/licenses/>. The authors verify that the text is not plagiarized.

**Keywords:** LXC, Cloud, I524

<https://github.com/justbbusy/sp17-i524/tree/master/paper1/S17-IO-3024/report.pdf>

This review document is provided for you to achieve your best. We have listed a number of obvious opportunities for improvement. When improving it, please keep this copy untouched and instead focus on improving report.tex. The review does not include all possible improvement suggestions and if you see a comment you may want to check if this comment applies elsewhere in the document.


some punctuation used in Abstract are not English

## 1. INTRODUCTION

Traditional Hypervisor based Virtualization works with the idea of creating virtual hardware and running guest operating system on them. Applications are then expected to run on the guest operating system. The hypervisor layer would control the different guest operating systems. This model offers a great deal of isolation, however the disadvantage of this set up is each of the guest operating systems would let a kernel process (memory and CPU manager processes) run on the host operating system and causing the performance overhead and resource constrain. It is also noted that each of the guest operating systems runs from the ISO file (usually in GBs) causing limitations on the storage of the host. [?]

Container based virtualization works with the similar concept except eliminating the need of hypervisor layer. Each instance of the guest operating system can be assumed as any other processes running on the host system. There would be only one kernel processing running on the host operating system (that belong to the host OS) and it would be shared with the guest operating systems. The hardware resources (CPU and memory) will also be shared. Since there is a single process controlling the memory and CPU usage, this model has performance

advantage [?]



**Fig. 1.** Architecture Comparison of Hypervisor Based VM and containers.

you have nice figures. first, please cite them if it is not made by yourself. also, you need to mention these figures "as shown in fig X..."

## 2. BUILDING BLOCKS

Linux containers are built on the modern kernel features like 'chroots', 'namespaces', 'cgroups' and Linux security models and mandatory access controls.[?]

- chroot : its a way of isolating a process to change only defined file system. The process running inside the chroot jail cannot act on the file system outside it. this is used to isolate the unstable applications to hamper the file system in use.[?]

- namespaces: namespaces provides the process level isolation for the global resources. It helps the process in each of the namespace to believe it's the only process.[? ]
- cgroups: it's a kernel feature which allows to allocate resources to a given group of process(s). It helps one allocating and accounting CPU time, memory etc for a set of processes[? ]
- Linux Security module: "Linux Security Modules (LSM) is a framework that allows the Linux kernel to support a variety of computer security models while avoiding favoritism toward any single security implementation".[? ]
- Mandatory Access control: It's a process

Term

by which the security policies setup cannot get overridden by a user. [? ]

Linux containers are built on kernel features stated, as they are Linux features the contender concept is not available in Microsoft Windows.

### 3. PROJECT LXC AND DOCKER

Both LXC and Docker are the practical implementations of the Linux containers. LXC is the original Linux container developed. The project Docker was initially started with the idea of extending LXC but ended up developing its own container. The key difference between LXC and Docker is in LXC each virtual container would allow multiple processes to run where as in Docker each process would need a separate Docker container. Docker is designed to be stateless and credited for its portability. Because of the overwhelming popularity of Docker it is often treated as synonym for Linux containers. The below diagram depicts the main structural differences between LXC and Docker.[? ]




Fig. 2. Architecture Comparison of LXC and Docker.

### 4. PERFORMANCE COMPARISON

[? ] In this study, Linux on KVM is studied for Hypervisor based VM, LXC and Docker are compared as container based solutions. OSv is used as light weight guest OS.

let's not start a sentence with a citation

#### 1. CPU Performance

CPU multithreaded performance is measured with a benchmark called 'Y Cruncher' which calculate the values of Pi

images/Score.jpg

Fig. 3. Single Core Perf Comparison

the results can be seen from the table below NBENCH is used for single core comparison producing three different indexes: Integer Index, Floating Point Index, and Memory Index. Please see the below diagram from the comparison

#### 2. Memory Performance

Below are test results using STREAM

#### 3. Disk I/O Performance

Bonnie++ is used to measure the disk performance and below are the results.

#### 4. Network I/O Performance

Network I/O is measured with Netperf

This test concludes that containers performed well but needs to improve on security and isolation.

### 5. USE CASES

[? ]

why you have a citation right after the section title?

#### 1. Continuous Integration

With the concept of DevOps there is a tight integration between the development and Operations. The frequency of deploying new applications had increased tremendously. With multiple applications to be deployed with along with the dependencies, Op team used to have tough time, Container with the portability and packaging made the job easy. [? ]

#### 2. Container as a service

This concept is similar to the PaaS, In a complex IT structure of an organization it was difficult to manage different existing technologies and add a new one, but with container




Fig. 4. Multi Core Perf Comparison




Fig. 5. Memory Perf Comparison

Platform	Random Write speed (Kb/s)		Random Seeks	
<b>Native</b>	48254	%	1706	%
<b>LXC</b>	43172	– 10.53%	1517	– 11.07%
<b>Docker</b>	41170	– 14.68%	975	– 42.84%
<b>KVM</b>	23999	– 50.26%	125.7	– 92.63%

Fig. 6. Disk IO Perf Comparison

Platform	TCP_STREAM (Mbps)		UDP_STREAM (Mbps)	
<b>Native</b>	9413.76	%	6907.98	%
<b>LXC</b>	9411.01	– 0.00029%	3996.89	– 42.14%
<b>Docker</b>	9412	– 0.00018%	3939.44	– 42.97%
<b>KVM</b>	6739.01	– 28.41%	3153.04	– 54.35%
<b>OSv</b>	6921.97	– 26.46%	3668.95	– 46.88%

Fig. 7. Network IO Comparison

as a service the new technology container image can be built and hosted on the existing host for the development to happen. This model eliminates the need of learning the dependencies associated with running multiple applications on the same host. [? ]

### 3. Micro Services

The idea of Micro service is to have the isolation between the application processes as much as possible so the each of the application can be built in the best technology suitable. This model is very helpful for modernization of the applications easily. Since container installation takes few seconds and doesn't come with the lot of dependencies they are the best choice for Microservices. [? ]

## 6. LIMITATIONS

[? ]

1. Containers are not suitable for all the purposes , some of the existing applications are designed best for sharing the physical layer of the machine.If scalability and fast deployment are not really applicable there is no good reason to use containers. [? ]
2. Containers provides weaker isolation compare the hypervisor based virtual machines.Since they share the common kernel process, if there is some bug or virus on the host there would be chance to propagate to other containers. [? ]
3. Containers are presently getting evolved,compared to the existing traditional VMs the tools available for monitoring the resources on containers are limited. [? ]
4. containers are build on the kernel features build in Linux,Hence this cannot be directly used by other operating systems which doesn't have Linux kernel ( Microsoft Windows)

## 7. CONCLUSION

In the era of cloud computing and micro services the need and popularity of containers are gradually growing up.Docker with its ability of "Build Ship Run" [? ] ability made the container concept more popular and useful.But eventually its not going to replace the traditional hypervisor based virtual machines any time soon ( as they are far more superior interns of security and integration compared to containers). Both the technologies needs to be used in conjunction to get the better of both the worlds.