
## The N-Queens Problem as a Digraph

The N-Queens problem is a rather simple one: if you have a  $N \times N$  chess board (for fixed  $N \in \mathbb{N}$ ), can you place N queens such that none of them are checking each other, or in other words, so that none of them are able to take each other. A more detailed description is given at <a href="https://en.wikipedia.org/wiki/N\_queens">https://en.wikipedia.org/wiki/N\_queens</a>. We can visualise this as an  $N \times N$  matrix, where 1 represents a queen being in a specific position, and 0 represents an empty tile. For example, the matrix

$$M := \begin{pmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{pmatrix}$$

is a valid solution, as none of the 1s can "attack" each other on a diagonal, horizontal, or vertical line (the queen's valid moves). Notice that this could form a digraph, where the top of the matrix is labelled  $a_0, a_1, ..., a_N$ , and the side  $b_0, b_1, ..., b_N$ , and an edge from  $a_n$  to  $b_m$  (with  $n, m \in [0, N] \cap \mathbb{N}_0$ ) existing iff  $M_{m,n} = 1$  (where M is the matrix in question). Thus, our matrix above would form the digraph



Notice the cycle in the digraph. When we checked the first 8 solutions computationally, we found that all of the corresponding digraphs had similar cycles (the code is available in the Github repository <a href="https://github.com/AowynB/NQueens">https://github.com/AowynB/NQueens</a>, along with the source for this document, and a copy of the PDF). Some of them – for example, at N=7 – had multiple small cycles, the matrix and digraph for which is shown below.

