Lesson Plan 06, ISTA-420

Chapter 3, T-SQL Fundamentals

June 7, 2017

1 Class Discussion

Pages 103 - 123.

- 1. In general, why would you even want to join two (or more) tables together? This is a good time to think about the nature of relational algebra.
- 2. Describe in your own words the output from an inner join.
- 3. Describe in your own words the output from an outer join.
- 4. Describe in your own words the output from an cross join.
- 5. A convenient mnemonic for remembering the various joins is "Ohio." Why is this true?
- 6. Give an example of a composite join.
- 7. What is the difference between the following two queries? The business problem is "How many orders do we have from each customer?"

8. What might be one reason the following query does not return the column *custID* in this query?

```
SELECT C.custid, C.companyname, O.orderid, O.orderdate
FROM Sales.Customers AS C
LEFT OUTER JOIN Sales.Orders AS O
ON C.custid = O.custid
WHERE O.orderdate >= '20160101';
```

2 In Class Exercises

Using SQLite and the Northwind database, write a SQL script that executes the following queries. Your deliverables should be your SQL script and the text output.

- 1. What is the order number and the date of each order sold by each employee?
- 2. List each territory by region.
- 3. What is the supplier name for each product alphabetically by supplier?
- 4. For every order on May 5, 1998, how many of each item was ordered, and what was the price of the item?
- 5. For every order on May 5, 1998, how many of each item was ordered giving the name of the item, and what was the price of the item?
- 6. For every order in May, 1998, what was the customer's name and the shipper's name?
- 7. What is the customer's name and the employee's name for every order shipped to France?
- 8. List the products by name that were shipped to Germany.

```
select e.employeeid, e.firstname, e.lastname, o.orderid, o.orderdate from employees e join
        orders o on e.employeeid = o.employeeid;
    select e.employeeid, e.firstname, e.lastname, o.orderid, o.orderdate from employees e,
        orders o where e.employeeid = o.employeeid;
3
    select r.regiondescription, t.territorydescription from territories t join region r on r.
4
        regionid = t.regionid;
    select r.regiondescription, t.territorydescription from territories t, region r where r.
5
        regionid = t.regionid;
6
7
   select p.productname, s.companyname from products p join suppliers s on s.supplierid = p.
        supplierid order by s.companyname;
8
    select p.productname, s.companyname from products p, suppliers s where s.supplierid = p.
        supplierid order by s.companyname;
    \textbf{select} \ \ o.\ order date\ ,\ \ o.\ orderid\ ,\ \ d.\ productid\ ,\ \ d.\ quantity\ ,\ \ d.\ unit price\ \ \textbf{from} \ \ order\_details\ \ d.
10
        join orders o on o.orderid = d.orderid where o.orderdate = '1998-05-05';
    select o.orderdate, o.orderid, d.productid, d.quantity, d.unitprice from order_details d,
11
        orders o where o.orderid = d.orderid and o.orderdate = '1998-05-05';
12
   select o.orderdate, o.orderid, p.productname, d.quantity, d.unitprice from order_details d
13
        join orders o on o.orderid = d.orderid join products p on p.productid = d.productid
        where o.orderdate = '1998-05-05';
   select o.orderdate, o.orderid, p.productname, d.quantity, d.unitprice from order_details d,
14
        orders o, products p where o.orderid = d.orderid and p.productid = d.productid and o.
        orderdate = '1998-05-05';
15
   select o.orderid, o.orderdate, c.companyname, s.companyname from orders o join customers c
16
        on o.customerid = c.customerid join shippers s on s.shipperid = o.shipperid where o.
        orderdate like '1998-01%';
   \textbf{select} \ \ \text{o.orderid} \ , \ \ \text{o.orderdate} \ , \ \ \text{c.companyname} \ , \ \ \text{s.companyname} \ \ \textbf{from} \ \ \text{orders} \ \ \text{o} \ , \ \ \text{customers} \ \ \text{c} \ ,
17
        shippers s where o.customerid = c.customerid and s.shipperid = o.shipperid and o.
        orderdate like '1998-01\%';
18
   select o.orderid, c.companyname, e.firstname, e.lastname, o.shipcountry from orders o join
19
        customers c on o.customerid = c.customerid join employees e on o.employeeid = e.
        employeeid where o.shipcountry = 'France';
    select o.orderid, c.companyname, e.firstname, e.lastname, o.shipcountry from orders o,
20
        customers c, employees e where o.customerid = c.customerid and o.employeeid = e.
        employeeid and o.shipcountry = 'France';
21
```

- 22 **select distinct** p.productname, o.shipcountry **from** orders o **join** order_details d **on** o.orderid = d.orderid **join** products p **on** d.productid = p.productid **where** o.shipcountry = 'Germany';
- 23 **select distinct** p.productname, o.shipcountry **from** products p, orders o, order_details d **where** o.orderid = d.orderid **and** d.productid = p.productid **and** o.shipcountry = 'Germany';

3 Graded Labs

4 Course Project

4.1 Software Process

Implementation. Structured programming. Top down versus bottom up development. DSLs.

4.2 Version Control

Review of Git and Github: init, add, status, commit, push.

4.3 Project Assignment

Implement your database design you worked on yesterday. Your deliverable will be your SQL script that you write implementing the database.

5 Homework

5.1 Readings

Read pages 133 - 149 in the *T-SQL Fundamentals* book.

5.2 Exercises

Do all exercises in chapter 3.