

Contents	
Source Code	1
Math Equations	1
Lists	1
Diagrams	2
List of Figures	
1 Finite Automaton that accepts only those words that do not end in <i>ba</i>	2
2 A Karnaugh map	2

Source Code

- lst. 1:

Listing 1 A Go code block

Listing 1 A Go code block

```
import "fmt"

func main() {
    fmt.Println("Hello, word! →⇒ ≤ ≥ ≠")
}
```

- lst. 2

Listing 2 A Rust code block

Listing 2 A Rust code block

```
fn main() {
    println!("Hello, word! →⇒ ≤ ≥ ≠")
}
```

Math Equations

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$\left[\begin{array}{cc|c} 1 & 2 & 3 \\ 4 & 5 & 6 \\ \cancel{7} & 8 & 9 \end{array} \right]$$

$$y = \begin{cases} x + 3 & \text{if } x \geq 20 \\ \frac{\sin^2\left(\sqrt[43]{e^x + \cos(x)}\right)}{\ln(x-3)} & \text{if } x \neq 90 \end{cases}$$

Lists

- First

1. nested first
 1. nested second
 1. forth
2. Second
3. First
 - (a) nested first
 - i. nested second
 - A. forth
4. Second
 - first
 - second
 - * third
 - forth

Diagrams

- A TikZ diagram:




Figure 1: Finite Automaton that accepts only those words that **do not** end in *ba*

- A Karnaugh map:

		ab			
		00	01	11	10
cd	00	0	1	1	0
	01	1	0	0	1
	11	0	0	0	1
	10	0	1	1	1

Figure 2: A Karnaugh map

