



Design Patterns: Practice

John Beverley

Assistant Professor, *University at Buffalo*Co-Director, National Center for Ontological Research
Affiliate Faculty, *Institute of Artificial Intelligence and Data Science*

Outline

• Dogmatists, Academics, and Skeptics

• Design Pattern

Outline

• Dogmatists, Academics, and Skeptics

• Design Pattern

Dogmatist

• The dogmatist takes a positive position to defend

• For example, a dogmatist might defend the claim "There is a god" or "Trade tariffs are economically feasible."

Dogmatist & Academic

• The dogmatist takes a positive position to defend

• For example, a dogmatist might defend the claim "There is a god" or "Trade tariffs are economically feasible."

• The academic takes a negative position to defend

• For example, an academic might defend the claim "There is no god" or "Trade tariffs are not economically feasible."

Skeptic

• The skeptic claims that both dogmatists and academics are mistaken

• The skeptic will seek to undermine positive arguments and negative arguments

• A sophisticated skeptic will do this in a balanced way, whenever the academic has the advantage, the skeptic will support the dogmatist, and vice versa

Practice Makes Perfect

• We will practice refining design patterns, with a slight twist

• Organize into groups of at least 3

• At least one individual plays the role of **dogmatist**, one of **academic**, and one of **skeptic**

Play the Game

• I will provide the class with a design pattern to discuss

• Dogmatists will be tasked with **defending the design pattern choices**, e.g. specific classes or relationships, placement within the hierarchy, etc.


• Academics will seek to undermine justification for such choices

• Skeptics will play both sides...

Outline

• Dogmatists, Academics, and Skeptics

• Design Pattern



Appendix A

Towards a Cyber Information Ontology

David LIMBAUGH^a, Mark JENSEN^{a,b}, and John BEVERLEY^{a,c,1}

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What entities are involved in the spread of information from one information bearer to another?

Towards a Cyber Information Ontology

David LIMBAUGHa, Mark JENSENa,b, and John BEVERLEYa,c,1

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What entities are involved in the spread of information from one information bearer to another?

SELECT AND MODEL ONE OF THE FOLLOWING

An email is sent from a laptop to a personal computer.

Information stored on a solid-state drive is displayed on a monitor.

A file system snapshot is stored on a backup drive.

Towards a Cyber Information Ontology

David LIMBAUGH^a, Mark JENSEN^{a,b}, and John BEVERLEY^{a,c,1}

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What entities are involved in the spread of information from multimodal information bearers to a target?

Towards a Cyber Information Ontology

David LIMBAUGHa, Mark JENSENa,b, and John BEVERLEYa,c,1

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What entities are involved in the spread of information from multimodal information bearers to a target?

SELECT AND MODEL ONE OF THE FOLLOWING

Acoustic and image traffic data are sent from field sensors to a controller which adjusts the timing of traffic light changes.

Bathymetric, meteorological, and temperature data are sent to a dataset for tracking marine life.

Towards a Cyber Information Ontology

David LIMBAUGH^a, Mark JENSEN^{a,b}, and John BEVERLEY^{a,c,1}

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What relationship exists among information bearers participating in the spread of information from a source?

Towards a Cyber Information Ontology

David LIMBAUGHa, Mark JENSENa,b, and John BEVERLEYa,c,1

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What relationship exists among information bearers participating in the spread of information from a source?

SELECT AND MODEL ONE OF THE FOLLOWING

Relationships among 10 machines that receive an email from a single machine.

Relationships among distinct drives storing identical snapshots of a system.

Towards a Cyber Information Ontology

David LIMBAUGH^a, Mark JENSEN^{a,b}, and John BEVERLEY^{a,c,1}

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What entities are involved in spreading information according to standard transmission protocols?

Towards a Cyber Information Ontology

David LIMBAUGHa, Mark JENSENa,b, and John BEVERLEYa,c,1

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

 $\textbf{Keywords.} \ ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies$

What entities are involved in spreading information according to standard transmission protocols?

SELECT AND MODEL ONE OF THE FOLLOWING

A password is submitted over an encrypted Secure Socket Layer connection.

A password is submitted over an unencrypted HTTP connection.

Towards a Cyber Information Ontology

David LIMBAUGH^a, Mark JENSEN^{a,b}, and John BEVERLEY^{a,c,1}

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What relationships exist among information entities under version control which correspond to a single, current, version?

Towards a Cyber Information Ontology

David LIMBAUGHa, Mark JENSENa,b, and John BEVERLEYa,c,1

^aNational Center for Ontological Research ^bCustoms and Border Protection ^cInstitute for Artificial Intelligence and Data Science

Abstract. This paper introduces a set of terms that are intended to act as an interface between cyber ontologies (like a file system ontology or a data fusion ontology) and top- and mid-level ontologies, specifically Basic Formal Ontology and the Common Core Ontologies. These terms center on what makes cyberinformation management unique: numerous acts of copying items of information, the aggregates of copies that result from those acts, and the faithful members of those aggregates that represent all other members.

Keywords. ontology, information, cyber information, Basic Formal Ontology, Common Core Ontologies

What relationships exist among information entities under version control which correspond to a single, current, version?

SELECT AND MODEL ONE OF THE FOLLOWING

Two authors collaborating on a paper using Google Docs.

A developer accessing code on a GitHub repository, from distinct machines.

BFO: Basic Formal Ontology

J. Neil Otte¹, John Beverley², and Alan Ruttenberg³

¹Johns Hopkins University Applied Physics Laboratory

Onns Hopkins University Applied Physics Laborato

²Northwestern University

³University at Buffalo

CASE 6: A marriage is a contract that is regulated by civil and social constraints. These constraints can change but the meaning of marriage continues over time.

Marriage License


• In the U.S., states impose *eligibility requirements on individuals*, e.g. individuals entering marriage must be able to consent and above a certain age.

• States also impose *eligibility requirements on the couple*, e.g. one member of the union must be a U.S. citizen

Marriage License

- Before 1967, several states prohibited interracial marriage; until 2015 several prohibited same-sex marriage.
- Governments grant *obligations to spouses* married partners bear financial responsibilities to one another and *privileges* married partners are not required to testify against one another in court.

CASE 6: A marriage is a contract that is regulated by civil and social constraints. These constraints can change but the meaning of marriage continues over time.



Class	Definition or Elucidation
document	a collection of information content entities intended to be understood together as a whole
government	an organization that exercises executive, legislative, or judicial authority over a region
marriage license	a document issued by a government, which legally binds agents as spouses, and invests them with as- sociated instances of deontic role
deontic declaration	a social act that creates or revokes a deontic role
social act	a planned process that is carried out by a person or an organization, and is self-generated, directed towards another person or an aggregate of persons, an organization or an aggregate of organizations, and that needs to be perceived
deontic role	a role that inheres in a person and that is externally grounded in the normative expectations that other persons within a social context have concerning how that person should behave
action regulation	an information content entity that prescribes an act as required, prohibited, or permitted, and is the output of an act that realizes some authority role
authority role	a role that is realized by actions that create, modify, transfer, or eliminate action regulations or other authority roles, and inheres in an agent in virtue of collective acceptance of that agent's ability to issue binding directives