



Tests (11)

PROFILE

Bruna Mesquita

11 Tests

DATE

TEST TYPE

TEST POSITION

25/08/2022 11:02 AM	Hip Flexion	Standing
25/08/2022 10:59 AM	knee extension	knee extension
25/08/2022 10:55 AM	Hip Flexion	Seated
25/08/2022 10:52 AM	Knee Flexion	Standing
25/08/2022 10:49 AM	Knee Flexion	Prone
25/08/2022 10:46 AM	Hip Extension	Prone

VALID

[Home](#) > Profile > ForceFrame

**PROFILE****DATE****TEST TYPE****TEST POSITION**

25/08/2022

Hip IR/ER

Prone

10:41 AM

25/08/2022

Ankle IN/EV

Supine

10:38 AM

25/08/2022

Hip AD/AB

Seated

10:36 AM

25/08/2022

Panturrilha Sentada

Panturrilha Sentada

10:32 AM

25/08/2022

Ankle Dorsiflexion

Seated

10:30 AM

VALID [Home > Profile > ForceFrame](#)




Flexion Max Force [N] - Hip Flexion

Range Average

226.75 - 279.5 259.69

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



>

Profile

>

ForceFrame




Max Force [N] - knee extension

Range Average

1.25 - 1.25 1.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Max Force [N] - knee extension

Range Average

327.5 - 369.5 348.5

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Knee Flexion Max Force [N] - Knee Flexion

Range Average

131.5 - 293 215.81

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Extension Max Force [N] - Hip Extension

Range Average

159.75 - 203.75 181.75

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




External Rotation Max Force [N] - Hip IR/ER

Range Average

108.75 - 115 111.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Internal Rotation Max Force [N] - Hip IR/ER

Range Average

85.5 - 99 92.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Inversion Max Force [N] - Ankle IN/EV

Range Average

116 - 116.25 116.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Max Force [N] - Ankle IN/EV

Range Average

111.75 - 123 117.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Adduction Max Force [N] - Hip AD/AB

Range Average

237.25 - 243 240.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Abduction Max Force [N] - Hip AD/AB

Range Average

277.25 - 310.75 294

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Max Force [N] - Panturrilha Sentada

Range Average

1.25 - 1.25 1.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Max Force [N] - Panturrilha Sentada

Range Average

540 - 568 554

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Dorsiflexion Max Force [N] - Ankle Dorsiflexion

Range Average

131.25 - 136.75 134

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame



Flexion Asymmetry [%] - Hip Flexion

Range Average

15.47 L - 5.46 R 5.01 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

25/08/2022

25/08/2022

VALD

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



Asymmetry [%] - knee extension

Range Average

0 L - 0 R 0 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

age

VALID



> Profile > ForceFrame



Asymmetry [%] - knee extension

Range

Average

11.37 L - 11.37 R 11.37 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Knee Flexion Asymmetry [%] - Knee Flexion

Range Average

18.2 L - 5.12 R 11.66 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

25/08/2022

25/08/2022

VALD

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



Extension Asymmetry [%] - Hip Extension

Range Average

21.6 L - 21.6 R 21.6 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)




External Rotation Asymmetry [%] - Hip IR/ER

Range Average

5.43 L - 5.43 R 5.43 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



Internal Rotation Asymmetry [%] - Hip IR/ER

Range Average

13.64 L - 13.64 R 13.64 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID [> Profile > ForceFrame](#)




Inversion Asymmetry [%] - Ankle IN/EV

Range Average

0.22 L - 0.22 R 0.22 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



Eversion Asymmetry [%] - Ankle IN/EV

Range Average

9.15 L - 9.15 R 9.15 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Adduction Asymmetry [%] - Hip AD/AB

Range Average

2.37 L - 2.37 R 2.37 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Abduction Asymmetry [%] - Hip AD/AB

Range Average

10.78 L - 10.78 R 10.78 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Asymmetry [%] - Panturrilha Sentada

Range Average

0 L - 0 R 0 R

VALD

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

age

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Asymmetry [%] - Panturrilha Sentada

Range Average

4.93 L - 4.93 R 4.93 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



Dorsiflexion Asymmetry [%] - Ankle Dorsiflexion

Range Average

4.02 L - 4.02 R 4.02 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)




Flexion Impulse Force [N] - Hip Flexion

Range Average

1984.02 - 2270.1 2127.07

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



>

Profile

>

ForceFrame



Impulse Force [N] - knee extension

Range Average

0 - 0 0

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



VALID

Rep #



> Profile > ForceFrame




Impulse Force [N] - knee extension

Range Average

2914.91 - 3971.03 3442.97

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Knee Flexion Impulse Force [N] - Knee Flexion

Range Average

1036.97 - 3003.16 1978.05

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



> Profile > ForceFrame




Extension Impulse Force [N] - Hip Extension

Range Average

1203.06 - 1668.45 1435.75

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




External Rotation Impulse Force [N] - Hip IR/ER

Range Average

906.17 - 931.86 919.01

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Internal Rotation Impulse Force [N] - Hip IR/ER

Range Average

735.06 - 747.07 741.07

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Inversion Impulse Force [N] - Ankle IN/EV

Range Average

973.07 - 1035.65 1004.36

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Impulse Force [N] - Ankle IN/EV

Range Average

912.26 - 1022.55 967.41

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Adduction Impulse Force [N] - Hip AD/AB

Range Average

1880.54 - 1944.21 1912.37

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Abduction Impulse Force [N] - Hip AD/AB

Range Average

2603.46 - 2794.16 2698.81

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



Impulse Force [N] - Panturrilha Sentada

Range Average

0 - 0 0

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



VALID

Rep #



> Profile > ForceFrame




Impulse Force [N] - Panturrilha Sentada

Range Average

4358.44 - 4708.34 4533.39

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Dorsiflexion Impulse Force [N] - Ankle Dorsiflexion

Range Average

1067.56 - 1222.7 1145.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Flexion Average Force [N] - Hip Flexion

Range Average

226.75 - 279.5 259.69

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Average Force [N] - knee extension

Range Average

1.25 - 1.25 1.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Average Force [N] - knee extension

Range Average

327.5 - 369.5 348.5

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Knee Flexion Average Force [N] - Knee Flexion

Range Average

131.5 - 293 215.81

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Extension Average Force [N] - Hip Extension

Range Average

159.75 - 203.75 181.75

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




External Rotation Average Force [N] - Hip IR/ER

Range Average

108.75 - 115 111.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Internal Rotation Average Force [N] - Hip IR/ER

Range Average

85.5 - 99 92.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Inversion Average Force [N] - Ankle IN/EV

Range Average

116 - 116.25 116.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Average Force [N] - Ankle IN/EV

Range Average

111.75 - 123 117.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Adduction Average Force [N] - Hip AD/AB

Range Average

237.25 - 243 240.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Abduction Average Force [N] - Hip AD/AB

Range Average

277.25 - 310.75 294

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Average Force [N] - Panturrilha Sentada

Range Average

1.25 - 1.25 1.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Average Force [N] - Panturrilha Sentada

Range Average

540 - 568 554

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Dorsiflexion Average Force [N] - Ankle Dorsiflexion

Range Average

131.25 - 136.75 134

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



VALID

[> Profile > ForceFrame](#)