



Tests (11)

PROFILE	DATE	TEST TYPE	TEST POSITION
Pamela Oliveira Nunes			
11 Tests			
	01/09/2022 4:36 PM	Hip AD/AB	Seated
	01/09/2022 4:32 PM	Ankle IN/EV	Supine
	01/09/2022 4:28 PM	Hip IR/ER	Prone
	01/09/2022 4:24 PM	Knee Flexion	Prone
	01/09/2022 4:18 PM	Hip Flexion	Kicker
	01/09/2022 4:15 PM	Hip Extension	Prone

VALID [Home > Profile > ForceFrame](#)



PROFILE

DATE	TEST TYPE	TEST POSITION
01/09/2022 4:09 PM	Knee Flexion	Standing
01/09/2022 4:05 PM	Hip Flexion	Seated
01/09/2022 4:02 PM	Panturrilha Sentada	Panturrilha Sentada
01/09/2022 3:58 PM	Ankle Dorsiflexion	Seated
01/09/2022 3:55 PM	knee extensor	knee extensor

VALID

[Home](#) > Profile > ForceFrame




Adduction Max Force [N] - Hip AD/AB

Range Average

353 - 363.25 358.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Abduction Max Force [N] - Hip AD/AB

Range Average

258.5 - 288.5 273.5

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Inversion Max Force [N] - Ankle IN/EV

Range Average

117.75 - 120.25 119

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Max Force [N] - Ankle IN/EV

Range Average

112.5 - 112.75 112.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




External Rotation Max Force [N] - Hip IR/ER

Range Average

105.25 - 111 108.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Internal Rotation Max Force [N] - Hip IR/ER

Range Average

66 - 97.25 81.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Knee Flexion Max Force [N] - Knee Flexion

Range Average

165.75 - 286 219.31

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Flexion Max Force [N] - Hip Flexion

Range Average

300.75 - 376.25 345.75

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



>

Profile

>

ForceFrame




Extension Max Force [N] - Hip Extension

Range Average

402.5 - 431.5 417

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Max Force [N] - Panturrilha Sentada

Range Average

2.25 - 9.75 6

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Max Force [N] - Panturrilha Sentada

Range Average

590.75 - 606 598.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Dorsiflexion Max Force [N] - Ankle Dorsiflexion

Range Average

153.25 - 197.25 175.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Max Force [N] - knee extensor

Range Average

1.25 - 1.5 1.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Max Force [N] - knee extensor

Range Average

335.5 - 358.25 346.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Adduction Asymmetry [%] - Hip AD/AB

Range Average

2.82 L - 2.82 R 2.82 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



Abduction Asymmetry [%] - Hip AD/AB

Range Average

10.4 L - 10.4 R 10.4 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Inversion Asymmetry [%] - Ankle IN/EV

Range Average

2.08 L - 2.08 R 2.08 R


VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



Eversion Asymmetry [%] - Ankle IN/EV

Range Average

0.22 L - 0.22 R 0.22 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



External Rotation Asymmetry [%] - Hip IR/ER

Range Average

5.18 L - 5.18 R 5.18 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Internal Rotation Asymmetry [%] - Hip IR/ER

Range Average

32.13 L - 32.13 R 32.13 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



Knee Flexion Asymmetry [%] - Knee Flexion

Range Average

21.68 L - 17.74 R 19.71 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

01/09/2022

01/09/2022

VALD

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



Flexion Asymmetry [%] - Hip Flexion

Range Average

3.92 L - 12.7 R 8.31 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

01/09/2022

01/09/2022

VALD[Home](#) > [Profile](#) > [ForceFrame](#)




Extension Asymmetry [%] - Hip Extension

Range Average

6.72 L - 6.72 R 6.72 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)





Asymmetry [%] - Panturrilha Sentada

Range

Average

76.92 L - 76.92 R 76.92 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Asymmetry [%] - Panturrilha Sentada

Range Average

2.52 L - 2.52 R 2.52 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Dorsiflexion Asymmetry [%] - Ankle Dorsiflexion

Range Average

22.31 L - 22.31 R 22.31 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)





Asymmetry [%] - knee extensor

Range Average

16.67 L - 16.67 R 16.67 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID[Home](#) > [Profile](#) > [ForceFrame](#)




Asymmetry [%] - knee extensor

Range Average

6.35 L - 6.35 R 6.35 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)






Adduction Impulse Force [N] - Hip AD/AB

Range Average

3663.26 - 3721.64 3692.45

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Abduction Impulse Force [N] - Hip AD/AB

Range Average

2375.93 - 2755.78 2565.86

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Inversion Impulse Force [N] - Ankle IN/EV

Range Average

1199.11 - 1228.56 1213.84

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Impulse Force [N] - Ankle IN/EV

Range Average

1100.89 - 1116.07 1108.48

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




External Rotation Impulse Force [N] - Hip IR/ER

Range Average

1018.6 - 1070.82 1044.71

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Internal Rotation Impulse Force [N] - Hip IR/ER

Range Average

932.51 - 1230.93 1081.72

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Knee Flexion Impulse Force [N] - Knee Flexion

Range Average

1693.47 - 2781.28 2153.85

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



> Profile > ForceFrame




Flexion Impulse Force [N] - Hip Flexion

Range Average

2925.67 - 3745.36 3276.53

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



>

Profile

>

ForceFrame




Extension Impulse Force [N] - Hip Extension

Range Average

4263.51 - 5453.15 4858.33

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame



Impulse Force [N] - Panturrilha Sentada

Range Average

0 - 0 0

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



VALID

Rep #



> Profile > ForceFrame




Impulse Force [N] - Panturrilha Sentada

Range Average

5310.06 - 5397.75 5353.91

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Dorsiflexion Impulse Force [N] - Ankle Dorsiflexion

Range Average

1280.67 - 1581.24 1430.95

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



Impulse Force [N] - knee extensor

Range Average

0 - 0 0

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



VALID

Rep #



> Profile > ForceFrame




Impulse Force [N] - knee extensor

Range Average

3539.03 - 5204.24 4371.64

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Adduction Average Force [N] - Hip AD/AB

Range Average

353 - 363.25 358.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Abduction Average Force [N] - Hip AD/AB

Range Average

258.5 - 288.5 273.5

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Inversion Average Force [N] - Ankle IN/EV

Range Average

117.75 - 119.5 118.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Average Force [N] - Ankle IN/EV

Range Average

112.5 - 112.75 112.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




External Rotation Average Force [N] - Hip IR/ER

Range Average

105.25 - 111 108.13

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Internal Rotation Average Force [N] - Hip IR/ER

Range Average

66 - 97.25 81.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Knee Flexion Average Force [N] - Knee Flexion

Range Average

165.75 - 286 219.31

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



>

Profile

>

ForceFrame




Flexion Average Force [N] - Hip Flexion

Range Average

300.75 - 376.25 345.75

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Extension Average Force [N] - Hip Extension

Range Average

402.5 - 431.5 417

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Average Force [N] - Panturrilha Sentada

Range Average

2.25 - 9.75 6

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Average Force [N] - Panturrilha Sentada

Range Average

590.75 - 606 598.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Dorsiflexion Average Force [N] - Ankle Dorsiflexion

Range Average

153.25 - 197.25 175.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Average Force [N] - knee extensor

Range Average

1.25 - 1.5 1.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Average Force [N] - knee extensor

Range Average

335.5 - 358.25 346.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



VALID

[> Profile > ForceFrame](#)