



## Tests (11)

PROFILE	DATE	TEST TYPE	TEST POSITION
MARCIA PARRA			
11 Tests			
	30/08/2022 6:50 PM	Hip Flexion	Kicker
	30/08/2022 6:48 PM	Hip AD/AB	Seated
	30/08/2022 6:45 PM	Hip IR/ER	Prone
	30/08/2022 6:41 PM	Ankle IN/EV	Supine
	30/08/2022 6:36 PM	Hip Extension	Prone
	30/08/2022 6:30 PM	Knee Flexion	Prone

**VALID** [> Profile > ForceFrame](#)

**PROFILE****DATE****TEST TYPE****TEST POSITION**

30/08/2022  
6:27 PM

Knee Flexion

Standing

30/08/2022  
6:23 PM

Hip Flexion

Seated

30/08/2022  
6:20 PM

Panturrilha Sentada

Panturrilha Sentada

30/08/2022  
6:16 PM

Ankle Dorsiflexion

Seated

30/08/2022  
6:14 PM

knee extensor

knee extensor

**VALID**

> Profile > ForceFrame




## Flexion Max Force [N] - Hip Flexion

Range              Average

193.5 - 263.5    226.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



&gt; Profile &gt; ForceFrame




## Adduction Max Force [N] - Hip AD/AB

Range              Average

261.25 - 267    264.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Abduction Max Force [N] - Hip AD/AB

Range              Average

260.5 - 261.25    260.88

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## External Rotation Max Force [N] - Hip IR/ER

Range      Average

50 - 80.5    65.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt; Profile &gt; ForceFrame




## Internal Rotation Max Force [N] - Hip IR/ER

Range              Average

107.25 - 108.5    107.88

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt; Profile &gt; ForceFrame




## Inversion Max Force [N] - Ankle IN/EV

Range      Average

84 - 88      86

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Eversion Max Force [N] - Ankle IN/EV

Range              Average

100.75 - 112    106.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Extension Max Force [N] - Hip Extension

Range                    Average

327.25 - 329.25      328.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt; Profile &gt; ForceFrame




## Knee Flexion Max Force [N] - Knee Flexion

Range                    Average

105.75 - 487.25      299.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Max Force [N] - Panturrilha Sentada

Range      Average

1.5 - 9.25    5.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Max Force [N] - Panturrilha Sentada

Range              Average

428 - 450.5      439.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Dorsiflexion Max Force [N] - Ankle Dorsiflexion

Range              Average

167.5 - 196.88    182.19

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Max Force [N] - knee extensor

Range      Average

1.5 - 1.75    1.63

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Max Force [N] - knee extensor

Range              Average

267.75 - 383    325.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame



## Flexion Asymmetry [%] - Hip Flexion

Range              Average

11.1 L - 9.47 R    0.81 L

**VALID**


[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

30/08/2022

30/08/2022

**VALD**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Adduction Asymmetry [%] - Hip AD/AB

Range              Average

2.15 L - 2.15 R    2.15 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## Abduction Asymmetry [%] - Hip AD/AB

Range              Average

0.29 L - 0.29 R    0.29 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## External Rotation Asymmetry [%] - Hip IR/ER

Range                      Average

37.89 L - 37.89 R    37.89 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Internal Rotation Asymmetry [%] - Hip IR/ER

Range              Average

1.15 L - 1.15 R    1.15 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)




## Inversion Asymmetry [%] - Ankle IN/EV

Range              Average

4.55 L - 4.55 R    4.55 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Eversion Asymmetry [%] - Ankle IN/EV

Range                    Average

10.04 L - 10.04 R    10.04 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)




## Extension Asymmetry [%] - Hip Extension

Range              Average

0.61 L - 0.61 R    0.61 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Knee Flexion Asymmetry [%] - Knee Flexion

Range                      Average

1.54 L - 15.57 R    8.55 R

**VALID**


[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

30/08/2022

30/08/2022

**VALD**[Home](#) > [Profile](#) > [ForceFrame  
Average](#)



## Asymmetry [%] - Panturrilha Sentada

Range                      Average

83.78 L - 83.78 R    83.78 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Asymmetry [%] - Panturrilha Sentada

Range                    Average

4.99 L - 4.99 R      4.99 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Dorsiflexion Asymmetry [%] - Ankle Dorsiflexion

Range                      Average

14.92 L - 14.92 R    14.92 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID** [> Profile > ForceFrame](#)



## Asymmetry [%] - knee extensor

Range                      Average

14.29 L - 14.29 R    14.29 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Asymmetry [%] - knee extensor

Range                      Average

30.09 L - 30.09 R    30.09 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)




## Flexion Impulse Force [N] - Hip Flexion

Range                      Average

1999.51 - 2895.11    2321.74

**VALD**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Adduction Impulse Force [N] - Hip AD/AB

Range                    Average

2449.68 - 2506.56    2478.12

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Abduction Impulse Force [N] - Hip AD/AB

Range                    Average

2404.21 - 2523.07    2463.64

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## External Rotation Impulse Force [N] - Hip IR/ER

Range                    Average

606.48 - 872.36      739.42

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Internal Rotation Impulse Force [N] - Hip IR/ER

Range                    Average

1016.28 - 1033.9      1025.09

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Inversion Impulse Force [N] - Ankle IN/EV

Range                    Average

679.01 - 684.26      681.64

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Eversion Impulse Force [N] - Ankle IN/EV

Range                    Average

965.34 - 1037.09    1001.22

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Extension Impulse Force [N] - Hip Extension

Range                    Average

2805.19 - 4627.27    3716.23

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Knee Flexion Impulse Force [N] - Knee Flexion

Range                    Average

913.16 - 4888.6      2774.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



&gt; Profile &gt; ForceFrame



## Impulse Force [N] - Panturrilha Sentada

Range      Average

0 - 0      0

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



**VALID**

Rep #



> Profile > ForceFrame




## Impulse Force [N] - Panturrilha Sentada

Range                      Average

4201.54 - 4218.44    4209.99

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Dorsiflexion Impulse Force [N] - Ankle Dorsiflexion

Range                      Average

1636.87 - 1931.69    1784.28

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



## Impulse Force [N] - knee extensor

Range      Average

0 - 0      0

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



**VALID**

Rep #



> Profile > ForceFrame




## Impulse Force [N] - knee extensor

Range                      Average

4072.09 - 4306.94      4189.51

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Flexion Average Force [N] - Hip Flexion

Range              Average

193.5 - 263.5    226.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



&gt; Profile &gt; ForceFrame




## Adduction Average Force [N] - Hip AD/AB

Range              Average

261.25 - 267    264.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Abduction Average Force [N] - Hip AD/AB

Range              Average

260.5 - 261.25    260.88

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## External Rotation Average Force [N] - Hip IR/ER

Range      Average

50 - 80.5    65.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Internal Rotation Average Force [N] - Hip IR/ER

Range                    Average

107.25 - 108.5      107.88

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Inversion Average Force [N] - Ankle IN/EV

Range      Average

84 - 88      86

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Eversion Average Force [N] - Ankle IN/EV

Range              Average

100.75 - 112    106.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Extension Average Force [N] - Hip Extension

Range                    Average

327.25 - 329.25      328.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt; Profile &gt; ForceFrame




## Knee Flexion Average Force [N] - Knee Flexion

Range                    Average

105.75 - 487.25      299.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Average Force [N] - Panturrilha Sentada

Range      Average

1.5 - 9.25    5.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Average Force [N] - Panturrilha Sentada

Range              Average

428 - 450.5      439.25

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Dorsiflexion Average Force [N] - Ankle Dorsiflexion

Range                    Average

167.5 - 196.88      182.19

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Average Force [N] - knee extensor

Range      Average

1.5 - 1.75    1.63

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Average Force [N] - knee extensor

Range              Average

267.75 - 383    325.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



**VALID**

[> Profile > ForceFrame](#)