




Tests (11)

PROFILE	DATE	TEST TYPE	TEST POSITION	REPS
Clarissa Bergamasco				
11 Tests				
	07/11/2022 11:19 AM	Panturrilha Sentada	Panturrilha Sentada	Outer 1 L / 1 R
	07/11/2022 11:16 AM	Hip IR/ER	Prone	ER 2 L / 2 R IR 1 L / 1 R
	07/11/2022 11:13 AM	Hip Extension	Prone	EXT 2 L / 2 R
	07/11/2022 11:11 AM	Hip Flexion	Kicker	FLEX 2 L / 2 R
	07/11/2022 11:08 AM	Hip Flexion	Seated	FLEX 2 L / 2 R
	07/11/2022 11:04 AM	Hip AD/AB	Seated	ADD 2 L / 2 R ABD 2 L / 2 R
	07/11/2022 11:01 AM	kneeextension seated	kneeextension seated	Inner 0 L / 0 R Outer 2 L / 2 R
	07/11/2022 10:57 AM	Knee Flexion	Prone	FLEX 2 L / 2 R
	07/11/2022 10:53 AM	Knee Flexion	Standing	FLEX 3 L / 2 R
	07/11/2022 10:50 AM	Ankle IN/EV	Supine	INV 2 L / 2 R EV 2 L / 1 R
	07/11/2022 10:39 AM	Ankle Dorsiflexion	Seated	DF 2 L / 2 R

Max Force [N] - Panturrilha Sentada


Range Average
633.75 - 854.75 744.25






External Rotation Max Force [N] - Hip IR/ER

Range Average
89 - 98.25 93.63



Internal Rotation Max Force [N] - Hip IR/ER


Range Average
77.5 - 78 77.75






Extension Max Force [N] - Hip Extension

Range Average
323.5 - 323.5 323.5



Flexion Max Force [N] - Hip Flexion


Range Average
167.5 - 256.75 218.88






Adduction Max Force [N] - Hip AD/AB

Range Average
278.5 - 283 280.75



Abduction Max Force [N] - Hip AD/AB


Range Average
253.5 - 263.5 258.5






Max Force [N] - kneeeextension seated

Range Average
1 - 1.25 1.13



Max Force [N] - kneeeextension seated


Range Average
380.5 - 427.25 403.88






Knee Flexion Max Force [N] - Knee Flexion

Range Average
114.75 - 132 124.5



Inversion Max Force [N] - Ankle IN/EV


Range Average
86.75 - 103.75 95.25






Eversion Max Force [N] - Ankle IN/EV

Range Average
89.75 - 95.75 92.75



Dorsiflexion Max Force [N] - Ankle Dorsiflexion

Range Average
156.5 - 162 159.25






Asymmetry [%] - Panturrilha Sentada

Range Average
25.86 L - 25.86 R 25.86 L



External Rotation Asymmetry [%] - Hip IR/ER


Range Average
9.41 L - 9.41 R 9.41 L





Internal Rotation Asymmetry [%] - Hip IR/ER

Range Average
0.64 L - 0.64 R 0.64 L




Extension Asymmetry [%] - Hip Extension

Range Average
0 L - 0 R 0 R






Flexion Asymmetry [%] - Hip Flexion




Adduction Asymmetry [%] - Hip AD/AB






Abduction Asymmetry [%] - Hip AD/AB

Range Average
3.8 L - 3.8 R 3.8 L



Asymmetry [%] - kneeeextension seated


Range Average
20 L - 20 R 20 L






Asymmetry [%] - kneeextension seated

Range Average
10.94 L - 10.94 R 10.94 L



Knee Flexion Asymmetry [%] - Knee Flexion


Range Average
7.09 L - 3.22 R 1.93 L





Inversion Asymmetry [%] - Ankle IN/EV

Range Average
16.39 L - 16.39 R 16.39 R



Eversion Asymmetry [%] - Ankle IN/EV


Range Average
6.27 L - 6.27 R 6.27 L






Dorsiflexion Asymmetry [%] - Ankle Dorsiflexion

Range Average
3.4 L - 3.4 R 3.4 R



Impulse Force [N] - Panturrilha Sentada


Range Average
3528.22 - 4831.61 4179.91






External Rotation Impulse Force [N] - Hip IR/ER

Range Average
497.09 - 565.95 531.52



Internal Rotation Impulse Force [N] - Hip IR/ER


Range Average
452.01 - 471.88 461.95






Extension Impulse Force [N] - Hip Extension

Range Average
2456.55 - 2503.44 2479.99



Flexion Impulse Force [N] - Hip Flexion


Range Average
1475.26 - 2210.83 1784.68






Adduction Impulse Force [N] - Hip AD/AB

Range Average
2286.64 - 2318.77 2302.71



Abduction Impulse Force [N] - Hip AD/AB

Range Average
2043.47 - 2181.74 2112.61





Impulse Force [N] - kneeextension seated

Range Average

0 - 0 0


Average



Impulse Force [N] - kneeextension seated

Range Average


3221.97 - 3790.38 3506.18






Knee Flexion Impulse Force [N] - Knee Flexion

Range Average
767.7 - 889.91 837.78



Inversion Impulse Force [N] - Ankle IN/EV


Range Average
579.94 - 689.83 634.88






Eversion Impulse Force [N] - Ankle IN/EV

Range Average
505.76 - 547.03 526.4



Dorsiflexion Impulse Force [N] - Ankle Dorsiflexion


Range Average
1040.49 - 1041.49 1040.99






Average Force [N] - Panturrilha Sentada

Range Average
633.75 - 854.75 744.25



External Rotation Average Force [N] - Hip IR/ER


Range Average
88 - 97 92.5






Internal Rotation Average Force [N] - Hip IR/ER

Range Average
77.5 - 78 77.75




Extension Average Force [N] - Hip Extension

Range Average
313.5 - 322.63 318.06





Flexion Average Force [N] - Hip Flexion



Adduction Average Force [N] - Hip AD/AB






Abduction Average Force [N] - Hip AD/AB

Range Average
251.13 - 259.19 255.16



Average Force [N] - kneeeextension seated


Range Average
1 - 1.25 1.13






Average Force [N] - kneeeextension seated

Range Average
366.13 - 417.5 391.81



Knee Flexion Average Force [N] - Knee Flexion


Range Average
109.5 - 130 116.83






Inversion Average Force [N] - Ankle IN/EV

Range Average
84.63 - 101.25 92.94



Eversion Average Force [N] - Ankle IN/EV

Range Average
88.5 - 89.75 89.13





Dorsiflexion Average Force [N] - Ankle Dorsiflexion

Range Average
156.13 - 158 157.06

