




Tests (11)

PROFILE	DATE	TEST TYPE	TEST POSITION	REPS
Fabiana Correa				
11 Tests				
	16/11/2022 10:42 AM	Hip IR/ER	Prone	ER 0 L / 0 R IR 0 L / 0 R
	16/11/2022 10:40 AM	Hip Extension	Prone	EXT 2 L / 1 R
	16/11/2022 10:36 AM	Hip Extension	Standing	EXT 2 L / 2 R
	16/11/2022 10:33 AM	Hip Flexion	Seated	FLEX 0 L / 0 R
	16/11/2022 10:29 AM	Hip AD/AB	Seated	ADD 1 L / 1 R ABD 1 L / 1 R
	16/11/2022 10:24 AM	kneeextension seated	kneeextension seated	Inner 0 L / 0 R Outer 1 L / 1 R
	16/11/2022 10:19 AM	Knee Flexion	Standing	FLEX 2 L / 2 R
	16/11/2022 10:17 AM	Knee Flexion	Prone	FLEX 2 L / 2 R
	16/11/2022 10:12 AM	Ankle IN/EV	Supine	INV 0 L / 0 R EV 0 L / 0 R
	16/11/2022 10:06 AM	Panturrilha Sentada	Panturrilha Sentada	Outer 2 L / 2 R
	16/11/2022 10:03 AM	Ankle Dorsiflexion	Seated	DF 2 L / 2 R


External Rotation Max Force [N] - Hip IR/ER






### Internal Rotation Max Force [N] - Hip IR/ER

Range      Average  
24.75 - 46.25      35.5



### Extension Max Force [N] - Hip Extension

Range      Average  
104.5 - 134      116






### Flexion Max Force [N] - Hip Flexion

Range

Average

73 - 74.25

73.63




### Adduction Max Force [N] - Hip AD/AB

Range

Average

176.75 - 177.5


177.13






Abduction Max Force [N] - Hip AD/AB

Range      Average  
194.25 - 201.5      197.88



Max Force [N] - kneeextension seated


Range      Average  
1.25 - 12.75      7






### Max Force [N] - kneeextension seated

Range      Average  
122.75 - 138.25      130.5



### Knee Flexion Max Force [N] - Knee Flexion

Range      Average  
97.75 - 122.5      109.94






### Inversion Max Force [N] - Ankle IN/EV

Range

Average

52.63 - 57.5

55.06




### Eversion Max Force [N] - Ankle IN/EV

Range

Average

42.25 - 49.75


46






Max Force [N] - Panturrilha Sentada

Range      Average  
428.88 - 474.5      451.69




Dorsiflexion Max Force [N] - Ankle Dorsiflexion

Range      Average  
88.75 - 91      89.88






### External Rotation Asymmetry [%] - Hip IR/ER



### Internal Rotation Asymmetry [%] - Hip IR/ER









Extension Asymmetry [%] - Hip Extension

Range      Average  
0.71 L - 10.26 R      5.49 R




Flexion Asymmetry [%] - Hip Flexion

Range      Average  
1.68 L - 1.68 R      1.68 R






Adduction Asymmetry [%] - Hip AD/AB




Abduction Asymmetry [%] - Hip AD/AB






Asymmetry [%] - kneeeextension seated




Asymmetry [%] - kneeeextension seated






### Knee Flexion Asymmetry [%] - Knee Flexion




### Inversion Asymmetry [%] - Ankle IN/EV





Eversion Asymmetry [%] - Ankle IN/EV

Range      Average  
15.08 L - 15.08 R      15.08 R




Asymmetry [%] - Panturrilha Sentada

Range      Average  
9.62 L - 9.62 R      9.62 L






### Dorsiflexion Asymmetry [%] - Ankle Dorsiflexion




### External Rotation Impulse Force [N] - Hip IR/ER






### Internal Rotation Impulse Force [N] - Hip IR/ER

Range      Average  
0 - 241.27    120.64



### Extension Impulse Force [N] - Hip Extension

Range      Average  
324.93 - 625.14    490.24






### Flexion Impulse Force [N] - Hip Flexion

Range

Average

291.94 - 367.27

329.6




### Adduction Impulse Force [N] - Hip AD/AB

Range

Average

1390.24 - 1468.42

1429.33








Abduction Impulse Force [N] - Hip AD/AB


Range      Average  
1329.83 - 1372.3      1351.06



Impulse Force [N] - kneeeextension seated

Range      Average  
0 - 0      0

Average






### Impulse Force [N] - kneeeextension seated

Range

Average

623.48 - 704.54

664.01




### Knee Flexion Impulse Force [N] - Knee Flexion

Range

Average

555.39 - 747.52

637.22






### Inversion Impulse Force [N] - Ankle IN/EV

RangeAverage


347.22 - 352.07349.65



### Eversion Impulse Force [N] - Ankle IN/EV

RangeAverage


229.92 - 277.71253.82






Impulse Force [N] - Panturrilha Sentada

Range                      Average  
2225.56 - 2685.65      2455.6



Dorsiflexion Impulse Force [N] - Ankle Dorsiflexion

Range                      Average  
554.23 - 619.68      586.96





### External Rotation Average Force [N] - Hip IR/ER

Range      Average


47 - 57      52



### Internal Rotation Average Force [N] - Hip IR/ER

Range      Average


24.75 - 46.25      35.5






### Extension Average Force [N] - Hip Extension

Range      Average  
97.88 - 134      111.53



### Flexion Average Force [N] - Hip Flexion


Range      Average  
73 - 74.25      73.63






Adduction Average Force [N] - Hip AD/AB

Range      Average  
176.75 - 177.5      177.13




Abduction Average Force [N] - Hip AD/AB

Range      Average  
194.25 - 201.5      197.88






### Average Force [N] - kneeeextension seated



### Average Force [N] - kneeeextension seated









### Knee Flexion Average Force [N] - Knee Flexion

Range      Average  
95.5 - 113.13      102.09




### Inversion Average Force [N] - Ankle IN/EV

Range      Average  
52.63 - 57.5      55.06






### Eversion Average Force [N] - Ankle IN/EV



### Average Force [N] - Panturrilha Sentada





### Dorsiflexion Average Force [N] - Ankle Dorsiflexion

Range      Average  
86.5 - 89.13      87.81

