



Tests (10)

PROFILE	DATE	TEST TYPE	TEST POSITION
Bruno Gardel			
10 Tests			
	25/08/2022 11:53 AM	Hip Flexion	Kicker
	25/08/2022 11:50 AM	Knee Flexion	Standing
	25/08/2022 11:47 AM	Hip Flexion	Seated
	25/08/2022 11:44 AM	Hip Extension	Prone
	25/08/2022 11:38 AM	Knee Flexion	Prone
	25/08/2022 11:34 AM	Hip IR/ER	Prone

VALID

[Home](#) > Profile > ForceFrame

**PROFILE****DATE****TEST TYPE****TEST POSITION**

25/08/2022
11:31 AM

Ankle IN/EV

Supine

25/08/2022
11:28 AM

Hip AD/AB

Seated

25/08/2022
11:25 AM

Panturrilha Sentada

Panturrilha Sentada

25/08/2022
11:22 AM

Ankle Dorsiflexion

Seated

VALID

> Profile > ForceFrame




Flexion Max Force [N] - Hip Flexion

Range Average

308 - 345.5 333.69

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



>

Profile

>

ForceFrame




Knee Flexion Max Force [N] - Knee Flexion

Range Average

168.25 - 201.25 184.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



> Profile > ForceFrame




Extension Max Force [N] - Hip Extension

Range Average

310.25 - 337.5 323.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




External Rotation Max Force [N] - Hip IR/ER

Range Average

156 - 164.5 160.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Internal Rotation Max Force [N] - Hip IR/ER

Range Average

89.5 - 123.75 106.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Inversion Max Force [N] - Ankle IN/EV

Range Average

163.5 - 164.25 163.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Max Force [N] - Ankle IN/EV

Range Average

159.25 - 163.75 161.5

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Adduction Max Force [N] - Hip AD/AB

Range Average

474 - 474 474

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Abduction Max Force [N] - Hip AD/AB

Range Average

398.25 - 406.25 402.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Max Force [N] - Panturrilha Sentada

Range Average

1.25 - 1.25 1.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Max Force [N] - Panturrilha Sentada

Range Average

1024 - 1024 1024

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Dorsiflexion Max Force [N] - Ankle Dorsiflexion

Range Average

145.25 - 152 148.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Flexion Asymmetry [%] - Hip Flexion

Range Average

9.01 L - 0.8 R 4.9 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)





Knee Flexion Asymmetry [%] - Knee Flexion

Range Average

7.55 L - 7.58 R 0.01 R

VALID


[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

25/08/2022

25/08/2022

VALD[Average](#) [> Profile > ForceFrame](#)



Extension Asymmetry [%] - Hip Extension

Range Average

8.07 L - 8.07 R 8.07 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



External Rotation Asymmetry [%] - Hip IR/ER

Range Average

5.17 L - 5.17 R 5.17 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Internal Rotation Asymmetry [%] - Hip IR/ER

Range Average

27.68 L - 27.68 R 27.68 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)





Inversion Asymmetry [%] - Ankle IN/EV

Range Average

0.46 L - 0.46 R 0.46 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Eversion Asymmetry [%] - Ankle IN/EV

Range Average

2.75 L - 2.75 R 2.75 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID[Home](#) > [Profile](#) > [ForceFrame](#)



Adduction Asymmetry [%] - Hip AD/AB

Range Average

0 L - 0 R 0 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID

age

[Home](#) > [Profile](#) > [ForceFrame](#)




Abduction Asymmetry [%] - Hip AD/AB

Range Average

1.97 L - 1.97 R 1.97 L

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



Asymmetry [%] - Panturrilha Sentada

Range Average

0 L - 0 R 0 R

VALD

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID

age

[Home](#) > [Profile](#) > [ForceFrame](#)



Asymmetry [%] - Panturrilha Sentada

Range Average

0 L - 0 R 0 R

VALD

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

VALID

age

[Home](#) > [Profile](#) > [ForceFrame](#)



Dorsiflexion Asymmetry [%] - Ankle Dorsiflexion

Range Average

4.44 L - 4.44 R 4.44 R

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

VALID[Home](#) > [Profile](#) > [ForceFrame](#)




Flexion Impulse Force [N] - Hip Flexion

Range Average

2484.86 - 3140.54 2870.35

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Knee Flexion Impulse Force [N] - Knee Flexion

Range Average

1390.06 - 2021.99 1632.73

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Extension Impulse Force [N] - Hip Extension

Range Average

1753.89 - 2341.65 2047.77

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




External Rotation Impulse Force [N] - Hip IR/ER

Range Average

1231.72 - 1333.34 1282.53

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Internal Rotation Impulse Force [N] - Hip IR/ER

Range Average

732.82 - 1016.74 874.78

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Inversion Impulse Force [N] - Ankle IN/EV

Range Average

1354.17 - 1398.13 1376.15

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Eversion Impulse Force [N] - Ankle IN/EV

Range Average

1249.62 - 1390.97 1320.29

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>

ForceFrame




Adduction Impulse Force [N] - Hip AD/AB

Range Average

3926.82 - 4024.59 3975.71

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Abduction Impulse Force [N] - Hip AD/AB

Range Average

3614.17 - 3850.67 3732.42

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



Impulse Force [N] - Panturrilha Sentada

Range Average

0 - 0 0

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



VALID

Rep #



> Profile > ForceFrame




Impulse Force [N] - Panturrilha Sentada

Range Average

9511.89 - 9698.01 9604.95

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Dorsiflexion Impulse Force [N] - Ankle Dorsiflexion

Range Average

1177.22 - 1305.72 1241.47

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Flexion Average Force [N] - Hip Flexion

Range Average

308 - 345.5 333.69

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



>

Profile

>

ForceFrame




Knee Flexion Average Force [N] - Knee Flexion

Range Average

168.25 - 201.25 184.38

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



>

Profile

>

ForceFrame




Extension Average Force [N] - Hip Extension

Range Average

310.25 - 337.5 323.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




External Rotation Average Force [N] - Hip IR/ER

Range Average

156 - 164.5 160.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Internal Rotation Average Force [N] - Hip IR/ER

Range Average

89.5 - 123.75 106.63

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Inversion Average Force [N] - Ankle IN/EV

Range Average

163.5 - 164.25 163.88

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Eversion Average Force [N] - Ankle IN/EV

Range Average

159.25 - 163.75 161.5

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Adduction Average Force [N] - Hip AD/AB

Range Average

474 - 474 474

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Abduction Average Force [N] - Hip AD/AB

Range Average

398.25 - 406.25 402.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




Average Force [N] - Panturrilha Sentada

Range Average

1.25 - 1.25 1.25

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



> Profile > ForceFrame




Average Force [N] - Panturrilha Sentada

Range Average

1024 - 1024 1024

VALID

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



>

Profile

>


ForceFrame



Dorsiflexion Average Force [N] - Ankle Dorsiflexion

Range	Average
145.25 - 152	148.63

VALID [Home > Profile > ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



VALID

[> Profile > ForceFrame](#)