



## Tests (11)

PROFILE	DATE	TEST TYPE	TEST POSITION
Freddy B. Silva			
11 Tests			
	29/08/2022 5:45 PM	Hip Flexion	Kicker
	29/08/2022 5:41 PM	Hip AD/AB	Seated
	29/08/2022 5:39 PM	Hip IR/ER	Prone
	29/08/2022 5:36 PM	Ankle IN/EV	Supine
	29/08/2022 5:32 PM	Knee Flexion	Prone
	29/08/2022 5:28 PM	Hip Extension	Prone

**VALID** [Home > Profile > ForceFrame](#)

**PROFILE****DATE****TEST TYPE****TEST POSITION**

29/08/2022

Hip Flexion

Seated

5:21 PM

29/08/2022

Knee Flexion

Standing

5:19 PM

29/08/2022

Panturrilha Sentada

Panturrilha Sentada

5:14 PM

29/08/2022

Ankle Dorsiflexion

Seated

5:11 PM

29/08/2022

knee extensor

knee extensor

5:07 PM

**VALID**

&gt; Profile &gt; ForceFrame




## Flexion Max Force [N] - Hip Flexion

Range      Average

321 - 355    340.94

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Adduction Max Force [N] - Hip AD/AB

Range                    Average

468.75 - 520.25      494.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Abduction Max Force [N] - Hip AD/AB

Range              Average

452 - 511.25    481.63

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## External Rotation Max Force [N] - Hip IR/ER

Range                    Average

170.38 - 176.25      173.31

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Internal Rotation Max Force [N] - Hip IR/ER

Range                    Average

114.25 - 125.75      120

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Inversion Max Force [N] - Ankle IN/EV

Range                    Average

160.25 - 172.5      166.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Eversion Max Force [N] - Ankle IN/EV

Range                    Average

185.25 - 205.75      195.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Knee Flexion Max Force [N] - Knee Flexion

Range              Average

121.75 - 830.5    423.75

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Extension Max Force [N] - Hip Extension

Range              Average

527.25 - 543    535.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Max Force [N] - Panturrilha Sentada

Range      Average

1.25 - 4.38    2.81

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Max Force [N] - Panturrilha Sentada

Range                      Average

1007.25 - 1021.75    1014.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Dorsiflexion Max Force [N] - Ankle Dorsiflexion

Range              Average

201.5 - 209.25    205.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Max Force [N] - knee extensor

Range      Average

1.25 - 1.5    1.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Max Force [N] - knee extensor

Range              Average

276.5 - 279.75    278.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



## Flexion Asymmetry [%] - Hip Flexion

Range              Average

0.49 L - 4.04 R    2.26 R

**VALID**


[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

29/08/2022

29/08/2022

**VALD**[Home](#) > [Profile](#) > [ForceFrame Average](#)



## Adduction Asymmetry [%] - Hip AD/AB

Range              Average

9.9 L - 9.9 R    9.9 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## Abduction Asymmetry [%] - Hip AD/AB

Range                      Average

11.59 L - 11.59 R    11.59 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)




## External Rotation Asymmetry [%] - Hip IR/ER

Range              Average

3.33 L - 3.33 R    3.33 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)




## Internal Rotation Asymmetry [%] - Hip IR/ER

Range              Average

9.15 L - 9.15 R    9.15 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)





## Inversion Asymmetry [%] - Ankle IN/EV

Range              Average

7.1 L - 7.1 R    7.1 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## Eversion Asymmetry [%] - Ankle IN/EV

Range              Average

9.96 L - 9.96 R    9.96 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## Knee Flexion Asymmetry [%] - Knee Flexion

Range                      Average

29.89 L - 24.14 R    2.87 L

**VALID**


[Home](#) > [Profile](#) > [ForceFrame](#)



Test Date

29/08/2022

29/08/2022

**VALID**

Average

[Home](#) > [Profile](#) > [ForceFrame](#)



## Extension Asymmetry [%] - Hip Extension

Range              Average

2.9 L - 2.9 R    2.9 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## Asymmetry [%] - Panturrilha Sentada

Range                      Average

71.43 L - 71.43 R    71.43 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## Asymmetry [%] - Panturrilha Sentada

Range              Average

1.42 L - 1.42 R    1.42 L

**VALD**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**[Average](#) [> Profile > ForceFrame](#)




## Dorsiflexion Asymmetry [%] - Ankle Dorsiflexion

Range              Average

3.7 L - 3.7 R    3.7 L

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



[Home](#) > [Profile](#) > [ForceFrame](#)



## Asymmetry [%] - knee extensor

Range                      Average

16.67 L - 16.67 R    16.67 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)



## Asymmetry [%] - knee extensor

Range              Average

1.16 L - 1.16 R    1.16 R

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Rep #

1

**VALID**[Home](#) > [Profile](#) > [ForceFrame](#)




## Flexion Impulse Force [N] - Hip Flexion

Range                      Average

2854.68 - 3647.91    3152.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Adduction Impulse Force [N] - Hip AD/AB

Range                    Average

6218.79 - 6933.4      6576.09

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Abduction Impulse Force [N] - Hip AD/AB

Range                    Average

3812.69 - 4200.35    4006.52

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## External Rotation Impulse Force [N] - Hip IR/ER

Range                    Average

1473.4 - 1489.43    1481.41

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Internal Rotation Impulse Force [N] - Hip IR/ER

Range                    Average

959.41 - 1029.34    994.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Inversion Impulse Force [N] - Ankle IN/EV

Range                    Average

1308.7 - 1417.59      1363.15

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Eversion Impulse Force [N] - Ankle IN/EV

Range                    Average

1543.8 - 1725.81    1634.8

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Knee Flexion Impulse Force [N] - Knee Flexion

Range                    Average

1085.08 - 7909.79    4791.76

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALD**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Extension Impulse Force [N] - Hip Extension

Range                      Average

4309.61 - 6380.67    5345.14

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt; Profile &gt; ForceFrame



## Impulse Force [N] - Panturrilha Sentada

Range      Average

0 - 0      0

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



VALID

Rep #



> Profile > ForceFrame




## Impulse Force [N] - Panturrilha Sentada

Range                      Average

8606.63 - 11998.55    10302.59

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Dorsiflexion Impulse Force [N] - Ankle Dorsiflexion

Range                      Average

1397.67 - 1624.15    1510.91

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



## Impulse Force [N] - knee extensor

Range      Average

0 - 0      0

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)



Average



VALID

Rep #



> Profile > ForceFrame




## Impulse Force [N] - knee extensor

Range                    Average

3037.16 - 3209.56    3123.36

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Flexion Average Force [N] - Hip Flexion

Range      Average

321 - 355    340.94

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Adduction Average Force [N] - Hip AD/AB

Range                    Average

468.75 - 520.25      494.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Abduction Average Force [N] - Hip AD/AB

Range              Average

452 - 511.25    481.63

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## External Rotation Average Force [N] - Hip IR/ER

Range                    Average

170.38 - 176.25      173.31

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Internal Rotation Average Force [N] - Hip IR/ER

Range                    Average

114.25 - 125.75      120

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt;

Profile

&gt;

ForceFrame




## Inversion Average Force [N] - Ankle IN/EV

Range                    Average

160.25 - 172.5      166.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Eversion Average Force [N] - Ankle IN/EV

Range                    Average

185.25 - 205.75      195.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Knee Flexion Average Force [N] - Knee Flexion

Range                    Average

121.75 - 830.5      423.75

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Test Date



&gt;

Profile

&gt;

ForceFrame




## Extension Average Force [N] - Hip Extension

Range              Average

527.25 - 543    535.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



&gt; Profile &gt; ForceFrame




## Average Force [N] - Panturrilha Sentada

Range      Average

1.25 - 4.38    2.81

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Average Force [N] - Panturrilha Sentada

Range                    Average

1007.25 - 1021.75    1014.5

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Dorsiflexion Average Force [N] - Ankle Dorsiflexion

Range                    Average

201.5 - 209.25      205.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Average Force [N] - knee extensor

Range      Average

1.25 - 1.5    1.38

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame




## Average Force [N] - knee extensor

Range              Average

276.5 - 279.75    278.13

**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)

**VALID**

Rep #



Profile



ForceFrame



**VALID**

[Home](#) > [Profile](#) > [ForceFrame](#)