

# PROFILE ASSESSMENT

Marina Muniz Washington

11<sup>th</sup> March, 2024

## PROFILE INFORMATION

NAME	Marina Muniz Washington
ORGANISATION	On Morumbi Clinica Medica
DATE OF BIRTH	1 <sup>st</sup> December, 1985
GENDER	Female
HEIGHT	157cm / 61in
WEIGHT	56kg / 123lb
AGE	38



# Standing Posture

## Posture and Stability Assessment

Standing Posture is a baseline postural assessment that can provide insight into an individual's structural balance, alignment, and postural strategy.

## RESULTS

### BALANCE SNAPSHOT



### SIDETRAK POSTURAL DEVIATION (SAGITTAL PLANE/SIDE VIEW)



### KEY RESULTS


Neck lateral flexion 4.0° Right ▼

Trunk lateral flexion 0.5° Right ▼

Pelvis Lateral Tilt 0.2° Left ▼

Trunk Flexion 4.0° Posterior

### SWAYTRAK MOVEMENT PATHS (KNEES AND CENTRE OF MASS)



### PRACTITIONER COMMENTS



## Single Leg Stand

### Balance Assessment

Standing balance over time is assessed while standing on one leg.

Eyes Open  
Surface Stable  
Time 10.0 s


## RESULTS

### BALANCE RESULTS (LEFT)

#### SNAPSHOT – START OF TEST



#### CENTER OF MASS PATH



#### KEY METRICS

#### RESULTS

Ellipse Area

1.23 cm<sup>2</sup>

COM Path Length

21.45 cm

Range – ML

6.38 cm

Range – AP

3.13 cm

Pelvis Lateral Tilt

13.5° Left ▼

Trunk lateral flexion

4.7° Left ▼

#### PRACTITIONER COMMENTS



## Single Leg Stand

### Balance Assessment

Standing balance over time is assessed while standing on one leg.

Eyes Open  
Surface Stable  
Time 10.0 s


## RESULTS

### BALANCE RESULTS (RIGHT)

#### SNAPSHOT – START OF TEST



#### CENTER OF MASS PATH



#### KEY METRICS

Ellipse Area

COM Path Length

Range – ML

Range – AP

Pelvis Lateral Tilt

Trunk lateral flexion

#### RESULTS

1.19 cm<sup>2</sup>

20.78 cm

6.41 cm

2.85 cm

10.1° Right ▼

5.6° Right ▼

#### PRACTITIONER COMMENTS



# Tandem Stand

## Balance Assessment

Standing balance over time is assessed with one foot directly in front of the other.

Eyes	Open
Surface	Stable
Time	10.0 s

### RESULTS

BALANCE RESULTS (LEFT)	
SNAPSHOT – START OF TEST	CENTER OF MASS PATH
KEY METRICS	RESULTS
Ellipse Area	2.04 cm-2
COM Path Length	21.33 cm
Range – ML	4.45 cm
Range – AP	4.45 cm
Pelvis Lateral Tilt	1.4° Left ▼
Trunk lateral flexion	0.3° Left ▼
PRACTITIONER COMMENTS	





# Tandem Stand

## Balance Assessment

Standing balance over time is assessed with one foot directly in front of the other.

Eyes Open  
Surface Stable  
Time 10.0 s

### RESULTS

BALANCE RESULTS (RIGHT)	
SNAPSHOT – START OF TEST	CENTER OF MASS PATH
	
KEY METRICS	RESULTS
Ellipse Area	2.81 cm-2
COM Path Length	47.40 cm
Range – ML	8.82 cm
Range – AP	12.61 cm
Pelvis Lateral Tilt	2.5° Left ▼
Trunk lateral flexion	1.6° Left ▼
PRACTITIONER COMMENTS	





## Cervical Spine Flexion/Extension

### Range of Motion Assessment

Cervical Spine Flexion (forward) / Extension (backwards) calculated by taking the inclination of the head relative to the line of the trunk in the sagittal plane (side view).

## RESULTS

PEAK FLEXION SNAPSHOT			PEAK EXTENSION SNAPSHOT	
				
KEY RESULTS	STARTING POSITION	PEAK FLEXION	PEAK EXTENSION	TOTAL RANGE
Flexion/Extension	0.0°	37.6°	1.2°	38.8°
Trunk Flexion	6.9° Posterior	3.2° Posterior	2.2° Posterior	N/A
Trunk lateral flexion	0.1°	0.2° Left ▼	1.3° Left ▼	N/A

## PRACTITIONER COMMENTS



# Cervical Spine Lateral Flexion

## Range of Motion Assessment


Cervical Spine Lateral Flexion (left and right) is calculated by taking the inclination of the head relative to the line of the trunk in the frontal plane (front view).

### RESULTS

PEAK LEFT LATERAL FLEXION		PEAK RIGHT LATERAL FLEXION	
			
KEY RESULTS	PEAK FLEXION (LEFT)	PEAK FLEXION (RIGHT)	IMBALANCE
Lateral Flexion	14.4°	20.7°	+6.3°
Trunk Flexion	5.0° Posterior	4.9° Posterior	N/A
Trunk lateral flexion at Peak Flexion	1.2° Left ▼	1.4° Right ▼	+0.2°

### PRACTITIONER COMMENTS





# Shoulder Adduction/Abduction

## Range of Motion Assessment

Shoulder Adduction/Abduction is calculated by taking the angle created by the humerus (upper arm) relative to the line of the trunk in the frontal plane (front view).

### RESULTS

PEAK ADDUCTION		PEAK ABDUCTION	
LEFT	RIGHT	LEFT	RIGHT
KEY RESULTS	LEFT	RIGHT	IMBALANCE
Shoulder Adduction	27.9°	42.6°	+14.7°
Shoulder Abduction	194.6°	204.2°	+9.6°
Trunk lateral flexion at Peak Abduction	1.6° Right ▼	3.7° Left ▼	+2.1°

PRACTITIONER COMMENTS ( LEFT )

PRACTITIONER COMMENTS ( RIGHT )







## Shoulder Flexion/Extension

### Range of Motion Assessment


Shoulder Flexion/Extension is calculated by taking the angle created by the humerus (upper arm) relative to the line of the trunk in the sagittal plane (side view).

## RESULTS

PEAK FLEXION		PEAK EXTENSION	
LEFT	RIGHT	LEFT	RIGHT
			
KEY RESULTS	LEFT	RIGHT	IMBALANCE
Shoulder Flexion	219.2°	234.1°	+14.9°
Shoulder Extension	63.5°	82.2°	+18.7°
Trunk lateral flexion at Peak Flexion	0.2° Right ▼	1.7° Left ▼	+1.5°

PRACTITIONER COMMENTS ( LEFT )

PRACTITIONER COMMENTS ( RIGHT )



## Shoulder Internal/External Rotation


### Range of Motion Assessment

Shoulder Internal/External Rotation calculated by taking the angle created by the forearm relative to horizontal in the sagittal plane (side view).


## RESULTS

### PEAK INTERNAL ROTATION

#### LEFT



#### RIGHT




### PEAK EXTERNAL ROTATION

#### LEFT



#### RIGHT



#### KEY RESULTS

#### LEFT

#### RIGHT

#### IMBALANCE

Shoulder Internal Rotation

74.3°

85.1°

+10.8°

Shoulder External Rotation

102.6°

123.0°

+20.3°

Total ROM

176.9°

208.0°

+31.1°

Trunk lateral flexion  
at Peak Internal Rotation


2.4° Right ▼

1.7° Left ▼

+0.7°

PRACTITIONER COMMENTS ( LEFT )

PRACTITIONER COMMENTS ( RIGHT )







# Squat

## Lower Body Dynamic Assessment

Squat is a dynamic movement assessment providing insight into an individual's balance, stability, flexibility, and strength.

### RESULTS

#### SNAPSHOTS

START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
			
KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion ( Left )	109.5°	106.5°	113.6°
Peak Knee Flexion ( Right )	109.0°	107.2°	114.5°
Spine Tilt at Peak Knee Flexion	46.8° Anterior	37.0° Anterior	46.0° Anterior
Trunk lateral flexion at Peak Knee Flexion	3.4° Left ▼	5.8° Left ▼	6.7° Left ▼

### PRACTITIONER COMMENTS



# Overhead Squat

## Lower Body Dynamic Assessment

Overhead squat is a dynamic movement assessment providing insight into an individual's balance, stability, flexibility, and strength.


### RESULTS

#### SNAPSHOTS

START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
			

KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion ( <span>Left</span> )	100.8°	95.7°	102.1°
Peak Knee Flexion ( <span>Right</span> )	100.6°	95.0°	104.4°
Trunk Flexion at Peak Knee Flexion	27.8° Anterior	29.5° Anterior	30.3° Anterior
Trunk lateral flexion at Peak Knee Flexion	3.7° <span>Left</span> ▼	5.5° <span>Left</span> ▼	6.0° <span>Left</span> ▼

### PRACTITIONER COMMENTS





# Lunge

## Lower Body Dynamic Assessment

The Lunge assesses the strength and range of motion of the knees and hips.

### RESULTS

PEAK KNEE FLEXION			
LEFT		RIGHT	
			
KEY METRICS	LEFT LEG	RIGHT LEG	ASYMMETRY
Peak Hip Flexion	53.6°	60.9°	12%
Peak Knee Flexion	68.9°	69.4°	0.7%
Peak Spine Lateral Tilt	0.8° Posterior	3.1° Anterior	N/A
Peak Pelvic Lateral Tilt	1.8° Right	3.2° Right	N/A
PRACTITIONER COMMENTS ( LEFT )		PRACTITIONER COMMENTS ( RIGHT )	



# Countermovement Jump

## Lower Body Dynamic Assessment

The Countermovement Jump assesses the landing posture during an explosive dynamic exercise.

### RESULTS

#### PEAK KNEE FLEXION after landing



#### KEY METRICS (TORSO)

Jump Height 16.04 cm

Peak Spine Tilt after landing 26.7° Anterior

Peak Lateral Spine Tilt after landing 0.2° Right

Peak Lateral Pelvic Tilt after landing 1.4° Right

#### KEY METRICS (LEGS)

##### LEFT LEG

##### RIGHT LEG

##### ASYMMETRY

Peak Hip Flexion after landing 56.2° 55.7° 0.9%

Peak Knee Flexion after landing 52.4° 51.8° 1.3%

Peak Knee Valgus/Varus after landing 19.7° Varus 22.2° Varus 11.4%

#### PRACTITIONER COMMENTS





## 30 Second Sit To Stand

### Lower Body Dynamic Assessment

30 Second Sit To Stand is an assessment that provides information on function leg power and strength of participants.


## RESULTS

KEY RESULTS	OVERALL
Successful Repetitions	13
Peak Knee Extension	L 3.8° R 2.9°
Knee Displacement	L 4.9 cm R 4.3 cm
Peak Lateral Trunk Flexion	3.8° Left ▼

### SNAPSHOTS

START	1st REP: PEAK TRUNK FLEXION	Q1 REP: PEAK TRUNK FLEXION	MEDIAN REP: PEAK TRUNK FLEXION	Q3 REP: PEAK TRUNK FLEXION	LAST REP: PEAK TRUNK FLEXION

KEY METRICS	1st REP	Q1 REP	MEDIAN REP	Q3 REP	LAST REP
Knee-Ankle Separation Ratio	1.4	1.6	1.6	1.4	1.5
Lateral Trunk Flexion	0.6° Left ▼	0.4° Left ▼	0.3° Left ▼	0.9° Left ▼	3.0° Left ▼
Knee Flexion	L 72.2° R 68.8°	L 69.2° R 67.7°	L 70.2° R 66.8°	L 68.8° R 67.5°	L 67.9° R 63.1°
Hip Flexion	L 72.6° R 69.9°	L 65.6° R 63.6°	L 64.1° R 60.2°	L 69.1° R 65.5°	L 66.2° R 61.3°
Trunk Flexion	0.6° Anterior	0.4° Anterior	0.3° Anterior	0.9° Anterior	3.0° Anterior











# Drop Jump


## Lower Body Dynamic Assessment

Drop Jump is used to assess coordination, balance, joint stability and power, requiring the patient to drop from a box or platform and transition from landing into an explosive jump .

Height                      unspecified

### RESULTS

PHASE	Initial Contact	Peak Knee Flexion
SNAPSHOTS		
Result		
Knee-Ankle Separation Ratio	1.6	1.3
Hip Flexion ( Left )	46.6°	8.4°
Hip Flexion ( Right )	39.7°	4.4°
Knee Flexion ( Left )	48.8°	12.7°
Knee Flexion ( Right )	43.3°	5.2°



### PRACTITIONER COMMENTS



# Single Leg Squat

## Lower Body Dynamic Assessment

Single Leg Squat is a dynamic movement assessment that provides insight into an individual's balance, stability, flexibility, and strength.

### RESULTS





LEFT LEG			
SNAPSHOTS			
START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion	66.8°	62.1°	60.4°
Knee Displacement (total)	8.6 cm	12.8 cm	12.8 cm
Peak Knee Valgus	1.4° Valgus	3.8° Valgus	8.1° Valgus
Peak Knee Varus	6.2° Varus	2.9° Varus	5.5° Varus
Trunk lateral flexion at Peak Knee Flexion	5.9° Left ▼	2.8° Left ▼	2.7° Left ▼

### PRACTITIONER COMMENTS

RESULTS

RIGHT LEG

SNAPSHOTS

START	REP 1: PEAK KNEE FLEXION	REP 2: PEAK KNEE FLEXION	REP 3: PEAK KNEE FLEXION
			
KEY RESULTS	REP 1	REP 2	REP 3
Peak Knee Flexion	65.1°	32.5°	69.1°
Knee Displacement (total)	12.3 cm	3.5 cm	11.8 cm
Peak Knee Valgus	0.0°	0.0°	0.0°
Peak Knee Varus	9.7° Varus	6.6° Varus	12.1° Varus
Trunk lateral flexion at Peak Knee Flexion	3.7° Right ▼	4.1° Right ▼	6.8° Right ▼

PRACTITIONER COMMENTS